Case Study 4 Homework: Exercises 4-7

Bookmark this page

Homework due Jul 14, 2021 05:59 +06

Exercise 4

0/1 point (graded)

In Exercise 4, we will edit the given code to make an interactive grid of the correlations among distillery pairs based on the quantities found in previous exercises. Most plotting specifications are made by editing `ColumnDataSource`, a `bokeh` structure used for defining interactive plotting inputs. The rest of the plotting code is already complete.

Instructions

- `correlation_colors` is a list of string colors for each pair of distilleries. Set this as `color` in `ColumnDataSource`.
- Define `correlations` in `source` using `correlations` from the previous exercise. To convert `correlations` from a `np.array` to a `list`, use the `flatten()` method. This correlation coefficient will be used to define both the color transparency as well as the hover text for each square.

Here is the code to get started:

```
source = ColumnDataSource(
    data = {
        "x": np.repeat(distilleries,len(distilleries)),
        "y": list(distilleries)*len(distilleries),
        "colors": ## ENTER CODE HERE! ##,
        "correlations": ## ENTER CODE HERE! ##,
    }
)

output_file("Whisky Correlations.html", title="Whisky Correlations")
fig = figure(title="Whisky Correlations",
    x_axis_location="above", x_range=list(reversed(distilleries)), y_range=distiller
    tools="hover,box_zoom,reset")
fig.grid.grid_line_color = None
fig.axis.axis_line_color = None
fig.axis.major_tick_line_color = None
fig.axis.major_label_text_font_size = "5pt"
fig.xaxis.major_label_orientation = np.pi / 3
fig.rect('x', 'y', .9, .9, source=source,
     color='colors', alpha='correlations')
hover = fig.select(dict(type=HoverTool))
hover.tooltips = {
    "Whiskies": "@x, @y",
    "Correlation": "@correlations",
}
show(fig)
```

What color is the bottom right corner of the whisky correlation matrix?

Hide Notes

- [x] pink
- [ ] orange
- [ ] blue
- [ ] green
- [ ] lightgrey
- [ ] white

✖

Submit You have used 2 of 2 attempts

Exercise 6

1/1 point (graded)

In Exercise 6, we will define a function `location_plot(title, colors)` that takes a string `title` and a list of colors corresponding to each distillery and outputs a Bokeh plot of each distillery by latitude and longitude. It will also display the distillery name, latitude, and longitude as hover text.

Instructions

- Adapt the given code beginning with the first comment and ending with `show(fig)` to create the function `location_plot()`, as described above.
- `Region` is a column of in the `pandas` dataframe `whisky`, containing the regional group membership for each distillery. Make a list consisting of the value of `region_colors` for each distillery, and store this list as `region_cols`.
- Use `location_plot` to plot each distillery, colored by its regional grouping.

Here is the code you will edit to do this exercise:

```
# edit this to make the function `location_plot`.

output_file(title+".html")
location_source = ColumnDataSource(
    data = {
        "x": whisky[" Latitude"],
        "y": whisky[" Longitude"],
        "colors": colors,
        "regions": whisky.Region,
        "distilleries": whisky.Distillery
    }
)

fig = figure(title = title,
    x_axis_location = "above", tools="hover, save")
fig.plot_width  = 400
fig.plot_height = 500
fig.circle("x", "y", size=9, source=location_source, color='colors', line_color = No
fig.xaxis.major_label_orientation = np.pi / 3
hover = fig.select(dict(type = HoverTool))
```

Hide Notes

```
hover.tooltips = {
    "Distillery": "@distilleries",
    "Location": "(@x, @y)"
}
show(fig)

region_cols = ## ENTER CODE HERE! ##
location_plot("Whisky Locations and Regions", region_cols)
```

Consider the bottom green point of the given plot. What is the distillery associated with this point?

Bladnoch ✔

Submit You have used 1 of 10 attempts

✔ Correct (1/1 point)

Exercise 7

1/1 point (graded)

In Exercise 7, we will use this function to plot each distillery, colored by region and taste coclustering classification, respectively.

Instructions

- Create the list `region_cols` consisting of the color in `region_colors` that corresponds to each whisky in `whisky.Region`.
- Similarly, create a list `classification_cols` consisting of the color in `cluster_colors` that corresponds to each cluster membership in `whisky.Group`.
- Create two interactive plots of distilleries, one using `region_cols` and the other with colors defined by `classification_cols`. Consider how well the coclustering groupings match the regional groupings.

Here is the code to edit to make the plot:

```
region_cols = ## ENTER CODE HERE! ##
classification_cols = ## ENTER CODE HERE! ##

location_plot("Whisky Locations and Regions", region_cols)
location_plot("Whisky Locations and Groups", classification_cols)
```

Consider the `classification_cols` plot. What color is the point associated with the distillery Bladnoch?

- pink
- orange

Hide Notes

- blue
- green
- lightgrey
- white

Submit You have used 1 of 2 attempts

Previous Next

© All Rights Reserved

edX

About
Affiliates
edX for Business
Open edX
Careers
News

Legal

Terms of Service & Honor Code
Privacy Policy
Accessibility Policy
Trademark Policy
Sitemap

Connect

Blog
Contact Us
Help Center
Media Kit
Donate

© 2021 edX Inc. All rights reserved.

Hide Notes

深圳市恒宇博科技有限公司 粤ICP备17044299号-2

Hide Notes