28/07/2017 ShortcutFoo Pricing



Home Dojos **Tournaments** Achievements Profile Pricing (/app/home(/app/dojos) (/app/tournaments) (/app/achievements) (/app/profil∳)app/pricing)

< Learn These Shortcuts (/app/dojos/intellij-ln

Join lines

# Basic Editing I

ЖY Delete line at caret **\BACKSPACE** Delete to word start ЖD Duplicate line or block **Ж**] Mov to code block end

386 Move to code start

TAB Indent selection 1887 Auto-indent lines

# Basic Editing II

**企^J** 

Ω₩V Paste from history

**%DOWN** Scroll text one line down **%UP** Scroll text one line up ☆℃RIGHT Select to next word **企∖LEFT** Select to previous word

**企業U** Toggle case ₽₽ Start new line ^~

Splie line

むTAB Unindent selection

# Search

ЖF Find ₩R Replace

^L Search for next occurrence **企^L** Search for previous occurance

ЖF Incremental search

**企^F** Find in path **企^R** Replace in path **∵F7** Find usages

企器F7 Highlight usages in file

**℃**₩**F7** Show usages

# Advanced Editing I

Log

28/07/2017 ShortcutFoo Pricing

^/ Comment/uncomment current line

**☆^/** Comment/uncomment block comment

**%O** Override base class methods in current class

^N Generate ...

^[SPACE] Basic code completion

**₹**\^[SPACE] Class name code completion

でDEL Delete to word end
公衆PAGEDOWN Select to page bottom
公衆PAGEUP Select to page top
公END Select to end of line

**♦ HOME** Select to beginning of line

# Advanced Editing II

 $\mbox{\it \#PAGEDOWN}$  Go to page bottom

**₩PAGEUP** Go to page top

**END** Move to end of line

**HOME** Move to beginning of line

^J Quick documentation

^J Show table data

**☆F1** Show external documentation

\\%\T Surround with...

☆^[SPACE] SmartType code completion\text{\mathbb{C}}\$Surround with live template...

# Source Navigation I

₩G Navigate to line

**☆^B** Navigate to type declaration of symbol at caret

Navigate to related file器[ Navigate to opening brace器] Navigate to closing brace

# Source Navigation II

**%F12** File structure pop-up

**∑F1** Select target

28/07/2017 ShortcutFoo Pricing

**%E** Show list of recently opened files

**^H** Browse hierarchy for selected class

下个H Browse call hierarchy for selected method

公策BACKSPACE Move through the most recent change points

Introduce constant

# Refactoring

\#c

**☆F6** Rename refactoring

F6 Move refactoring
F5 Copy refactoring

☆F5 Clone refactoring

**%DEL**Safe delete∑**%M**Extract method

て等V Introduce variable
て等F Introduce field

# Running and Debugging I

**%F9** Make project

**企業F9** Compile

☆ \( \bullet \) Thoose configuration and run

**☆F10** Rerun without losing focus in editor

**☆F9** Debug

**☆** \( \textbf{Choose configuration and debug \)

☆ ℃ F8 Force step over

☆ ℃ F7 Force step into

F9 Resume program

▽ F8 Evaluate expression

**\`%F8** Quick evaluate expression

# Running and Debugging II

**☆F10** Run

**#F10** Update**F8** Step over**F7** Step into

**☆F7** Smart step into

☆F8 Step out
℃继F9 Run to cursor
☆F2 Stop program
继F8 Toggle breakpoint

心器F8 View breakpoints

·

\nsigma \mathbb{K} \mathbb{F}6 Switch to another coverage suite

28/07/2017 ShortcutFoo Pricing

< Learn These Shortcuts (/app/dojos/intellij-idea-mac)

Blog (/blog)	Abou	ut (/about)	Privacy Policy (/privacy	")	Terms of Service (/terms)	Pricing (/app/pricing)		
	(f) (h	ttps://www.faceb	oook.com/shortcutfoo)	(1)	(https://www.twitter.com/shortcu	cutfoo)		