cirb.brussels
IT is for you

Fidus



services integrator

cirb-cibg


Introduction

1. Governance
2. Technical view
   - Architecture
   - Security
3. Features
   - Rules directory
   - Reference Directory
   - Audit Logging




Governance

Without Services Integrators



Nice to Have


FPS Fin
FPS Mob
Hand ...
Mun
Bosa
CBSS
Fidus
SPRB
Magda
FPS ...
SLRB
Bric
Vlabel
...

Interoperability

One single header type

Security

Single point of contact

Reporting and statistics

Tracability

GDPR

Providers

CBSS

Bosa

(FPS Finances)

BRIC

(DIV)

Bruxelles Fiscalité



Consumers


Bosa
(SPF Finances)
BRIC
SPRB
SLRB
Bruxelles Fiscalité
COCOF
Parking.Brussels
Municipality (19)
SISPs (7)





Technical view

Architecture (1/2)



Architecture (2/2)

x3+1 Environments:

- (DEV)
- TEST (actif/actif - 1 site)
- STAGING (actif/actif – 2 sites)
- PROD (actif/actif – 2 sites)

For each environment :

- 4 Enterprise Service Bus (WSO2)
- 4 Dedicated Servers
- 3 Loggings (Audit, Business, Technical)
- 6 (3) Data base (Cluster)

- Operational Monitoring
- Technical Monitoring
- Reporting

Security

- Connection with provider defined by Provider
- Connection with consumer defined by FIDUS
  - Institution/application identified by certificate
  - Transport level:
    - SSL one way - Certificat irisnetlab.be/fidus.brussels signed by Global Sign
  - Message level:
    - SOAP request signed by consumer certificate
    - SOAP response signed by Fidus certificate
  - Internal security:
    - Area dedicated to FIDUS (protected by FW) (PROD, STAGING)
    - Cluster Enterprise DB dedicated to FIDUS (PROD, STAGING)
    - SSL one way – FIDUS Certificate



Features


Rules Directory

- Purpose : configure access according to Privacy Commission Authorizations
- How ? : DB settings manually configured
- Structure:
  - Institution
  - Service
  - Legal context
  - XSLT filters (Privacy Commission Authorization)

Reference Directory (1/2)

- Purpose: Security and Change notification
- How ?: Web Service called by consumer
- Structure:
  - Institution
  - Legal context
  - Case identification (RNN,NISS,…)
  - Initial date
  - End date

Reference Directory (2/2)



Logging (1/2)

- Audit Log
  - Access with eID identification by DPO
  - Log of access (without privacy data)
  - In DB for 6 months, archived for 10 years
- Business Log
  - Same as Audit Log but without data privacy
  - Used for statistics and reporting
  - In DB for 12 months, archived for 10 years
- Technical Log
  - Used for Bugs investigation
  - In file for 1 month

Logging (2/2)

- TransactionMessageId
- Timestamp
- ApplicationId (UserId)
  -> WHO
- Institute
  -> WHO
- Endpoint
  -> WHAT
- Action
  -> WHAT
- RequestKeyType (only for Audit Log) -> WHAT
- RequestKeyValue (only for Audit Log)
  -> WHAT
- TransactionTimestamp
  -> WHEN
- TransactionResponseTimestamp
  -> WHEN