

TABLE OF CONTENTS

TABLE OF CONTENTS	2
INTRODUCTION	6
Background of the Project	6
Relevance of Digital Logic in Embedded Systems	7
Connection Between Logic Design and Arduino Implementation	7
OBJECTIVES	8
DIGITAL LOGIC ANALYSIS	9
Type of System:	9
Function Description:	9
DIGITAL LOGIC ANALYSIS	9
4.1 Problem Definition	10
4.2 Truth Table	11
4.3 Boolean Expression	11
4.4 Simplification (Boolean Algebra / K-Map)	12
4.5 Final Simplified Expression	12

4.6 Logic Diagram (Equivalent Representation)	12
4.7 Logic-to-Arduino Mapping	13
METHODOLOGY	14
5.1 Design Phase	14
5.2 Hardware Setup	14
Pin Configuration	15
5.3 Software Development	15
5.4 Uploading Process	16
5.5 Testing and Debugging	16
ARDUINO SOURCE CODE	17
Arduino Logic Design	22
CIRCUIT DESIGN / HARDWARE IMPLEMENTATION	23
Breadboard Diagram	23
Wiring Explanation	23
Pin Connections	24
SIMULATION / ACTUAL OUTPUT	25

Simulation / Platform Used	25
Output Behavior Explanation	25
Red Light Phase (S0)	26
Yellow Light Phase (S1)	26
Green Light Phase (S2)	26
RESULTS AND DISCUSSION	27
Did Arduino Match Truth Table Outputs?	27
Were There Discrepancies?	27
Analysis of System Behavior	28
PROBLEM ENCOUNTERED	28
Wiring Issues	29
Code Bugs	29
Timing Delays	29
Sensor Noise	29
CONCLUSION	31
Summary of Project Outcome	31

Success of Logic Implementation in Arduino	31
RECOMMENDATIONS	32
Improve Circuit Efficiency	32
Add More Inputs/Outputs	32
Upgrade to IoT Integration	33
REFERENCES	34
APPENDICES	35
Appendix A	35
Appendix B	40
Appendix C	41
Appendix D	41