

JUNO LORAWAN TRACKER GENERAL DESCRIPTION EN



The Juno Tracker is a versatile tracker that uses mioty®, LoRaWAN® or cellular technologies such as NB-IoT and LTE-CAT-M1 for reliable and energy-efficient data transmission. The tracker is also available in different versions, e.g. for cold chain monitoring. Thanks to its robust design and IP69k/IP67 rating, it is ideally suited for use in demanding environments and can withstand dust, water and high pressures.

VERSION HISTORY

Version	Date	Revision
1.0.0	18.02.2025	Creation
1.0.1	24.04.2026	Formatting, version history

FEATURES LORAWAN TRACKER

- LoRaWAN® communication
- Tracking options:
 - **GNSS Scan**
 - **WIFI SSID Scan**
 - Data must be decoded with in lat and lon, very energy efficient
 - Tracking via the LoRaWAN®
 - **Tracking preferences adjustable**
- Tracker version IP69k, TH version IP67
- -25°C to 85°C, IK07
- Temperature and relative humidity sensor with high accuracy (optional TH versions)
- Tracking-on-Activity feature
- Magnetic switch
- Can be activated with a magnet (no smartphone required) or via NFC or BLE
- Configurable via downlinks, NFC or BLE
- FOTA via BLE
- Adjustable limit values
- Replaceable AA cells (LiSOCl2 see Saft LS14500)
- Acoustic signal
- Vandalism detection (shock and vibration detection)

EXAMPLE APPLICATIONS

- Asset tracking
- Temperature and relative humidity tracking
- Cold chain monitoring
- Logistics and supply chain
- Inventory and monitoring of operating resources
- Wildlife, livestock and domestic animal monitoring
- Construction machinery monitoring
- Agriculture and the environment
- Theft protection
- Proof of shipment of goods
- Shock and vibration detection

VERSIONS

Article code	Features
S-JUNO-LOEU-TRACK	JUNO Tracker with tilt and activity detection and opening detection LoRaWAN®, GNSS Scan, WIFI SSID Scan
S-JUNO-IX-LOEU-TRACK	INDUSTRIAL JUNO Tracker with tilt and activity detection and LoRaWAN® opening detection®, GNSS Scan, WIFI SSID Scan
S-JUNO-LOEU-TH-TRACK	JUNO IP67 TH Tracker, temperature and relative humidity with tilt and activity detection and LoRaWAN opening detection®
S-JUNO-IX-LOEU-TH-TRACK	INDUSTRIAL JUNO IP67 TH Tracker, temperature and relative humidity with tilt and activity detection and LoRaWAN opening detection®

