

JUNO TH IFM GENERAL DESCRIPTION EN



The Juno IP67 TH is a versatile temperature and humidity sensor featuring mioty® wireless technology for reliable and energy-efficient data transmission over long distances. Thanks to its robust design and IP67 protection, it is ideal for use in demanding environments. Additionally, the sensor features tilt and damper opening detection with degree-precise adjustment.

VERSION HISTORY

Version	Date	Revision
1.0.0	April 30, 2026	Created

FEATURES

- mioty® wireless technology
- IP67, -25°C to 85°C, IK07
- High-precision temperature and relative humidity sensor
- Tilt and flap opening detection
- Advanced tilt detection with 1° resolution and thresholds
- Magnetic switch
- Can be activated with a magnet (no smartphone required) or via NFC
- Configurable via NFC
- Adjustable thresholds
- Replaceable AA cells (LiSOCl₂, see Saft LS14500)
- Audible signal

EXAMPLE APPLICATIONS

- Temperature and relative humidity monitoring in industry
- Cold chain monitoring
- Temperature monitoring in building management or smart city applications
- Control cabinet monitoring
- Manhole cover monitoring
- Damper opening detection

VERSIONS

ITEM CODE	IFM ITEM CODE	FEATURES
S-JUNO-IX-MIOTY-TH	ZJF 201	INDUSTRIAL JUNO IP67 TH Sensor, Temperature and Relative Humidity with Tilt Detection and Door Open Detection mioty

