

Node

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

Model: NodeMCU WiFi...

Model version: 1.0

Manufacturer: BVE

Name: ESP-222222222

Friendly name:

Drying_Shoies

Reset default

Save and Reboot

Network

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

SSID:

SSW1-home

▼

↺

Password:

Set PhyMode:

PHYMODE_G

▼

☒ DHCP

IP:

192.168.225.97

NETMASK:

255.255.225.0

GATEWAY

192.168.225.1

Reset default

Save and Reboot

Network-SSD

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node	Network	Switch	MQTT	Hass
------	---------	--------	------	------

SSID:

SSW1-home

▼

ESP-1234-tuk-tuk

SSD-FreeNet

↺↻

Password:

Set PhyMode:

PHYMODE_G

▼

☒ DHCP

IP:

192.168.225.97

NETMASK:

255.255.225.0

GATEWAY

192.168.225.1

Reset default

Save and Reboot

Network-DHCP

Web Brouser

←

→

↺

Q

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

SSID:

SSW1-home

▼

↺

Password:

Set PhyMode:

PHYMODE_G

▼

☐ DHCP

IP:

192.168.225.97

NETMASK:

255.255.225.0

GATEWAY

192.168.225.1

Reset default

Save and Reboot

Switch

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

Switch 1

On boot state:

LAST

▼

Icon:

mdi:tumble-dryer

Reset default

Save and Reboot

Switch-Select

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

Switch 1

On boot state:

ON

▼

OFF

LAST

Icon:

mdi:tumble-dryer

Reset default

Save and Reboot

MQTT

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

☒ MQTT

User: mqtt

Password: *****

Server: 192.168.225.3

192.168.225.4

Port: 1883

Manufacturer: BVE

Reset default

Save and Reboot

Web Brouser

←

→

↺

🔍

http://192.168.4.1/

≡

Node

Network

Switch

MQTT

Hass

☒

HA integration

Discovery prefix:

homeassistant

Reset default

Save and Reboot

Save



Reset

