

1. 5 слайд

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>5</title>
  <style>
    h1 {
      color: green;
    }
    h2 {
      color: blue;
    }
    h3 {
      color: red;
    }
    p {
      color: orange;
    }
  </style>
</head>
<body>
  <h1>This is a Heading 1</h1>
  <h2>This is a Heading 2</h2>
  <h3>This is a Heading 3</h3>
  <p>This is a paragraph.</p>
</body>
</html>
```

This is a Heading 1

This is a Heading 2

This is a Heading 3

This is a paragraph.

2) 8 слайд

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>8</title>
  <style>
    table {
      width: 400px;
      height: 300px;
    }
  </style>
</head>
<body>
  <table border="1">
    <tr>
      <td>John</td>
      <td>Smith</td>
      <td>200$</td>
    </tr>
    <tr>
      <td>Nick</td>
      <td>Mayers</td>
      <td>300$</td>
    </tr>
    <tr>
      <td>Alex</td>
      <td>Jonson</td>
      <td>400$</td>
    </tr>
  </table>
</body>
</html>
```

John	Smith	200\$
Nick	Mayers	300\$
Alex	Jonson	400\$

3) 10-11 слайды

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>10-11</title>
  <style>
    h1 {
      text-align: right;
    }

    h2 {
      text-align: center;
      width: 300px;
      margin-left: 0;
    }

    table {
      width: 500px;
      border-collapse: collapse;
      border: 1px solid black;
    }

    th {
      text-align: left;
      border: 1px solid black;
    }
  </style>
</head>
<body>
  <div>
    <h1>10-11</h1>
    <h2>10-11</h2>
    <table>
      <tr>
        <th>Name</th>
        <th>Surname</th>
        <th>Salary</th>
      </tr>
      <tr>
        <td>John</td>
        <td>Smith</td>
        <td>200$</td>
      </tr>
      <tr>
        <td>Nick</td>
        <td>Mayers</td>
        <td>300$</td>
      </tr>
      <tr>
        <td>Alex</td>
        <td>Jonson</td>
        <td>400$</td>
      </tr>
    </table>
  </div>
</body>
</html>
```

```

    td {
        text-align: left;
        border: 1px solid black;
    }

    p {
        width: 300px;
        text-align: justify;
    }
</style>
</head>
<body>
    <h1>Main page title</h1>
    <table>
        <tr>
            <th>Product</th>
            <th>Price</th>
            <th>Quantity</th>
        </tr>
        <tr>
            <td>Apples</td>
            <td>100</td>
            <td>5kg</td>
        </tr>
        <tr>
            <td>Oranges</td>
            <td>200</td>
            <td>6kg</td>
        </tr>
        <tr>
            <td>Bananas</td>
            <td>300</td>
            <td>7kg</td>
        </tr>
    </table>

    <h2>Secondary heading 1</h2>
    <p>
        Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse
        eget fringilla nibh, eu commodo arcu. Donec lacinia tempor velite ipsum
        faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui,
        interdum fringilla massa eros ut duir.
    </p>
    <p>
        Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse
        eget fringilla nibh, eu commodo arcu. Donec lacinia tempor velite ipsum

```

```
faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui,
interdum fringilla massa eros ut duir.
</p>
<h2>Secondary heading 2</h2>
<p>
    Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse
    eget fringilla nibh, eu commodo arcu. Donec lacinia tempor velite ipsum
    faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui,
    interdum fringilla massa eros ut duir.
</p>
<p>
    Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse
    eget fringilla nibh, eu commodo arcu. Donec lacinia tempor velite ipsum
    faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui,
    interdum fringilla massa eros ut duir.
</p>
<h2>Secondary heading 3</h2>
<table>
    <tr>
        <td>cell 1</td>
        <td>cell 2</td>
        <td>cell 3</td>
    </tr>
    <tr>
        <td>cell 4</td>
        <td>cell 5</td>
        <td>cell 6</td>
    </tr>
    <tr>
        <td>cell 7</td>
        <td>cell 8</td>
        <td>cell 9</td>
    </tr>
</table>
</body>
</html>
```

Product	Price	Quantity
Apples	100	5kg
Oranges	200	6kg
Bananas	300	7kg

Secondary heading 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse eget fringilla nibb, eu commodo arcu. Donec lacinia tempor velite ipsum faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui, interdum fringilla massa eros ut duir.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse eget fringilla nibb, eu commodo arcu. Donec lacinia tempor velite ipsum faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui, interdum fringilla massa eros ut duir.

Secondary heading 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse eget fringilla nibb, eu commodo arcu. Donec lacinia tempor velite ipsum faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui, interdum fringilla massa eros ut duir.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse eget fringilla nibb, eu commodo arcu. Donec lacinia tempor velite ipsum faucibus sed. Phasellus sodales, lorem vel cursus vehi ante purus lacini dui, interdum fringilla massa eros ut duir.

Secondary heading 3

cell 1	cell 2	cell 3
cell 4	cell 5	cell 6
cell 7	cell 8	cell 9

4) 13 слайд

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>13</title>
  <style>
    table {
      width: 500px;
      height: 300px;
      border: 1px solid black;
      border-collapse: collapse;
    }
    th {
      border: 1px solid black;
      font-weight: normal;
    }
    td {
      text-align: center;
      border: 1px solid black;
      font-weight: bold;
    }
  </style>
</head>
<body>
  <table>
    <tr>
```

```

        <th>Item</th>
        <th>Price</th>
        <th>Quantity</th>
    </tr>
    <tr>
        <td>Apples</td>
        <td>100</td>
        <td>5kg</td>
    </tr>
    <tr>
        <td>Oranges</td>
        <td>200</td>
        <td>6kg</td>
    </tr>
    <tr>
        <td>Bananas</td>
        <td>300</td>
        <td>7kg</td>
    </tr>
</table>
</body>
</html>

```

Item	Price	Quantity
Apples	100	5kg
Oranges	200	6kg
Bananas	300	7kg

5) 16 слайд

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>16</title>
<style>
  h1 {
    font-size: 50px;
    text-align: center;
  }
  h2 {
    font-size: 40px;
    font-weight: normal;
  }
  p {
    font-size: 30px;
  }
</style>
</head>
<body>
  <h1>Main page title</h1>
  <p>This is a paragraph with text.</p>

  <h2>Secondary heading 1</h2>
  <p>This is a paragraph with text.</p>
  <p>This is a paragraph with text.</p>

  <h2>Secondary heading 2</h2>
  <p>This is a paragraph with text.</p>
  <p>This is a paragraph with text.</p>
  <p>This is a paragraph with text.</p>
</body>
</html>

```

Main page title

This is a paragraph with text.

Secondary heading 1

This is a paragraph with text.

This is a paragraph with text.

Secondary heading 2

This is a paragraph with text.

This is a paragraph with text.

This is a paragraph with text.


```

/*21*/
p {
    font: 13px/20px "Times New Roman";
}

/*22*/
p {
    width: 300px;
    font: bold 40px Arial;
    color: red;
}

/*23*/
p {
    font: italic bold 40px/60px Arial;
    text-indent: 50px;
}

```

7. 30 слайд

```

<!DOCTYPE html>
<html lang="ru">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>30</title>
    <style>
        ul i {
            color: red;
        }

        p i {
            color: green;
        }
    </style>
</head>
<body>
    <ul>
        <li>text <i>italic</i></li>
        <li>text <i>italic</i></li>
        <li>text <i>italic</i></li>
        <li>text <i>italic</i></li>
    </ul>

    <p>

```

```
    paragraph text <i>italic</i>
  </p>
  <p>
    paragraph text <i>italic</i>
  </p>
</body>
</html>
```

-
- text *italic*
 - text *italic*
 - text *italic*
 - text *italic*

paragraph text *italic*

paragraph text *italic*

8) 35 слайд

```
.eee, .zzz, .ggg {
  text-align: center;
  font-family: Arial;
}

.eee { font-size: 20px; }
.zzz { font-size: 30px; }
.ggg { font-size: 35px; }
```

9. 38 слайд

```
<!DOCTYPE html>
<html lang="ru">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Сложные селекторы</title>
  <style>
    .block .header {
      font-family: Arial;
    }

    .block h2.header {
      font-size: 30px;
      color: red;
    }
  </style>

```

```
        .block h3.header {
            font-size: 20px;
            color: green;
        }
    </style>
</head>
<body>
    <div class="block">
        <h2 class="header">Title h2</h2>
        <p>text</p>

        <h3 class="header">Title h3</h3>
        <p>text</p>
        <p>text</p>
    </div>
    <div class="block">
        <h2 class="header">Title h2</h2>
        <p>text</p>

        <h3 class="header">Title h3</h3>
        <p>text</p>
        <p>text</p>
    </div>
</body>
</html>
```

Title h2

text

Title h3

text

text

Title h2

text

Title h3

text

text

10) 42 слайд

```
<!DOCTYPE html>
<html lang="ru">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>42</title>
  <style>
    .success {
      color: green;
    }
    .error {
      color: red;
    }
    .large {
      font-size: 30px;
    }
  
```

```

        .small {
            font-size: 20px;
        }
    </style>
</head>
<body>
    <p class="success large">
        Первый абзац: зеленый текст, большой шрифт (30px)
    </p>

    <p class="error small">
        Второй абзац: красный текст, маленький шрифт (20px)
    </p>

    <p class="error large">
        Третий абзац: красный текст, большой шрифт (30px)
    </p>

    <p class="success small">
        Четвертый абзац: зеленый текст, маленький шрифт (20px)
    </p>
</body>
</html>

```

Первый абзац: зеленый текст, большой шрифт (30px)

Второй абзац: красный текст, маленький шрифт (20px)

Третий абзац: красный текст, большой шрифт (30px)

Четвертый абзац: зеленый текст, маленький шрифт (20px)

11) 53 слайд

```

#elem + li {
    /* Стили для элемента, следующего сразу за #elem */
}

```