Name: _____

Instructions: All solutions should be prepared carefully and neatly. Any questions that ask you to explain or justify should have answers written in complete sentences. All solution sets shall be completed on this packet and handed in at the beginning of class on the due date below. Careless presentation (e.g. bad handwriting, pen scribbles, doodles, wasted space, etc) will result in a deduction of points at my discretion. If the question asks to submit a graph or plot, be sure to print the plot and include it in your final lab report. Use a PENCIL and if you make a mistake, use an eraser. Each student should prepare their own solutions that demonstrate their own comprehension of the material. Submitted work that does not demonstrate clearly the process by which one arrived at the answer will not receive credit of any kind. Academic dishonesty will not be tolerated.

Desmos Lab III

MATH 283 – Calculus III

Due: Friday, November 21

Read: Section 13.7 and 14.2

Problem Number	Available Points	Your Points
1	10	
2	10	
Total	20	

1. Optimization: In this part, we'll maximize the product of three positive numbers assuming that they must add up to a certain value. This is a classic optimization problem that will demonstrate the second derivative test for two variables functions.

   (a) Open a new graph in Desmos and save it as "Optimization."

   (b) Suppose we have three positive real numbers, x, y, and z, such that $x + y + z = 100$. What is the largest possible product of these three numbers? In other words, what are the three values for x, y, and z such that xyz is maximized. Using the sum constraint to eliminate z and define below a function of two variables to be maximized. Call it $f(x, y)$.

   (c) On the first line in Desmos, define this function and plot it but only for positive values of x and y. Change the window to $[0, 110] \times [0, 110] \times [0, 45000]$ so that you can view the surface. Make the surface green. Does it have a unique maximum?

   (d) Find the stationary points of this function below. Once you have them, define x_m and y_m as those points in Desmos. Then plot the point $(x_m, y_m, f(x_m, y_m))$ on the surface in orange. Is it the maximum?

   (e) Use Desmos to check the second derivative test for this extreme point. Create a folder called "Discriminant." In this folder, define $f_{xx}(x, y) = \frac{d}{dx}\left(\frac{d}{dx}\left(f(x, y)\right)\right)$. Define similar functions for f_{yy} and f_{xy}. Then, define the discriminant as a the function $D(x, y)$ in this folder as well. On new lines outside the folder evaluate f_{xx} and D at the stationary point (x_m, y_m). Report the values below and confirm that it is indeed a maximum.

(f) Now, let's generalize this by changing the sum value from 100 to S in the function $f(x, y)$. Create a slider for S in Desmos and allow it to range from 0 to 100 with a stepsize of 0.1. Find the stationary points in terms of S below. What are the new values of x_m and y_m? Redefine them in Desmos. Push play on S. As S is changing is the discriminant and $f_x x$ always positive and negative, respectively?

(g) Now, in the space below, Define P_{max} as the value of the maximum product. This expression should be a function of S. Find the value of P_{max} if $S = 15000$.

(h) When you submit this assignment on D2L, share the url to this graph.

2. Center of Mass: In this part, a surface defined by three separate Guassian functions and we'll use Desmos to determine the center of mass. We'll then define the equation of a cone to describe the surface's center of mass.

   (a) Open a new graph in Desmos and save it as "Center of Mass."

   (b) Define the following function on the first line of Desmos:

   $$f(x,y) = 3e^{-\frac{1}{3}(x-x_1)^2-\frac{1}{3}(y-y_1)^2} + 2e^{-\frac{1}{2}(x-x_2)^2-\frac{1}{2}(y-y_2)^2} + e^{-(x-x_3)^2-(y-y_3)^2},$$

   where x_1, x_2, etc are defined as sliders ranging from -5 to 5. Do not plot the function $f(x,y)$. Instead on a new line under $f(x,y)$, graph $z = f(x,y)$ on the rectangular domain $[-10,10] \times [-10,10]$. Choose value of x_1, x_2, etc so that there are three distinct "humps."

   (c) On new lines, define M_x and M_y and M to be the first moment on x-axis, first moment on y-axis, and the total mass assuming $f(x,y)$ is the density function. Plot the point $(M_x/M, M_y/M, 0)$ on the graph in purple. What does this point represent?

   (d) Now, plot a "fulcrum" by defining the equation of a cone, the negative part only, the hangs below the surface and whose point is exactly at the center of mass. Restrict the domain of this cone so that it looks naturally like a fulcrum balancing the surface. Write the equation of this cone in terms of the coordinates of the center of mass. Push play on x_1 and y_1. What happens to the center of mass?

   (e) When you submit this assignment on D2L, share the url to this graph.