






two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 0 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 8 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 16 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 24 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 32 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 40 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 48 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 56 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 64 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 72 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 80 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 88 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 96 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 104 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 112 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 120 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 128 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 136 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 144 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 152 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 160 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 168 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 176 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 184 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 192 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 200 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 208 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 216 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 224 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 232 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 240 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 248 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 256 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 264 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 272 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 280 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 288 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 296 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 304 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 312 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 320 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 328 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 336 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 344 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 352 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 360 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 368 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 376 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 384 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 392 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 400 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 408 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 416 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 424 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 432 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 440 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 448 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 456 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 464 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 472 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 480 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 488 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 496 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 504 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 512 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 520 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 528 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged



two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 536 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged


two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 544 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged


two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 552 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged


two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 560 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged


two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 568 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged


two opposed boards, outward spiral (10x slow motion)
Top view at z = 80 mm
t = 576 ms
v = 2.975 m/s (85% of max)
y (mm)
x (mm)
Side view (x-z) through the trap
z (mm)
x (mm)
|p| (kPa), time-averaged