Bill of Materials					
Item	**Part Number**	**Manufacturer**	**Quantity**	**Price per unit ($)**	**Total cost for part ($)**
400 Mesh 304 Stainless Steel Woven Wire Mesh	B09VNYVXF1	LTKJ	1	$8.77	8.77
1/2 in Venturi Injector Tube	B07TN4FWVN	AYLIFU	1	$8.99	$8.99
Plastic Tubing	B0FM3G187J	MDYPUINO	1	$3.99	$3.99
PVC Female Adapter	SKU # 188107	Charlotte Pipe	1	$0.89	$0.89
PVC elbow adapters	SKU # 1000804612	Orbit	4	$0.69	$2.76
PVC Pipe	SKU # 254518	IPEX	1	$3.53	$3.53
Motor	B07FD25G6Y	Hugwit Company	1	$15.87	$15.87
Aluminum Stock	N/A	N/A	1	$30.00	$30.00
Metal Auger	Model # Auger1pack	Ashman	1	$16.49	$16.49
Polycarbonate Sheet	Iten # 726941107010	LEXAN	1	$30.98	$30.98
Motor PWM Controller / Voltage Regulator	NAN	RioRand	1	$9.98	$9.98
Spray nozzles			1	$8.00	$8.00
PVC slip x mht fitting	SKU # 685741	Orbit	1	$2.98	$2.98
5 Gallon Bucket	SKU # 131227	Home Depot	1	$3.98	$3.98
Zinc-Plated Steel Corner Bracket, 7/8" x 7/8" x 5/8"	1556A24	McMaster-Carr	10	$1.28	$12.80
Heavy Duty Shelf Bracket; with 3/8 in. Hole; MAX LOAD 250 lbs!; L Corner Brace; for Plumbing and Decor; Iron	Model # 38CABG	PLUMBFLEX	5	$4.72	$23.60
Chemical-Resistant Fluorosilicone Sealing Washer	91367A945	TYC Genera	8	$0.57	$4.56
Zinc-Plated Low-Strength Steel Hex Nuts	90480A195	McMaster-Carr	8	$0.02	$0.16
Zinc-Plated Steel Pan Head Phillips Screw	90272A374	McMaster-Carr	8	$0.14	$1.12
Chemical-Resistant Fluorosilicone Sealing Washer	91367A955	McMaster-Carr	6	$1.14	$6.84

Compost Extract Process Router

Auger Casing

Process	Machine/Tool	Comments
Upload retaining ring .dxf file	Water Jet Computer/ProtoMax Layout and Make Software	Upload the retaining ring .dxf file to the computer with ProtoMAX Layout. Clean the drawing, autopath, and post to ProtoMAX Make. Notes: Ensure that the cutter intends to cut the hole first before making the final outline cut.
Cut retaining rings	Water Jet	Once the aluminum stock is set up in the lathe, zero and set the path home, and begin cutting. Cut four rings total. Notes: Ensure that the piece of aluminum is submerged and that the abrasive tube is connected. Test without abrasive before cutting.
3D print the Standoff	Bambu Labs 3D Printer	Download the standoff .stl file and upload it to 3DPrinterOS to print. Arrange the standoffs to stand upright. Copy and paste the original file to get twelve total. Slice and then print all twelve standoffs.
Cut bolt to size	Horizontal Bandsaw	Fix the bolt to the horizontal bandsaw and cut 4 separate bolts to approximately 1 foot long.
Assemble	0.375” Bolts 0.375” Hex Nuts 0.375” Washer	Put bolts through the holes of the first retaining ring and fix with a washer and nut for each bolt on the outside of the ring. Then, put four standoffs onto each bolt and alternate putting the ring and standoffs until you are out of both. Then, fixture the other end with another washer and nut for each bolt.

Create Mesh Casing	Cutting Pliers and Scissors	Take some wire mesh and cut it with cutting pliers to the length of the retaining ring and the width of the ring's horseshoe shape, and put it inside the auger casing. Then, also cut the 400-micron mesh to the same width and length, and superglue it on top of the wire mesh. Fasten with twist ties to the auger casing.

Zinc-Plated Medium-Strength Steel Hex Nut	95462A030	McMaster-Carr	6	$0.09	$0.54
Passivated 18-8 Stainless Steel Pan Head Phillips Screw	91772A818	McMaster-Carr	6	$0.14	$0.84
Steel Narrow-Profile Hex Nuts	90760A005	McMaster-Carr	16	$0.02	$0.32
Fluoroelastomer Rubber Sealing Washer	93412A445	McMaster-Carr	16	$0.56	$8.96
Passivated 18-8 Stainless Steel Pan Head Phillips Screws	92000A116	McMaster-Carr	16	$0.07	$1.12
Plastic Hose Clamps	EW-50136-97	Cole Parmer	1	$0.70	$0.70
Funnel King Flexible Spout Funnel	114823499	Tractor Supply C	1	$2.99	$2.99
Quick Weld Epoxy	SKU # 1002913058	JB Weld	1	$21.98	$21.98
Clear Adhesive Silicon Sealant	SKU # 1002752780	Permatex	1	$5.98	$5.98
				Total cost for prototype:	**239.72**

Compost Extract Process Router

Liquid Casing

Process	Machine/Tool	Comments
Open .dxf files	PartWorks	Save solidworks files for each individual side of the casing as .dxf Files. Open the .dxf files in PartWorks and drag each shape onto a blank sheet in PartWorks including 2x 'side walls', 1x 'front walls', 1x 'main slope', 1x 'slope ledge', 1x 'bottom panel'. For each shape, select all sides to form a 'grouping' This tells PartWorks to assign each side of the shape to the same part instead of thinking of them as individual lines.
Select toolpaths and set tabs	PartWorks	Open 'ToolPaths' in the top right corner of the PartWorks window. For shapes, select the outside/right toolpath. However for the pocket of the 'bottom panel' select the pocketing toolpath. Setting tabs: Select 10 for the number of tabs and make sure to turn tabs on.
Attach material to machine table	Computer Numerical Control (CNC) Machine ⅜" screws	Attach material to the CNC machine table by drilling wood screws with no countersink into table bordering the material. The head of the screw should be pinching down on the side of the material, pinning it down. Attach 5 or more screws in total to secure the material down.
Cut part	CNC, ⅛" bit	Attach the bit. Zero the CNC machine using the metal square piece attached to the machine and placing it on the bottom left corner of the material. Load the PartWorks file into the

		CNC machine application and turn tabs on. Enter the bit size and run the cut.
Drill holes for angle brackets	Handheld drill, 0.15” drill bit 0.65” angle brackets	Referencing full assembly drawing, assemble the case and tape it together with duct tape. Once it is duct taped together, place angle brackets and mark with a sharpie where the holes are placed. Use a hand drill to drill holes where the markings are placed.
Assemble and epoxy casing	Quick Weld Epoxy	Remove duct tape and epoxy casing into place according to the full assembly drawing.
Connect with angle brackets	1.5” angle brackets 0.15” screws 0.35” nuts Rubber washers	Connect the angle brackets to the casing with screws, bolts, and washers. Ensure that the screw heads are on the inside of the tank with the nuts on the outside.
Seal casing	Clear Adhesive Sealant	Use sealant to fill all borders and corners and seal screws.

Compost Extract Process Router

Motor Housing

Process	Machine/Tool	Comments
Upload .dxf files	Water Jet Cutter Computer/ProtoMAX Layout and Make Software	Upload the files for the side panels, door, door panel, bottom panel, and the hole panel to the ProtoMAX layout software. Clean and autopath. Ensure that the holes are cut out first before the final outline cut is made for each part.
Cut motor housing pieces	Water Jet Cutter	Sketch out where the pieces will be on the sheet of aluminum and rearrange the .dxf file accordingly on ProtoMax Layout. Ensure that the software understands the material being cut (Aluminum 6061) and its thickness. Then set up the water jet and begin cutting.
Drill holes for angle brackets	Mill	Mark where each hole will go to attach the angle bracket, and fasten each aluminum plate to the mill. Then choose the correct bit size and begin drilling each hole.
Attach Angle Brackets	10-32 Pan Head Phillips Screw 10-32 Hex Nuts Fluorosilicone Sealing Washer for Number 10 Screw	After you have created your hole, use the 10-32 screw, washer, and nut to fasten each of the 5 larger angle brackets to the hole, reinforcing the corners to hold the walls together.
Use epoxy to fasten	Clear Weld Epoxy	Once the angle brackets have been fastened, mix parts A and B of your epoxy and use a popsicle stick to seal each gap between the aluminum wall. Then wait an hour for the epoxy to cure.

Use sealant to seal	Clear Adhesive Silicon Sealant	Then, once the epoxy is fully cured, take your sealant and apply it to the same places where you applied the epoxy and let it cure overnight.
Download the motor stand .stl file and 3D print	Bambu Labs 3D Printer	Download the motor stand. stl file and upload it to 3DPrinterOS to print.
Attach the motor stand to the house and wire the motor		Once everything has cured and has been printed, insert the motor stand into the assembled motor house and begin wiring the motor to the PWM Controller / Voltage Regulator.

Compost Extract Process Router

Compost In

Process	Machine/Tool	Comments
3D print funnel	Bambu Labs 3D Printer	Export the Two Part Funnel SolidWorks file as an .stl and upload it to 3DPrinterOS to print. Set the infill to the max and arrange it vertically so as not to mess up the threads when taking the supports off. Then print.
Drill hole in bottom of bucket	Hand drill, Home depot bucket	Using any medium-width drill bit, drill a circular hole in the bottom of a Home Depot bucket.
Attach bucket to supports	2 7.5 x 7 x 1.5 wood blocks ⅜” wood screws Hand drill	Drilling Holes: Drill two holes in the bottom of the bucket, making a triangle with the larger funnel hole. Each hole should be 1.5“ from the side of the bucket. Place one block under each hole with the 7 x 7.5 side facing down.
Connect funnel	ClearWeld Quick-Set Epoxy Clear Adhesive Silicon Sealant	One of the buckets has been drilled into the wood block. Drill a hole at the bottom of the bucket where the funnel opening is supposed to go. Then, place the funnel into the bucket and the opening into the hole of the bucket, and seal the edges of the funnel to the bucket with ClearWeld epoxy and wait for it to cure for 1 hour. Then apply sealant on top and let that cure overnight.

Compost Extract Process Router


Venturi Tube


Process	Machine/Tool	Comments
Download the .stl file and 3D print	Bambu Labs 3D Printer	Export the Venturi Tube SolidWorks file as an .stl and upload it to 3DPrinterOS to print. Set the infill to the max and arrange it vertically so as not to mess up the threads when taking the supports off. Then print.
Attach the tubing and valve to the Venturi		Take plastic tubing about 2 feet long and attach it to the barb. Then, attach a valve to the other end of the plastic tubing and zip-tie the tube shut to provide more support. Take another plastic tube and attach a zip tie ot the other side of the valve, and put the other side of the tube into your nutrient bucket.
Attach Venturi to your system		Attach the Venturi by screwing in the female head into your system's male head. Then take the Venturi's other side, which should be a male head, and attach it to your system's female head.

Compost Extract Process Router

Water In


Process	Machine/Tool	Comments
Assemble the PVC support system	2x PVC elbow 1x 17 “ PVC 1x 13 “ PVC 1x 7” PVC	Take PVC pipes and cut three of them to length. Then assemble by attaching the two elbows to the 13” PVC pipe and the 7” pipe on one end, and the 17” pipe to the other
Attach PVC to bucket	Brackets ¼” Screws 3/16" Wide Nuts	Drill four holes in the bucket, each pair should be 1.5 “ apart, and the spacing between the pairs should be 2” vertically.
Attach nozzle to PVC	Plastic Hose Clamp 1.11 - 1.27" ID bracket	Attach the hose clamp along the pipe, and attach a plastic hose clamp perpendicular to the hose clamp and fasten the hose head to the plastic hose clamp.





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Full Assembly Exploded View	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Full Assembly	A3
				WEIGHT:		SCALE:1:10	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	Bottom Panel	Aluminum Waterjet Cut	1
2	Side Panel	Aluminum Waterjet Cut	2
3	Hole Panel	Aluminum Waterjet Cut	1
4	Doorframe	Aluminum Waterjet Cut	1
5	Door	Aluminum Waterjet Cut	1
6	Large Angle Bracket	HMC Stockroom	3
7	Motor Mount	3D Printed with PLA	1
8	Small Angle Bracket	HMC Stockroom	4
9	Hinge	HMC Stockroom	1
10	5/16 Washer	HMC Stockroom	6
11	5/16 Hex Nut	HMC Stockroom	6
12	5/16 Screw	HMC Stockroom	6
13	#10 Hex Nut	HMC Stockroom	8
14	#10 Washer	HMC Stockroom	8
15	10-32 Screw	HMC Stockroom	8

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
SURFACE FINISH:
TOLERANCES:
LINEAR:
ANGULAR:

FINISH:

DEBURR AND BREAK SHARP EDGES

DO NOT SCALE DRAWING

REVISION

	NAME	SIGNATURE	DATE
DRAWN			
CHK'D			
APPV'D			
MFG			
Q.A			

MATERIAL:

WEIGHT:

TITLE:

Motor Housing Exploded View


DWG NO. Motor Housing


A3

SCALE:1:5


SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.







UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Aluminum Hole Panel	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. holepanel	A3
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Aluminum Bottom Panel	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Bottom_Panel	A3
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Aluminum Door Frame	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Doorframe	A3
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Aluminum Door Panel	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Door	A3
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1











UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN						Aluminum Side Panel	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
						side_panel	
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1













UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Motor Mount
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:			DWG NO. Mount / A2
				WEIGHT:			SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	Bottom Panel	Polycarbonate, machined using CNC ShopBot	1
2	Side Wall	Polycarbonate, machined using CNC ShopBot	2
3	Front Wall	Polycarbonate, machined using CNC ShopBot	1
4	Back Panel	Polycarbonate, machined using CNC ShopBot	1
5	Main Slope	Polycarbonate, machined using CNC ShopBot	1
6	Slope Ledge	Polycarbonate, machined using CNC ShopBot	1
7	Corner Bracket	McMaster-Carr Smaller Angle Bracket	8
8	Phillips Screw	Passivated 18-8 Pan Head Screw	16
9	Ramp Redirectors	3D Printed Ramp Redirectors	2
10	Washer	Rubber Sealing Washer	16
11	Hex Nut	3-16 Stainless Steel Hex Nut	16

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
SURFACE FINISH:
TOLERANCES:
LINEAR:
ANGULAR:

FINISH:

DEBURR AND BREAK SHARP EDGES

DO NOT SCALE DRAWING | REVISION

	NAME	SIGNATURE	DATE
DRAWN			
CHK'D			
APPV'D			
MFG			
Q.A			

MATERIAL:

WEIGHT:


TITLE:
Liquid Casing Subassembly


DWG NO.
Liquid Casing


A2

SCALE:1:4 | SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: PLA Side Panel	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Side Panel	A3
				WEIGHT:		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE		TITLE: PLA Ramp Redirectors	
DRAWN						
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL:	DWG NO. Ramp Redirectors	A3
				WEIGHT:	SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Polycarbonate Main Slope
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:			DWG NO. Main Slope / A2
				WEIGHT:			SCALE:1:1 / SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.






UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Polycarbonate Bottom Panel	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Bottom Panel	A3
				WEIGHT:		SCALE:1:2	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.






UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Polycarbonate Front Wall	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. Front Wall	A3
				WEIGHT:		SCALE:1:2	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.







UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Polycarbonate Back Panel
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:			DWG NO. Back Panel / A2
				WEIGHT:			SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Polycarbonate Slope Ledge
DRAWN							
CHK'D							
APP'V'D							
MFG							
Q.A				MATERIAL:			DWG NO. Slope Ledge / A2
				WEIGHT:			SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.





DETAIL B
SCALE 2 : 3

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	3/8 PLA Standoff	3D-Printed with HMC Makerspace	12
2	Aluminum Auger Plate	Waterjet Cut with 6061 Aluminum	4
3	3/8 Coarse Thread Bolt	Obtained from HMC Stockroom	4
4	3/8 Threaded Hex Nut	Obtained from HMC Stockroom	8
5	Metal Auger	Purchased from Home Depot	1

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
SURFACE FINISH:
TOLERANCES:
LINEAR:
ANGULAR:

FINISH:

DEBURR AND BREAK SHARP EDGES

DO NOT SCALE DRAWING | REVISION

	NAME	SIGNATURE	DATE
DRAWN			
CHK'D			
APPV'D			
MFG			
Q.A			

MATERIAL:

WEIGHT:

TITLE:
Auger Cage


DWG NO. Cage


A2

SCALE:1:10

SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE			TITLE: Auger Plate
DRAWN						
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL:		DWG NO. Plate / A2
				WEIGHT:		SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE			TITLE: 3/8 PLA Standoff
DRAWN						
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL:		DWG NO. Standoff #2 / A2
				WEIGHT:		SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.

3D Printed Part; STL file needed










UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. plane2R	A3
				WEIGHT:		SCALE:1:5	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.

3D PRINTED PART; STL FILE NEEDED









UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN							
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. plane2L	A3
				WEIGHT:		SCALE:1:5	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.





PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

NEXT ASSY	USED ON	
APPLICATION		

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		


COMMENTS:


TITLE:

SIZE	DWG. NO.	REV
B	tablestandoff	

SCALE: 2:1	WEIGHT:	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.





		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN		
			CHECKED		
			ENG APPR.		
			MFG APPR.		
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.		
		MATERIAL	COMMENTS:		
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

TITLE:

SIZE	DWG. NO.	REV
B	tableface	

SCALE: 1:5 | WEIGHT: | SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.