5N (N1, 2007, 1006/PT.

() = Dash is a valid response.

See the OASIS Guidance Manual for specific item.

COMPREHENSIVE ADULT NURSING ASSESSMENT

INCLUDING SOC/ROC OASIS
ELEMENTS WITH PLAN OF CARE INFORMATION

Comprehensive Adult Nursing Assessment
Effective 01/01/2023 1 o

1 of 36

Follow OASIS items in sequence unless otherwise directed.

| REASON FOR ASSESSMEN | - | | | Th |
|-------------------------------|----------------------------|--|--|--|
| This Patien | t Tracking Inforn It is | nation must be fille to be maintained a | d out at start of car s part of the clinica | e and per organizational polic, I record. |
| SeafonA Adn | ninistrative | Information | | |
| M0018. Mational Provide | er Identifier (NPI |) for the attending | physician who has | signed the plan of care |
| | | UK-Unknown | or Not Available | |
| Physician/NP | | | _ Physician/NPP Phy | an . |
| | (First) | (MI) | Physician/NPP Fu. | |
| | No.) | (Suffix) | Physician/NPP Em | |
| | State: C/ ZIP | Coae. | <u>.</u> | |
| M0010. CMS Certification | n Number | M0014. Branch St | ate M0016. B | ranch ID Number |
| | | | • | |
| M0020. Patient ID Numb | er | | | |
| | | | | |
| Medical Record Number if diff | erent from Patient | D Number: 181 | | |
| M0030. Start of Care Dat | <u> </u> | M003 | 2. Resumption of C | Care Date |
| N. //Day/Year | | | red | NA – Not Applicable |
| M0040. Patient Name | | | | |
| | | | | |
| | (First) | (MI) | (Last) | (Suffix) |
| M0050. Patient State of F | lesidence | | | |
| | | | | EMERGENCY PREPAREDNESS |
| | | | 1 | * * * PRIORITY CODE * * * |
| M0060, Patic | - | | ſ | See page 3 for Emergency Contact, Representative and Advance Directives information. |
| M0064. Social Security N | umber | • | | |
| | UK-Unknow | n or Not Available | | |
| | ial | * * * * * * * * * * * * * * * * * * * | | |

) 247-2343 www.BriggsHealthcare.com. The Outcome and Assessment Information Set (OASIS) is the Intellectual property of the Center for Health Services and Policy Research, Denver, Colorado, it is used with permission.

| Sections Agriculture Information (Continued) | | | | |
|---|--|--|--|--|
| | | | | |
| M0063. Nedicare Number | | | | |
| □ NA – No M | ledicare | | | |
| M00 wedicaid Number | | | | |
| . ■ NA | – No Medicaid Claim #: | | | |
| M0069. Gender | M0066. Birth Date | | | |
| 1. Male | mood, birth are | | | |
| 2. Female | N year | | | |
| Answer M0069 based on how the patient self-identifies. | | | | |
| If the patient does not self-identify, referral information (including hosp assessment may be used. Based on the resources mentioned above, enter if the patient does self-identify but response given is not Male or Female Note: M0069 will still need to be coded, based on the assessment sources lister. | er a response for patient's gender. | | | |
| A1005. Ethnicity | A1010. Race | | | |
| Are you of Hispanic, Latino/a, or Spanish origin? | What is your race? | | | |
| Check all that apply A. No, not of Hispanic, Latino/a, or Spanish origin | ↓ Check all that apply | | | |
| A. No, not of Hispanic, Latino/a, or Spanish origin B. Yes, Mexican, Mexican American, Chicano/a | A. White | | | |
| C. Yes, Puerto Rican | B. Black or African American | | | |
| D. Yes, Cuban | C. American Indian or Alaska Native | | | |
| E. Yes, another Hispanic, Latino, or Spanish origin | E. Chinese | | | |
| X. Patient unable to respond | F. Filipino | | | |
| Y. Patient declines to respond | G. Japanese | | | |
| | H. Korean | | | |
| M0150. Current Payment Source for Home Care | I. Vietnamese | | | |
| ↓ Check all that apply | J. Other Asian | | | |
| 0. None; no charge for current services | K. Native Hawaiian | | | |
| 1. Medicare (traditional fee-for-service) | L. Guamanian or Charmorro | | | |
| 2. Medicare (HMO/managed care/Advantage plan) | M. Samoan | | | |
| 3. Medicaid (traditional fee-for-service) | N. Other Pacific Islander | | | |
| 4. Medicaid (HMO/managed care) | X. Patient unable to respond | | | |
| 5. Workers' compensation | Y. Patient declines to respond | | | |
| 6. Title programs (for example, Title III, V, XX) | Z. None of the above | | | |
| 7. Other government (for example, TriCare, VA) | If Current Payment Source is coded 11, specify: | | | |
| 8. Private insurance 9. Private HMO/managed care | " Current's ayment Source is coded (1), specify: | | | |
| 9. Private HMO/managed care 10. Self-pay | | | | |
| 11. Other (specify) | · | | | |
| UK Unknown | · | | | |
| | | | | |
| ADDITIONAL | COMMENTS | | | |
| End of Patient Tracking Information | | | | |

| Patient Na | | | | | | | | |
|---------------------------------|--|--|---|-------------------------------------|-----------------------|--------------------------|---|--|
| डेव्बॉ <mark>ट्या</mark> | A Admii | nistrative In | formation | (Continued |) | | | |
| | | | PATIENT CONT | ACTS/CAREGIV | ERS | | | |
| Present durir | n g this visit: 🔳 Far | mily member(s) 🔳 | Representative 🔳 | Caregiver(s) 🔲 Ot | her: | | | |
| ☐ROC Assess | sment: 🔲 Contact | information confi | med with Pati | | | | nted ONo changes | |
| Does the pati | ient have a repres | entative? ONo (|) Yes | Emergency Co | ntact: ORepresen | tative O Caregive | r OOther, if "Other" | |
| | | clared OPatient s | | Emergency (| | | | |
| Representativ | re Name: | ···· | | _ Contact Nam | | | | |
| Relationship: | OFamily OFrier | d O0ther: | | _ Relationship: | • Family • Frien | d OOther: | | |
| Address: | | | | _ Address: | | · | | |
| 1 ' | | State: ZIP Co | | _ City | | | ode: | |
| Phone: | | | | | 7 | | | |
| Email: | | | | Email: | | | | |
| Primary care | giver(s) other than | patient: 🗌 N/A 🔲 | None available | • | | | | |
| | me: | | | | | _ | | |
| | | d O0ther: | <u>-</u> | Relationship: | • Family • Friend | d OOther: | | |
| | | | _ | | | | | |
| | | State: ZIP Co | | | | tate: ZIP C | ode: | |
| Phone: | | | | _ Pho | | | | |
| Email: | | | | | | <u> </u> | | |
| Paid service o | ther than home he | alth staff: ONo (| Yes If yes, | If the caregive | r(s) are not availabl | le, is there anyone | who could be | |
| | | | | | | | | |
| Phone number | er: | | | _ Na | | | | |
| Contact name | | | | _ Phone nu | | | | |
| | | | SUPPORTI | VE ASSISTANCE | | | | |
| Type(s) of assi Caregiver(s) w | istance provided: [[villing to assist? | o times per week (No assistance Home Maintenan Yes No OUnk | Meals ■ADLs ■ nce □Other: nown If no or unk | Transportation | Supervision/Supp | ort Medication | ns | |
| List below the | hours and days a | aregiver is availabl | e to provide cares. | ■There is no | set schedule for av | ailability | | |
| | SUNDAY | MONDAY | TUESDAY · | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | |
| AM HOURS | | | | | , | | J. G. | |
| PM HOURS | | | | | | | | |
| NIGHTS | | | | | | | | |
| Midilia | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | | |
| | | | ADVANC | E DIRECTIVES | | | | |
| Does the patie | ent have a Living W | ill? | - | | ··· | | | |
| | | vided during this vi | isit to the: 🔳 Patie | nt Family mem | ber Representa | tive Caregiver | | |
| Does the patie | nt have an order fo | r the following Adv | ance Directives? (| No OYes If ye | s, check all that ap | oly: | | |
| ☐No Cardio | pulmonary Resusc | itation (CPR) | | Resuscitate (DNR) | | | | |
| | tubate (DNI) | | | cial Nutrition and I | | | | |
| ☐Medical/I | Durable Power of A | ttorney Name: | | | | _ Phone #: | | |
| Financial | Power of Attorney | Name: | | | | Phone #: | | |
| | cific form(s): | | | | | | | |
| | file with: \square PCP | Other: | | | | | | |
| Comments: | | | | | | | | |

| | a a | | | | |
|--|--|---|--|--|--|
| Patient Na | | (C - 1) N | | | |
| 217711 | Aumin. Information | n (Continued) | | | |
| A1110. | Language 🕲 | | LANGUAGE BARRIER(S) | | |
| EnterCode | A. What is your preferred language? | | ■ No Problem | | |
| 0 | SPANISH | Needs interpreter | | | |
| | B. Do you need or want an interpreter to communic | | ☐Sign language (type): | | |
| | B. Do you need or want an interpreter to communication. No | ate with a doctor or health care staff? | | | |
| | 1. Yes | | ☐Aphasic: ☐Receptive | | |
| | 9. Unable to determine | | Expressive | | |
| M0080. | Discipline of Person Completing Assessment | M0090. Date Assessment Comp | oleted | | |
| Enter Code | 1. RN . | | | | |
| | 2. PT | 8/24/23 | | | |
| | 3. SLP/ST 4. OT | Month/Day/Year | | | |
| | | Complete M0090 using the date of the | day Information was last collected. | | |
| M0100. | This Assessment is Currently Being Completed for | r the Following Reason | | | |
| | Start/Resumption of Care 1. Start of care – further visits planned | | | | |
| | 3. Resumption of care (after inpatient stay) | When ROC, review patient tracking | information and complete M0032. | | |
| A#0103 | | | 1 months and the state of the s | | |
| If the phys | Date of Physician-ordered Start of Care (Resumpt ician indicated a specific start of care (resumption of care) ecord the date specified. | ion of Care) date when the patient was referred for h | ome health | | |
| | Side to MOTIO Spire to Tax 1 15 1 | | | | |
| | → Skip to M0110, Episode Timing, if date | ≥ entered | | | |
| | - | | | | |
| NA – No specific SOC/ROC date ordered by physician . | | | | | |
| If SOC/ROC | was not initiated on ordered SOC/ROC date, explain circu | ımstances: | | | |
| | | | | | |
| M0104 I | Date of Referral | | | | |
| | ੁਕ ਦ of Referral edate that the written or verbal referral for initiation or res | sumption of care was received by the HH | Α. | | |
| į | 8/24/23 | | | | |
| Month/Day/Year | | | | | |
| If SOC/ROC was not initiated within 2 days of the referral date/discharge date, explain circumstances: | | | | | |
| 11 300,100 | was not initiated within 2 days of the referral date/dischar | rge date, explain circumstances: | | | |
| L | | | | | |
| | pisode Timing | | | | |
| Is the Medi | care home health payment episode, for which this assessm | nent will define a case mix group, an "earl | v" episode or a | | |
| iatei epist | ode in the patient's current sequence of adjacent Medicare | home health payment episodes? | , | | |
| Enter Code | 1. Early 2. Later | | | | |
| 1 | UK Unknown | | | | |
| | NA Not Applicable: No Medicare case mix group to be | defined by this assessment. | | | |
| 310F0 T | | | | | |
| Has lack of | ransportation (NACHC©) | Alleren and the second of the | | | |
| ⊥ Chec | transportation kept you from medical appointments, meet | tings, work, or from getting things neede | d for daily living? | | |
| | A. Yes, it has kept me from medical appointments or | fuan anthing my malinting | · · · · · · · · · · · · · · · · · · · | | |
| | B. Yes, it has kept me from non-medical meetings ar | from getting my medications | | | |
| | Yes, it has kept me from non-medical meetings, ap No | spointments, work, or from getting thi | ngs that I need | | |
| | X. Patient unable to respond | | | | |
| | Y. Patient declines to respond | | | | |
| | | | | | |
| | n: NACHC© 2019. National Association of Community Health Center tion. PRAPARE and its resources are proprietary information of NAC in conv. or distribute this information in part could be in the | HI ODO IC DOTTOOK INTONDOD FOR USA BURINGIN | y Health Organizations, Oregon Primary | | |
| Do not publis | h, copy, or distribute this information in part or whole without writi | ten consent from NACHC. | _, its put tiers, and authorized recipients. | | |

Section A Administrative Information (Continued)

| PATIENT | HISTORY | | | | |
|---|---------------------------------|---------------|---------------------------------------|---------------------------------------|-----------|
| PRIMARY REASON FOR HOME HEALTH ADMISSION: (review Face-to-Fa | ace) | | | | |
| Patient with multipe medical conditions, unable to leave home unassisted. F poor diet choices at times. | | mes, unwillir | ng to help sei | If when mood ch | anges and |
| , , | | | | | |
| ; | | | | | |
| PERTINENT HISTORY AND/OR PREVIOUS OUTCOMES: | , | | | | |
| ■Hypertension ☐Hypotension ■Cardiac ☐Respiratory ☐Osteop | orosis | ☐Cancer (| site: | | l |
| ☐Infection ☐Immunosuppressed ☐Open Wound etiology: | | | | | |
| ■Falls without injury □Falls with injury □Hospitalizations □ER Vis | | | | | |
| Pertinent details: PT HAS HISTORY OF HYPOTHYROIDISM; GERL | , PAST HX OF DMI | I, PAIN, UN | STEADY GA | AIT, URINARY | |
| INCONTINENCE, SOB, ATHEROSCLEROSIS, AND FROM HER RIGHT GROIN. | RECENT ANGIOP | LASIY PER | FORMED O | N 8/22/23 WITH | ACCESS |
| □Surgery □Procedure(s) expected in future: •No ○Yes If yes, ex | plain: | | | | |
| | , | | | | |
| VITAL SIGNS: | Blood Pressure: | Left | Right | Sitting/Lying | Standing |
| Temperature: 97.6 F Oral Temporal/Forehead | At rest | | | 122/54 | Storiding |
| ORectal OAxillary OTympanic | With activity | | | | |
| Pulse: ■Apical 68 | Post activity | | | | |
| Pulse Oximetry: at rest 96% after activity% | | | | | |
| (specify activity): | | | | | } |
| Respirations: 16 • Regular Olrregular Apnea periods | sec Oobser | ved ORan | orted | | |
| IMMUNIZATIONS: Within the past 12 months: Influenza (specifically | _ | | oi teu | | |
| According to immunization guidelines: | uns years nu seasor | ·1/ | | | |
| Pneumonia Tetanus Shingles Hepatitis | Other: | | | | |
| Needs: | | | | | |
| Last COVID-19 Vaccination: ☐Initial vaccine series | | | 3rd O4th | ○ 5th | |
| Medical restrictions or personal preferences impa | cting immunizatio | ns: | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | |
| M1000. From which of the following Inpatient Facilities was the | patient discharge | d within th | e nast 14 d | ave? | |
| ↓ Check all that apply | , | | | | |
| 1. Long-term nursing facility (NF) | | | | | |
| 2. Skilled nursing facility (SNF/TCU) | | | | | |
| 3. Short-stay acute hospital (IPPS) | | | · · · · · · · · · · · · · · · · · · · | | |
| 4. Long-term care hospital (LTCH) | | | | · · · · · · · · · · · · · · · · · · · | |
| 5. Inpatient rehabilitation hospital or unit (IRF) | | | | - | |
| 6. Psychiatric hospital or unit | 6. Psychiatric hospital or unit | | | | |
| 7. Other (specify) | | | | | |
| NA Patient was not discharged from an inpatient facility - Skip to B1300, Health Literacy at ROC | → Skip to B0200, Hea | ring at SOC, | | | |
| Name of inpatient facility(ies): | | | | | |
| | | | | | |
| M1005. Inpatient Discharge Date (most recent) | | | | | |
| UK ~ Unknown or Not Available | | | | | |
| Month/Day/Year | | | | | |
| No inpatient admission. Note: Observation stays are NOT an inpatie | ent stav. | | | | |

| Patient Name | |
|--|---|
| Section B Hearing, Speech, and Vision | |
| B0200. Hearing (1) | |
| Ability to hear (with hearing aid or hearing appliances if normally used) 0. Adequate – no difficulty in normal conversation, social interaction. 1. Minimal difficulty – difficulty in some environments (e.g., where the conversation) and spead in the conversation of the conversation o | ion, listening to TV n person speaks softly, or setting is noisy) ak distinctly aid: R UVertigo Tinnitus: R |
| B1000, Vision (5) | |
| Ability to see in adequate light (with glasses or other visual appliances) 0. Adequate – sees fine detail, such as regular print in newspapers, 1. Impaired – sees large print, but not regular print in newspapers, 2. Moderately impaired – limited vision; not able to see newspapers, 3. Highly impaired – object identification in question, but eyes ap 4. Severely impaired – no vision or sees only light, colors or shape | /books /books er headlines but can identify objects pear to follow objects s; eyes do not appear to follow objects |
| EYES: No Problem ■PERRLA Pupils unequal ■Glasses Contacts: □R □Scleral icterus/yellowing □Blurred vision: □R □L □Diminished per □Blind: □R □L □Other: □Cataract surgery: (Right) Date: □Ceft) Date: □Does the impaired vision interfere/impact their function/safety? ●No ○Ye | ripheral vision: R L Prosthesis: R L Infections: |
| NOSE: No Problem | Sore throat Lesion(s) No Dentation |
| B1300. Health Literacy (From Creative Commons®) How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? Enter Code O. Never Rarely Sometimes Often Always Patient declines to respond Rately Patient declines to respond | LEARNING BARRIER(S): No Problem Mental Health Disability Psychosocial Physical Functional Cognition Unable to: Read Write Educational level: See page 4 for Language Barrier(s) |
| The Single Item Literacy Screener is licensed under a Creative Commons Attribution Noncommercial | I 4.0 International License. |
| COMMUNICATION | |
| Understanding of verbal content in patient's own language (with hearing aid or devi OUnderstands: clear comprehension without cues or repetitions OUsually | ice): Understands: Requires cues at times Never Understands |

Section Cognitive Patterns

Attempt to conduct interview with all patients.

Enter Code

- 0. No (patient is rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium (from CAM©)
- 1. Yes → Continue to C0200, Repetition of Three Words

Brief Interview for Mental Status (BIMS)

C0200. Repetition of Three Words (6)

Enter Code

Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The ; words are: sock, blue, and bed. Now tell me the three words."

. Number of words repeated after first attempt

- 0. None
- 1. One
- 2. Two
- :3. Three

After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture").
You may repeat the words up to two more times.

C0300. Temporal Orientation (Orientation to year, month, and day) Enter Code Ask patient: "Please tell me what year it is right now." 3 A. Able to report correct year 0. Missed by > 5 years or no answer 1. Missed by 2-5 years 2. Missed by 1 year 3. Correct Enter Code :Ask patient: "What month are we in right now?" **4** \(\bar{\pi}\) B. Able to report correct month 0. Missed by > 1 month or no answer 1. Missed by 6 days to 1 month 2. Accurate within 5 days Enter Code Ask patient: "What day of the week is today?" 12 C. Able to report correct day of the week 0. Incorrect or no answer 1. Correct

| C0400. F | ecali (3) |
|------------|---|
| Enter Code | Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" O. No – could not recall 1. Yes, after cueing ("something to wear") 2. Yes, no cue required |
| Enter Code | B. Able to recall "blue" O. No – could not recall 1. Yes, after cueing ("a color") 2. Yes, no cue required |
| Enter Code | C. Able to recall "bed" 0. No – could not recall 1. Yes, after cueing ("a piece of furniture") 2. Yes, no cue required |

| C0500. E | BIMS Summary Score |
|-------------|--|
| Enter Score | Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview |
| | |

Does the patient's condition affect functional ability and/or safety? •No OYes If yes, explain:

| Patient Name | | |
|--|--|---|
| Section D Mood | | |
| D0150. Patient Mood Interview (PHQ-2 to 9) | | |
| Say to patient: "Over the last 2 weeks, have you been bothered by any of the following proble | ms?" | , |
| If symptom is present, enter 1 (yes) in column 1, Symptom Presence. | | |
| If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Sym | ptom Frequency. | |
| 1. Symptom Presence (a) 2. Symptom Frequency 0. No (enter 0 in column 2) 0. Never or 1 day | 1. Symptom | 2. Symptom |
| 1. Yes (enter 0-3 in column 2) 1. 2-6 days (several days) | Presence | Frequency |
| 9. No response (leave column 2 blank) 2. 7-11 days (half or more of the days) 3. 12-14 days (nearly every day) | | cores In ↓ |
| A. Little interest or pleasure in doing things | | |
| B. Feeling down, depressed, or hopeless | | |
| If either D0150A2 or D0150B2 is coded 2 or 3, CONTINUE asking the questions below. If not, END the PHQ in | tendew | <u> </u> |
| C. Trouble falling or staying asleep, or sleeping too much | ici view. | ТП |
| | | |
| | 1 1 | 1 1 |
| E. Poor appetite or overeating | | 1 |
| F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down | | 0 |
| G. Trouble concentrating on things, such as reading the newspaper or watching television | 0 | 0 |
| H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual | <u></u> | © |
| l. Thoughts that you would be better off dead, or of hurting yourself in some way | 回 | |
| Copyright [®] Pfizer Inc. All rights reserved. Reproduced with permission. | | |
| D0160. Total Severity Score | | |
| Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items) | e between 00 and 27 | . Enter 99 if |
| D0700. Social Isolation How often do you feel lonely or isolated from those around you? | | |
| EnterCode 0. Never | | |
| 1. Rarely 2. Sometimes | | |
| 3. Often | | |
| 4. Always 7. Patient declines to respond | | |
| 8. Patient unable to respond | | |
| Section 3 Behavior | | |
| M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once | a week (Reported | or Observed): |
| ↓ Check all that apply | | |
| Memory deficit: failure to recognize familiar persons/places, inability to recall events of passignificant memory loss so that supervision is required | t 24 hours, | |
| Impaired decision-making: failure to perform usual ADI s or IADI s inability to appropriate | ly stop activities | |

M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week (Reported or Observed):

↓ Check all that apply

□ □ 1. Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required

□ 2. Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions

□ 3. Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.

□ 4. Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)

□ 5. Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)

□ 6. Delusional, hallucinatory, or paranoid behavior

7. None of the above behaviors demonstrated

Section Preferences for Customary Routine Activities (Continued)

| CARE PREFERENCES/PATIENT'S PERSONAL GOALS |
|--|
| Did the Patient Representative Other: communicate care preferences that involve the home health services provided? For example, preferred visit times or days, etc. No Yes If yes, list preferences: |
| Patient/pcg wants the visits to be scheduled early on so they know if there's an MD appointment they will have enough time for preparation. |
| |
| |
| Did the Patient Representative Other: communicate any specific personal goal(s) the patient would like to achieve from this home health admission? For example, in the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for their own food of the future they would like to shop at the mall, shop for the future they would like they |
| go to a family wedding etc. ONo OYes If yes, the Patient Representative Other: discussed/communicated about the goal(s) with |
| the assessing clinician and: |
| Agreed their personal goal(s) was realistic based on the patient's health status. |
| Agreed their personal goal(s) needed to be modified based on the patient's health status. |
| O Agreed to and identified actions/interventions the patient is willing to safely implement, so the patient will be able to meet their goal(s) be the anticipated discharge date. |
| The Patient Representative Other: helped write a measurable goal(s), understandable to all stakeholders. |
| The Patient Representative Other: was informed, appeared to understand and agreed the personal goal(would be added to the patient's individualized plan of care and submitted to the physician responsible for reviewing and signing the plan of care |
| Other: |
| Resumption of Care: ONo change(s) OGoal(s) changed |
| List all the patient's goal(s) and indicate if E-Existing, N-New, M-Modified existing or D-Discontinued |
| |
| |
| |
| |
| |
| |
| |
| <u> </u> |
| |
| Note: The IMPACT Act requires HHAs to take into account patient goal(s) and preferences in discharge and transfer planning. This process starts upon admission/resumption of care. |
| STRENGTHS/LIMITATIONS |
| Identify the patient's strengths and weaknesses based upon the patient's comprehensive assessment (psychosocial, cognitive, mental status and functional status). |
| Good family support, pt is willing to work with the HH agency to benefit self and increase strength and knowledge regarding condition and emergency/911 precautions. |
| the pt has support from the family / pcg and gives daily care for any needs the pt would require on a daily basis. |
| |
| |
| |
| Note: CMS is looking for potential issues that may complicate or interfere with the delivery of the HHA services and the patient's ability to participate in his or her own plan of care. |



Section F Preferences for Customary Routine Activities (Continued)

| | CTREMCTUS | ALIMITATIONS (Cont. | | |
|--|--------------------|---|--------------------------------------|--|
| Does the patient's limitation(s) affect their safet | | LIMITATIONS (Conti s? ONo OYes If yes, e | | |
| The patient is known to have unsteady gait, unable Some limitations of the patient includes multiple m | e to leave home u | unassisted, poor muscle s , high risk for falls and infe | trength, unstable VS, and e | aslly gets tired. s. |
| | | | | |
| : | | • | | |
| | | , * | | |
| | | | | |
| Indications for Home Health Aides: • No OYe Reason for need: | Refused | Order obtained: ONo | OYes | |
| | | | | |
| LIVIN | G ARRANGEM | ENTS/SUPPORTIVE | ASSISTANCE | |
| Safety Measures: | | | | |
| Bleeding precautions SIderails up Infection control measures Walker/cane | d of bed | Seizure precautions 24 hr. supervision Other: | ■Fall precautions ■Clear pathways | ☐ Aspiration precautions ☐ Lock w/c with transfers |
| Is there a need for a Fall Risk Plan? ONo (1) | Yes · Safety pla | n(s) indicated? ONo | Yes | |
| Follow PMD orders when it comes to safety and en | nergency protocol | ls. | | |
| Comments: | | | | |
| : | | | | |
| | | • | | |
| Instructions/Materials Provided (Check all app | | , | | |
| Rights and Responsibilities | State hotline | | | resuscitate (DNR) |
| HIPAA Notice of Privacy Practices | OASIS Privacy | | ncy planning in the event s | |
| ■Agency phone number/after-hours number ■Basic home safety | | tact physician and/or age | ncy Standard | d precautions/handwashing |
| Medication regimen/administration | Disease (spec | | | |
| Copy of Rights & Responsibilities and transfer/ | discharge policie | r's contact information | handburt I v | |
| Other: | uischarge policie | s to Representative (HHA | has 4 business days) | |
| - : | | | | |
| s * EMI | ERGENCY PRE | PAREDNESS CARE PL | ANNING | Δ. |
| Complete this section per agency policy for applica | | | | · |
| Emergency Priority Code assigned to this pat | tient is Moderate | | hased upon the comprehe | ensive assessment of their |
| functional, medical condition, psychosocial sitt (Note: Record the code on the front of this form | uation, cognitive, | , mental status and any si | Ignificant care needs. | |
| Dobtained the patient's emergency contact num | n and other place | es per agency policy) | | |
| Discussed the HHA's plans for supporting their | natients during: | euicai recoru a natural or man-mado di | icartor | |
| Discussed patient specific emergency planning | potions | a natural of man-made di | 1303(6) | |
| ■Discussed the development of the patient's inc procedure to follow up with the HHA in the eve | dividualized emer | rgency preparedness plan | n of care, including self-care | e readiness and the |
| Educational materials provided to suggest/assi | st with emergend | cy management/decisior | n making priorities | |
| ■ List of local and state approved evacuation rou | ites and commun | ity shelters relevant to th | e patient's specific geograp | phic location |
| ■ Written materials to restate/reinforce the emergence | gency preparedn | ess procedures given to | the | |
| ■Patient ■Representative (if any) ■Caregiv | er Other: | · | | |
| Comments: | | * | | |
| | | | | |

Segion G Functional Status

M1800. Grooming

Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernall care).

Enter Code

- 0. Able to groom self unaided, with or without the use of assistive devices or adapted methods.
- 1. Grooming utensils must be placed within reach before able to complete grooming activities.
- 2. Someone must assist the patient to groom self.
- 3. Patient depends entirely upon someone else for grooming needs.

M1810. Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.

Enter Code

- 0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
- 1. Able to dress upper body without assistance if clothing is laid out or handed to the patient.
- 2. Someone must help the patient put on upper body clothing.
- 3. Patient depends entirely upon another person to dress the upper body.

M1820. Current Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.

Enter Code

- 0. Able to obtain, put on, and remove clothing and shoes without assistance.
- 1. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
- Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
- 3. Patient depends entirely upon another person to dress lower body.

M1830. Bathing

Current ability to wash entire body safely. Excludes grooming (washing face, washing hands, and shampooing hair).

Enter Code

- 0. Able to bathe self in shower or tub independently, including getting in and out of tub/shower.
- 11. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.
- 2. Able to bathe in shower or tub with the intermittent assistance of another person:
 - a. for intermittent supervision or encouragement or reminders, OR
 - b. to get in and out of the shower or tub, OR
 - c. for washing difficult to reach areas.
- 3. Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.
- 4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.
- 5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person.
- 6. Unable to participate effectively in bathing and is bathed totally by another person.

M1840. Toilet Transferring

Current ability to get to and from the toilet or bedside commode safely and transfer on and off toilet/commode.

Enter Code

- 0. Able to get to and from the toilet and transfer independently with or without a device.
- 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.
- 2. <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).
- 3. <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
- 4. Is totally dependent in toileting.

M1845. Toileting Hygiene

Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not managing equipment.

EnterCode

- 0. Able to manage toileting hygiene and clothing management without assistance.
- J. Able to manage tolleting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.
- 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing.
- 3. Patient depends entirely upon another person to maintain toileting hygiene.

3. Independent - Patient completed all the activities by themself, with or without an assistive device, with no assistance from a helper. 1. Independent - Patient completed all the activities by themself, with no assistance from a helper.

- Needed Some Help Patient needed partial assistance from another person to complete any activities.
- 1. **Dependent** A helper completed all the activities for the patient.
- 8. Unknown
- 9. Not Applicable

÷

3

A. Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.

4

 Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.

4

C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.

2.

D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.

Sedion Gr

lities and Goals (Continued)

| | | or Device Use ② s and aids used by the patient prior to the current illness, exacerbation, or injury. |
|-------|--------|---|
| ↓ Che | ck all | that apply |
| | A. | Manual wheelchair |
| | В. | Motorized wheelchair and/or scooter |
| | C. | Mechanical lift |
| | D. | Walker |
| | E. | Orthotics/Prosthetics . |
| | Z. | None of the above |

GG0130. Self-Care 🛈

Code the patient's usual performance at SOC/ROC for each activity using the 6-point scale. If activity was not attempted at SOC/ROC, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

Codina:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. Substantial/maximal assistance Helper does MORETHAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

| 1. SOC/ROC Performance | 2. Discharge Goal | |
|------------------------------|-------------------------|---|
| ↓ Enter Codes in Boxes ↓ | | |
| O T | 06 | A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient. |
| 0 1 | 06 | B. Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment. |
| 0 . | 06 | C. Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment. |
| | 06 | E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower. |
| 01-1 | 06 | F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable. |
| 02= | 08 | G. Lower body dressing: The ability to dress and undress below the waist; including fasteners; does not include footwear. |
| 02 | 0. | H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable. |

Segion GG Functional Abilities and Goals (Continued)

GG0170. Mobility @

Code the patient's usual performance at SOC/ROC for each activity using the 6-point scale. If activity was not attempted at SOC/ROC, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

Coding:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- .10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

| 1. SOC/ROC Performance | 2. Discharge Goal | • | | | |
|------------------------------|-------------------------|---|--|--|--|
| ↓ Enter Codes in Boxes ↓ | | · · | | | |
| O(T | 06 | A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. | | | |
| | 06 | B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed. | | | |
| oz. | 06 | C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support. | | | |
| O(T | 06 | D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. | | | |
| 03- | 05 | E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). | | | |
| 0 3 | 06 | F. Toilet transfer: The ability to get on and off a toilet or commode. | | | |
| 88 | 0. | G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt. | | | |
| | 06 | Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. if SOC/ROC performance is coded 07, 09, 10, or 88, → Skip to GG0170M, 1 step (curb) | | | |
| 可工 | 01=1 | J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns. | | | |
| 07 - | 042 | K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space. | | | |
| OZZI , | 01 | L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel. | | | |
| 07 | 05 | M. 1 step (curb): The ability to go up and down a curb or up and down one step. If SOC/ROC performance is coded 07, 09, 10, or 88, \rightarrow Skip to GG0170P, Picking up object. | | | |
| 07 | 04_1 | N. 4 steps: The ability to go up and down four steps with or without a rail. If SOC/ROC performance is coded 07, 09, 10, or 88, → Skip to GG0170P, Picking up object. | | | |
| 09 | ೀ▼ | O. 12 steps: The ability to go up and down 12 steps with or without a rail. | | | |

Section GG | Functional Abilities and Goals (Continued)

| GG0170. Mobility – Continued 🕲 | | | | |
|--|--|------|---|---|
| 1. 2. SOC/ROC Discharge Performance Goal | | | | |
| ↓ Enter Codes in Boxes ↓ | | | | |
| | | | | end/stoop from a standing position to pick up a small object, such |
| Q. Does the patient use who $0. No \rightarrow Skip to M1600, U.$ | | | 0. No → Skip to M1600, U | |
| | | | · · · · · · · · · · · · · · · · · · · | re seated in wheelchair/scooter, the ability to wheel at least 50 feet |
| | RR1. Indicate the type of whe 1. Manual . 2. Motorized | | | elchair or scooter used. |
| | | | 150 feet: Once seated in wh r or similar space. | eelchair/scooter, the ability to wheel at least 150 feet in a |
| | | SS1. | Indicate the type of whe 1. Manual 2. Motorized | elchair or scooter used. |
| | | | FUNCTIONAL | LIMITATIONS |
| Amputation | | | ■Endurance ■Ambulation □Speech | Legally blind Dyspnea with minimal exertion Other (specify): Other (specify): Prior social activity level: |
| | | | MUSCULO | SKELETAL |
| ☐ No Problem Check all that apply: Has patient had any past problems or injuries to: ☐ joints ☐ muscles ☐ bones? | | | ld be a disease process, | Has the patient had an amputation? No OYes If yes, below knee: Iright left above knee: Iright left upper extremity: Iright left other: |
| for example: osteoporosis, tetanus or cancer) If yes, what happened: | | | n yes, what happened. | When standing does the patient appear to have: ☐Exaggerated forward curve of lumbar region ☐Rounded upper back ☐S shaped spine |
| Treatment received: | | | | ☐N/A patient can't stand Does the patient's posture limit their activities? ○No ⑥Yes |
| Did the patient have any after effects/residual problems from the problem or injury reported? No OYes If yes, what happened: | | | | If the patient has any of these conditions, specify what and how it affects their functional ability and/or safety: |
| · · | | | • | |
| Patient has pain associated with (check all that apply): Joints | | | | |
| Patient has (check all that apply):tinglingnumbness swellingcontracture(s) weakness of:UELEatrophydecreased ROM | | | | • |
| Motor changes: ○No ②Yes If yes: □fine ■gross Hand grips: ③equal ○unequal □strong: □R □L ■weak: ■R ■L | | | | |

Sহৰোত্য **ৰ্ভ্ৰে Functional Abilities and Goals** (Continued)

| FALL RISK ASSESSMENT | |
|---|-----------|
| MAHCHO: FALL RISK ASSESSMENT TOOL | |
| REQUIRED CORE ELEMENTS — Assess one point for each core element "yes". Information may be gathered from medical record, assessment and if applicable, the patient/caregiver. Beyond protocols listed below, scoring should be based on your clinical juagment. | POINTS |
| Age 65+ | . 1 |
| Diagnosis (3 or more co-existing) Includes only documented medical diagnosis. | |
| Prior history of falls within 3 months An unintentional change in position resulting in coming to rest on the ground or at a lower level. | |
| Incontinence Inability to make it to the bathroom or commode in timely manner. Includes frequency, urgency, and/or nocturia. | |
| Visual impairment Includes but not limited to, macular degeneration, diabetic retinopathies, visual field loss, age related changes, decline in visual acuity, accommodation, glare tolerance, depth perception, and night vision or not wearing prescribed glasses or having the correct prescription. | ■ |
| Impaired functional mobility May include patients who need help with IADLs or ADLs or have gait or transfer problems, arthritis, pain, fear of falling, foot problems, impaired sensation, impaired coordination or improper use of assistive devices. | |
| Environmental hazards May include but not limited to, poor illumination, equipment tubing, inappropriate footwear, pets, hard to reach items, floor surfaces that are uneven or cluttered, or outdoor entry and exits. | |
| Poly Pharmacy (4 or more prescriptions – any type) All PRESCRIPTIONS including prescriptions for OTC meds. Drugs highly associated with fall risk include but not limited to, sedatives, anti-depressants, tranquilizers, narcotics, antihypertensives, cardiac meds, corticosteroids, anti-anxiety drugs, anticholinergic drugs, and hypoglycemic drugs. | 1 |
| Pain affecting level of function Pain often affects an individual's desire or ability to move or pain can be a factor in depression or compliance with safety recommendations. | |
| Cognitive impairment Could include patients with dementia, Alzheimer's or stroke patients or patients who are confused, use poor judgment, have decreased comprehension, impulsivity, memory deficits. Consider patient's ability to adhere to the plan of care. | |
| A score of 4 or more is considered at risk for falling | 7 🗵 |
| MAHC 10 reprinted with permission from Missouri Alliance for HOME CARE | - Managed |
| | |

Section : Bladder and Bowel

| URINARYE | LIMINATION |
|--|--|
| □No Problem | URINARY CATHETER: ■N/A |
| Diagnosed disorder(s) of urinary system (type): | Type: Date last changed: |
| · | Indwelling catheter <u>changed</u> this visit. Size French |
| | Indwelling catheter inserted this visit. Size French |
| (Check all applicable items) Observed Reported | OSingle balloon ODouble balloon |
| ■Urgency ■Frequency Burning Pain | Single/anchor balloon inflated withmL |
| Hesitancy Increased urination at night Decreased urination | Second/tip balloon inflated withmL |
| Color: OYellow/straw OAmber OBrown/gray OPink/red tinged | OWithout difficulty OWith difficulty (explain): |
| Oother: | |
| Clarity: ■Clear □Cloudy □Sediment □Mucous | |
| Odor: No OYes | Irrigation solution: Type (specify): |
| If the patient has incontinence, when does urinary incontinence occur? | AmountmL Frequency Returns |
| ODuring the day only OTimed-voiding defers incontinence | Patient tolerated procedure well ONo OYes |
| During the day and night Ooccasional stress incontinence | Patient has suprapubic |
| ODuring the night only | ☐Urostomy site (describe skin around stoma): |
| Incontinence products/other: | |
| : | Ostomy care managed by: Patient Caregiver Family Nurse |

| Patient Na. | | | | |
|--|--|--|--|--|
| Section : Bladder and Bowel (Conti | nued) | | | |
| M1600. Has this patient been treated for a Urinary Tract Infection in the past 14 days? | | | | |
| Enter Code O. No 1. Yes NA Patient on prophylactic treatment UK Unknown | | | | |
| M1610. Urinary Incontinence or Urinary Catheter Prese | ence | | | |
| Enter Code 1. No incontinence or catheter (includes anuria o 1. Patient is incontinent 2. Patient requires a urinary catheter (specifical) | or ostomy for urinary drainage) y: external, indwelling, intermittent, or suprapubic) | | | |
| вом | VEL ELIMINATION | | | |
| □No Problem | Frequency of stools: 1-2 DAYS | | | |
| Diagnosed disorder(s) of GI system (type): | Bowel regimen/program: | | | |
| ■Constipation □Diarrhea □Hemorrhoids ■Last BM: 08/23/23 | ☐ Laxative ☐ Enema use/frequency: ☐ Other: ☐ Involuntary incontinence (details if applicable): | | | |
| Bowel sounds: active 4 quadrants. absent | | | | |
| M1620. Bowel Incontinence Frequency | GENITALIA | | | |
| EnterCode O. Very rarely or never has bowel incontinence Less than once weekly One to three times weekly Four to six times weekly On a daily basis More often than once daily NA Patient has ostomy for bowel elimination UK Unknown | ■No Problem | | | |
| M1630. Ostomy for Bowel Elimination Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay; or b) necessitated a change in medical or treatment regimen? | | | | |
| EnterCode O. Patient does <u>not</u> have an ostomy for bowel elimination. Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen. The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen. | | | | |
| Does the elimination bowel and/or bladder disorder(s) interfere/impact the patient's functional ability and/or safety? No OYes If yes, explain: | | | | |
| * | | | | |

| Sadio Active Diagnoses | | | | | |
|--|--|--|--|--|--|
| M1021. Primary Diagnosis & M1023. Other Diagnoses | | | | | |
| Column 1 Column 2 | | | | | |
| Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided) | ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses | | | | |
| Coding Instructions | | | | | |
| Column 1, Diagnoses: | | | | | |
| Enter the description of each diagnosis | | | | | |
| List each diagnosis for which the patient is receiving home care Diagnoses are listed in the order that boot reflects the conjugate as | | | | | |
| Diagnoses are listed in the order that best reflects the seriousness Complete Column 1 from top to bottom, leaving any blank entries | of each condition and supports the disciplines and services provided | | | | |
| Order other diagnoses (M1023) according to the degree they impa | at the pottom. ct the patient's health and need for home health care, rather than the | | | | |
| degree of symptom control. | | | | | |
| i listed above a diagnosis of a fungal infection of a toenail tha | pe 2 Diabetes that is "controlled with difficulty" this diagnosis would be t is being treated, even if the fungal infection is "poorly controlled." | | | | |
| Column 2, ICD-10 CM codes: | • | | | | |
| For each diagnosis in Column 1, enter its ICD-10 CM code at the high | thest level of specificity | | | | |
| O No surgical or procedure codes allowed in Column 2 O ICD-10-CM sequencing requirements must be followed if multiple O ICD-10-CM sequencing requirements must be followed if multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM sequencing requirements must be followed in multiple O ICD-10-CM | | | | | |
| i a cur seduction directine treatine treatine treatine to the follower it trigitible | coding is indicated for any diagnoses. | | | | |
| External cause codes (ICD-10-CM codes beginning with V, W, X, or Y reported in M1023 (Other Diagnoses). |) may not be reported in M1021 (Primary Diagnosis) but may be | | | | |
| When a Z-code is reported in Column 2, the code for the underlying | Condition can often be entered in Column 2 as long as it is an active | | | | |
| on-going condition impacting nome health care. | | | | | |
| See the ICD-10-CM "Official Guidelines for Coding and Repor | ting" for complete instructions on code assignment and sequencing | | | | |
| related to the use of Z-codes, and use of multiple coding for | a single condition (such as manifestation/etiology pairs). | | | | |
| M1021. Primary Diagnosis | | | | | |
| : | V, W, X, Y codes NOT allowed | | | | |
| a | | | | | |
| | a 0 | | | | |
| M1023. Other Diagnoses | | | | | |
| | All ICD-10-CM codes allowed | | | | |
| b | b. | | | | |
| | <u> </u> | | | | |
| c | c01234 | | | | |
| | | | | | |
| d | d. □ 0 □1 □2 □3 □4 | | | | |
| | | | | | |
| e | e 0 | | | | |
| f. | | | | | |
| | | | | | |
| Complete g through y per agency policy for all pertinent secondary diagnoses identified | | | | | |
| g. | | | | | |
| | g | | | | |
| | | | | | |

m-y continued on next page

k.

| Patient Name | | | | |
|---|-----------------------------|---|--|--|
| Section Active Diagnoses (Continued) | | | | |
| M1023. Other Diagnoses (Continued) | All ICD-10-CM codes allowed | | | |
| m. | m. | | | |
| n | n. | | | |
| o | o | | | |
| p | р. | | | |
| q | q. | , <u>, , , , , , , , , , , , , , , , , , </u> | | |
| r | r. | | | |
| 5 | S | | | |
| t | t | | | |
| u. : | u. | | | |
| v | v | | | |
| w | w | | | |
| x | х. | | | |
| у | у. | | | |
| PERTINENT SURGICAL I | PROCEDURE(S) N/A | • | | |
| | | Date: | | |
| | | Date: | | |
| | | _ Date: | | |
| M1028. Active Diagnoses - Comorbidities and Co-existing Co | nditions (A) | | | |
| Check all that apply | Marienta & | | | |
| Peripheral Vascular Disease (PVD) or Peripheral Arter | rial Disease (PAD) | | | |
| 2. Diabetes Mellitus (DM) | | | | |
| 3. None of the above | | | | |
| ENDOCRINE/ | THE ATOLOGY | | | |
| ENDOCRINE/H | IEMATOLOGY | | | |
| Diabetes: OType 1 OType 2 Other diabetes no dm | Date of onset: | Moishada dist | | |
| | | | | |
| Oral medication Injectable medication When did the patient first start using diabetic medication: Date: | | | | |
| Reports symptoms of: | | | | |
| OHypoglycemia: Sweats Increased hunger Weak Faint Stupor | | | | |
| A1C | | | | |
| ☐FBS ☐Before meal ☐After meal ☐Random ☐HS ` | | | | |
| ☐Blood sugar ranges: Reported by: ☐Patle | ent Caregiver Family | | | |
| Monitored by: Patient Caregiver Family Nurse Other: | | | | |
| Frequency of monitoring: | | | | |
| Disease Management Problems (explain): | | | | |
| Other Endocrine or Hematology Issues: | | | | |

डिच्बालार्गे अ Health conditions

| M1033. Risk for Hospitalization Which of the following signs or symptoms characterize this patient as at risk for hospitalization? | | | | |
|--|------------------------|--|--|--|
| | ↓ Check all that apply | | | |
| | ٦. | History of falls (2 or more falls – or any fall with an injury – in the past 12 months) | | |
| | 2. | Unintentional weight loss of a total of 10 pounds or more in the past 12 months | | |
| | 3. | Multiple hospitalizations (2 or more) in the past 6 months | | |
| | 4. | Multiple emergency department visits (2 or more) in the past 6 months | | |
| | 5. | Decline in mental, emotional, or behavioral status in the past 3 months | | |
| ▣ | 6. | Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months | | |
| | 7. | Currently taking 5 or more medications | | |
| | 8. | Currently reports exhaustion | | |
| | 9. | Other risk(s) not listed in 1-8 | | |
| | 10. | None of the above | | |
| See page 33 for summary of risk factors. | | | | |
| | | | | |

| PAIN |
|--|
| Is patient experiencing pain? ○ No ○ Yes ○ Unable to communicate |
| Non-verbals demonstrated: □Diaphoresis □Grimacing □Moaning □Crying □Guarding ■irritability □Anger ■Tense ■Restlessness |
| ■Change in vital signs □Other: |
| Self-assessment Implications: |
| If applicable (with or without pain medication) what level of discomfort/pain did the patient report is tolerable? |
| Score: Assessment used: |
| Check box to indicate which pain assessment was used: O Wong-Baker O PAINAD |
| |

| Owong-b | | | | |
|---|-------------------|-------------------|-------------------|--|
| Pain Assessment | Site 1 | . Site 2 | Site 3 | |
| Location : | SHOULDERS | BLE | BUE ' | |
| Onset ! | 3 | 3 | 3 | |
| Present level (0-10) | 3 | 3 💽 | 3 · | |
| Worst pain gets (0-10) | 6 | 6 | 6 | |
| Best pain gets (0-10) | 2 🔄 | 2 🔽 | 2 | |
| Pain description (aching, radiating, throbbing, etc.) | aching, radiating | aching, radiating | aching, radiating | |

Intensity: (using scales below)

Wong-Baker FACES® Pain Rating Scale**



Collected using: O FACES® Scale O 0-10 Scale (subjective reporting)

**From Wong D.L., Hockenberry-Eaton M., Wilson D., Winkelstein M.L., Schwartz P.: Wong's Essentials of Pediatric Nursing, ed. 6, St. Louis, 2001, p. 1301. Copyrighted by Mosby, Inc. Reprinted by permission.

| | Pain As | ssessment IN Advanced Dementia | - PAINAD* | |
|--|-------------------------------|---|--|-----|
| ITEMS | \$ 1989.4. A 1 | ski on i olimpiinsessi j | | ORE |
| Breathing Independent of Vocalization | Normal | Occasional labored breathing or short periods of hyperventilation | Noisy labored breathing, long period of hyperventilation or Cheyne-Stokes respirations | |
| Negative Vocalization | None | Occasional moan/groan or low level speech with a negative quality | Repeated troubled calling out, loud moaning/groaning/crying | |
| Facial Expression | Smiling or inexpressive | Sad/frightened/frown | Facial grimacing | |
| Body Language | Relaxed | Tense, distressed pacing/fidgeting | Rigid, fists clenched, knees pulled up; pulling/pushing away/striking out | - |
| Consolability | No need to console | Distracted or reassured by voice/touch | Unable to console, distract or reassure | |
| **Total scores range from 0 to 1 | 0 (based on a scale of 0 to 2 | for five items), with a higher score indicating me | | |

on a scale of 0 to 2 for five items), with a higher score indicating more severe pain 0 = "no pain" to 10 = "severe pain").

Instructions: Observe the older person both at rest and during activity/with movement. For each of the items included in the PAINAD, select the score (0, 1, or 2) that reflects the current state of the person's behavior. Add the score for each item to achieve a total score. Monitor changes in the total score over time and in response to treatment to determine changes in pain. Higher scores suggest greater pain severity.

Note: Behavior observation scores should be considered in conjunction with knowledge of existing painful conditions and report from an individual knowledgeable of the person and their pain behaviors. Remember that some individuals may not demonstrate obvious pain behaviors or cues.

*Reference: Warden, V. Hurley AC, Volice, V. (2003), Development and psychometric evaluation of the Pain Assessment in Advanced Dementia (PAINAD) Scale, J Am Med Dir Assoc, 4:9-15, Developed at the New England Geriatric Research Education & Clinical Center, Bedford VAMC, MA; Document updated 1.10.2013.

TOTAL**

| Patient Nam. | D# |
|--|--|
| Section | Heartn Conditions (Continued) |
| J0510. Pain Effect of | on Sieep |
| EnterCode Ask patien 2 0. Does 1. Rarely 2. Occas 3. Frequ 4. Almos | t: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night" not apply – I have not had any pain or hurting in the past 5 days → Skip to M1400, Short of Breath y or not at all ionally |
| J0520. Pain Interfe | rence with Therapy Activities |
| Enter Code 0. Does 1. Rarely 2. Occas 3. Freque 4. Almos | t: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" not apply – I have not received rehabilitation therapy in the past 5 days y or not at all ionally |
| J0530. Pain Interfe | rence with Day-to-Day Activities |
| sessions) li 1. Rarely 2. Occas 3. Frequ 4. Almo | t: "Over the past 5 days, how often you have limited your day-to-day activities (<u>excluding</u> rehabilitation therapy pecause of pain?" y or not at all ionally ently st constantly le to answer |
| | e to diswei |
| | PAIN (Continued) |
| Functional cogniti Stairs: ascend Does the pain interfere | • |
| Functional cogniti Stairs: ascend Does the pain interfere | PAIN (Continued) ected: (Check all that apply) on/focus Transfers Hygiene Ambulation Dressing: Tupper Hower Undressing: upper Hower descend Eating Toileting Appetite Positional changes Other: //impact the patient's functional ability and/or safety? No Yes If yes, explain: |
| Functional cogniti Stairs: ascend Does the pain interfere | PAIN (Continued) ected: (Check all that apply) on/focus Transfers Hygiene Ambulation Dressing: Tupper Hower Undressing: upper Hower descend Eating Toileting Appetite Positional changes Other: //impact the patient's functional ability and/or safety? No Yes If yes, explain: |
| Functional cognition Stairs: sascend Does the pain interfere Patient has difficulty wal ; ; What makes pain worse | PAIN (Continued) ected: (Check all that apply) on/focus Transfers Hygiene Ambulation Dressing: Tupper Hower Undressing: upper Hower descend Eating Toileting Appetite Positional changes Other: //impact the patient's functional ability and/or safety? No Yes If yes, explain: |
| Functional cognition Stairs: sascend Does the pain interfere Patient has difficulty wal ; ; What makes pain worse | PAIN (Continued) ccted: (Check all that apply) on/focus Transfers Hygiene Ambulation Dressing: Transfers Hygiene Ambulation Dressing: Dressing: Undressing: Undre |
| Functional cognition of the pain interfere patient has difficulty walk with the pain worse is there a pattern to the what makes pain better the pain radiate? Check all pharmacolog Analgesics Cor | PAIN (Continued) ccted: (Check all that apply) on/focus Transfers Hygiene Ambulation Dressing: Transfers Hygiene Ambulation Dressing: Dressing: Undressing: Undre |



প্ৰবৃত্যি Health Conditions (Continued)

| CARDIOPULMONARY | | |
|--|-------------|--|
| | | |
| Diagnosed disorder(s) of heart/respiratory system (type): | | |
| · · | | |
| | | |
| | | |
| Breath Sounds: (e.g., clear, crackles/rales, wheezes/rhonchi, diminished, absent) | | |
| Anterior: Right clear Left clear | | |
| Posterior: Right Upper clear Left Upper clear 2 | | |
| Right Lower clear Left Lower clear | | |
| Labored breathing | | |
| Non-smoker Has patient ever smoked in the past? No OYes If yes, date last smoked: | | |
| OSmoker - frequency: ODally Occasional Overy Occasional | | |
| If daily, (include all types of products that are smoked or vaporized) how often: | | |
| Respiratory Treatments utilized at home: Oxygen: Ointermittent Ocontinuous Mentilator: Ocontinuous Oat night Positive airway pressure: Continuous Di-level O2@LPM via Cannula Cannula Trach O2 saturation% | | |
| | :1 | |
| Intermittent treatments (e.g., cough & deep breath, medicated inhalation treatments, etc.) ONO OYes, explain: | amily | |
| The state of the s | | |
| | | |
| | | |
| ■Cough: ONO OYes: OProductive ONon-productive describe: | | |
| Positioning necessary for improved breathing: No OYes, describe: | _ | |
| Heart Sounds: • Regular Orregular Pacemaker: Date: Last date checked: | | |
| Color of nail beds: pink | | |
| Circulation N/A Non-Pitting Pitting Capillary Refill Edgma Redal Picht O Control Cont | | |
| Edelina Fedal Right O O+1 O+2 O+3 O+4 O<3 sec O>3 sec | | |
| Edema Pedal Left O O+1 O+2 O+3 O+4 O<3 sec O>3 sec O=2 Pain at rest: | | |
| O O O+1 O+2 O+3 O+4 O<3 sec O>3 sec O | | |
| O O O+1 O+2 O+3 O+4 O<3 sec O>3 sec Dependent: | | |
| O O O+1 O+2 O+3 O+4 O<3 sec O>3 sec O | | |
| ☐ Disease Management Problems (explain): | | |
| ч | | |
| Ē | | |
| | | |
| M1400. When is the patient dyspneic or noticeably Short of Breath? | | |
| EnterCode 0. Patient is not short of breath | | |
| 2 1. When walking more than 20 feet, climbing stairs | | |
| 2. With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet) | | |
| 3. With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation | | |
| 4. At rest (during day or night) | | |
| □N/A | | |
| Shortness of Breath: Assessed OReported Explain how/when SOB happens (i.e., patient can't walk and talk at the same time in cold weat | her) | |
| , | | |
| December well-stands COD off and the standard st | İ | |
| Does the patient's SOB affect their functional ability and/or safety? (i.e., patient becomes dizzy when ascending stairs) ONo OYes, explain: | | |
| | | |
| | | |

| Sectionik | Swallowing/Nutritional Status | | |
|---|---|------------|--|
| M1060. Heigh | t and Weight - While measuring, if the number is X.1-X.4 round | down; X | .5 or greater round up. (9) |
| 58 inches | A. Height (in inches). Record most recent height measure since | | |
| 120 .: | B. Weight (in pounds). Base weight on most recent measure in standard facility practice (e.g., in a.m. after voiding, before me | last 30 c | days; measure weight consistently, according to shoes off, etc.) |
| documentation f If unable to weight with Patient C Reported w Changes are | int/weight that has been directly measured by agency staff. Do no from another provider setting. gh during this visit then: in past 30 days found in documentation from: | month | is:pounds |
| | | | |
| Nutritional requirements Appetite: OGo | NUTRITIONAL STAT | holester | ease fluids:amt. O Restrict fluids:amt. |
| 1 | 3 | | |
| | ies): | | |
| | No OYes If yes, frequency: ODaily OOccasional OVery Occasional | sionai ii | production and the second seco |
| determine addit | ck each area with "yes" to assessment, then total score to lonal risk. | YES | INTERPRETATION OF ASSESSMENT 0-2 Good |
| Has an illness or | condition that changed the kind and/or amount of food eaten. | <u></u> □2 | As appropriate reassess and/or provide information |
| Eats fewer than 2 | 2 meals per day. | □3 | based on situation. |
| Eats few fruits, ve | egetables or milk products. | 1 2 | 3-5 Moderate risk Educate, refer, monitor and reevaluate based on patient |
| Has 3 or more dr | inks of beer, liquor or wine almost every day. | 2 | situation and organization policy. |
| Has tooth or mo | uth problems that make it hard to eat. | <u>□</u> 2 | 6 or more High risk |
| Does not always | have enough money to buy the food needed. | □4 | Coordinate with physician, dietitian, social service |
| Eats alone most | of the time. | | professional or nurse about how to improve nutritional health. Reassess nutritional status and educate based |
| Takes 3 or more | different prescribed or over-the-counter drugs a day. | 1 | on plan of care. |
| Without wanting | to, has lost or gained 10 pounds in the last 6 months. | <u></u> 2 | |
| Not always physi | cally able to shop, cook and/or feed self. | 1 2 | Reprinted with permission by the Nutrition Screening Initiative, a project of the American Academy of Family Physicians, the American Dietetic Association and the National Control of the Control of t |
| | TOTAL | 5 | National Council on the Aging, Inc., and funded in part by a grant from Ross Products Division, Abbott Laboratories Inc. |
| O Able to ind | _ | • | but has not routingly performed light most proporation |
| in the past O Unable to | prepare light meals due to physical, cognitive, or mental limitation prepare or reheat any light meals | | , a constant of the second of |

| Segion & Swallowing/Nutritional Status (Con | ID# 181 |
|--|---|
| Section & Swallowing/Nutritional Status (Con | tinued) |
| ENTERAL FEEDINGS – ACCE | SS DEVICE |
| I≡IN/A j | |
| □Nasogastřic □Gastrostomy □Jejunostomy □Other (specify): | |
| L_Pump: (type/specify): | Rolus Continuous |
| Feedings: Type (amt./rate): | |
| riush Protocol: (amt./specify): | |
| Performed by: Patient Caregiver Family Other: | |
| Dressing/Site care: (specify): | |
| Interventions/Instructions/Comments: | |
| interventions/instructions/comments: | |
| | |
| , | |
| , | |
| | |
| , | |
| K0520. Nutritional Approaches 🕲 | |
| 1. On Admission | |
| Check all of the nutritional approaches that apply on admission | 1. On Admission |
| i admission | Check all that apply \$\psi\$ |
| A. Parenteral/IV feeding | |
| B. Feeding tube (e.g., nasogastric or abdominal (PEG)) | |
| C. Mechanically altered diet – require change in texture of food or liquids | |
| (e.g., pureed food, thickened liquids) | |
| D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol) | X - 1 |
| Z. None of the above | |
| | |
| M1870. Feeding or Eating | |
| Current ability to feed self meals and snacks safely. Note: This refers only to the proce preparing the food to be eaten. | ss of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not</u> |
| EnterCode 0. Able to independently feed self. | |
| 1. Able to feed self independently but requires: | |
| a. meal set-up; <u>OR</u> | |
| b. intermittent assistance or supervision from another person | ı; OR |
| c a liquid, pureed, or ground meat diet. | |
| Unable to feed self and must be assisted or supervised through Able to take in nutrients orally and receives supplemental nutrients. | out the meal/snack. |
| 3. Able to take in nutrients orally <u>and</u> receives supplemental nutri 4. <u>Unable</u> to take in nutrients orally and is fed nutrients through a | ents through a nasogastric tube or gastrostomy. |
| 5. Unable to take in nutrients orally or by tube feeding. | nasogastric tube or gastrostomy. |
| | |
| ADDITIONAL COMMEN | TS |
| Teaching done on prescribed diet, to maintain proper nutrition and hydration status. PM | D notified about findings. |
| | |
| i | |
| • | |
| | |
| | |
| · · | |
| r | |
| : | į |
| • | |

| Segion M. Skin Conditions |
|---|
| INTEGUMENTARY STATUS |
| No Problem Check all applicable conditions: Turgor: ●Good ○Poor □ltch □Rash □Dry □Scaling □Redness □Bruises □Ecchymosis □Pallor □Jaundice □Weeping □Other (specify): · |
| Anterior Posterior |
| WOUND CARE: (Check all that apply) IN/A Wound care done during this visit: ONO OYes Location(s) wound site: Soiled dressing removed by: OPatient OCaregiver (name) OFamily ORN OPT OOther: Technique: OSterile OClean Hands washed: Defore after dressing change Wound cleaned with (specify): Wound irrigated with (specify): Wound packed with (specify): Soiled dressing properly disposed of (per agency policy) Patient tolerated procedure well: ONO OYes Comments: |
| DIABETIC FOOT EXAM: (Check all that apply) |
| Pedal pulses: Present iright ieft Absent iright ieft Comment: |
| Does the patient's integumentary status affect the patient's functional ability and/or safety (i.e., patient has a high risk for skin tears that could result in secondary wound infection) No OYes If yes, explain: |

Section M Skin Conditions (Continued)

| \$ · · · .cs.>n | the of the state to be stated as the state of | INTEGUMENTARY | STATUS (Continued) | | |
|---|--|--|--|--|--|
| WOUND/LESION | | WOUND/LESIO | N ASSESSMENT | | |
| Date Originally Reported | | #2 | #3 | Į. | #5 |
| Location # | | | | | |
| *Include depth of infected surgical wound(s) in Size category below | Malignancy Mechanical/Trauma OPressure ulcer Surgical* ODialysis access Ovenous stasis ulcer | O Arterial O Diabetic foot ulcer Malignancy Mechanical/Trauma O Pressure ulcer Surgical* O Dialysis access O Venous stasis ulcer O IV O Other: | O Arterial O Diabetic foot ulcer Malignancy Mechanical/Trauma Pressure ulcer Surgical* O Dialysis access O Venous stasis ulcer O IV O Other: | O Arterial O Diabetic foot ulcer O Malignancy O Mechanical/Trauma O Pressure ulcer O Surgical* O Dialysis access O Venous stasis ulcer O IV O Other: | O Arterial O Diabetic foot ulcer Malignancy Mechanical/Trauma Pressure ulcer Surgical* O Dialysis access O Venous stasis ulcer IV Other: |
| Size (cm) (LxWxD) | | | | | |
| Tunneling/Sinus Tract | lengthcm @oʻclock | lengthcm @oʻclock | lengthcm @oʻclock | lengthcm | lengthcm @oʻclock |
| Undermining (cm) | cm, from | cm, from tooʻclock | cm, from | cm, from | cm, from |
| Stage (pressure picers only) | | Stage: | Stage:OUnstageable | Stage: | Stage: |
| (pressure ulcers only) | OUnobservable ODTI | OUnobservable ODTI | OUnobservable ODTI | OUnstageable OUnobservable ODTI | OUnstageable OUnobservable ODTI |
| Severity of Ulcer (exclude pressure ulcers) | Skin only Fatty tissue Muscle Muscle crosis Bone necrosis Other: | Skin only Fatty tissue Muscle Muscle Bone Muscle necrosis Bone necrosis | Skin only Fatty tissue Muscle Muscle Bone Hone Bone necrosis Other: | Skin only Fatty tissue Muscle Muscle Muscle necrosis Bone necrosis | Skin only Fatty tissue Muscle Muscle necrosis Bone necrosis Other: |
| Odor | ●No OYes | No ○Yes | ● No ○Yes | O No O Yes | O No O Yes |
| Surrounding Skin | Erythema Induration Maceration Normal Other: | Erythema Induration Maceration Normal Other: | Erythema Induration Maceration Normal Other: | Erythema Induration Maceration Normal Other: | Erythema Induration Maceration Normal Other: |
| Edema | | | | | outer |
| Appearance of the Wound Bed | Slough% Eschar% Granulation% | ☐Slough% ☐Eschar% ☐Granulation% | ☐Slough% ☐Eschar% ☐Granulation% | ☐Slough% ☐Eschar% ☐Granulation% | Slough% Eschar% Granulation% |
| Drainage/Amount | None Small Small Sharge | None OSmall OModerate OLarge | None OSmall OModerate OLarge | None Small Small Shoderate SLarge | ONone OSmall |
| Color | OClear OTan OSerosanguineous Oother | OClear OTan OSerosanguineous OOther | OClear OTan OSerosanguineous OOther | Oclear OTan OSerosanguineous Oother | Moderate Clarge Clear Clarge Serosanguineous Other |
| Consistency : | OThin OThick | OThin OThick | OThin OThick | OThin OThick | OThin OThick |
| ncision Status | OWell Approximated Oincisional separation OPlanned secondary Intention | OWell Approximated Olncisional separation OPlanned secondary Intention | OWell Approximated Oincisional separation OPlanned secondary Intention | OWell Approximated Olncisional separation OPlanned secondary Intention | O Well Approximated Olncisional separation Planned secondary Intention |
| Dialysis Access | OPD OAV Graft OAV Fistula Site: | OPD OAV Graft OAV Fistula Site: | OPD OAV Graft OAV Fistula | OPD OAV Graft OAV Fistula | OPD OAV Graft OAV Fistula |
| · · · · · · · · · · · · · · · · · · · | | OPeripheral OPICC | Site: OPeripheral OPICC | Site: | Site: |
| | OCentral: | OCentral: | OCentral: | OPeripheral OPICC OCentral: | OPeripheral OPICC OCentral: |
| Pate Healed | # of lumens | # of lumens | # of lumens | # of lumens | # of lumens |
| | | . / | | | |
| Comments: | | , | · | | |

| Patient Nama | ACCOUNT | LICOTENCIA |
|--------------|---------|------------|
| Dationt Name | ACUSTA. | MURIENGIA |

ID#_181

| Sealo | Skin Conditions (Continued) | | | |
|--|--|--|--|--|
| M1306. D | Does this patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable? Itage 1 pressure injuries and all healed pressure ulcers/injuries) | | | |
| Enter Code | Enter Code 0. No → Skip to M1322, Current Number of Stage 1 Pressure Injuries | | | |
| M1311. C | Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage | | | |
| Enter Number | A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers | | | |
| Enter Number | B1. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. Number of Stage 3 pressure ulcers | | | |
| Enter Number | C1. Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. Number of Stage 4 pressure ulcers | | | |
| Enter Number | D1. Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Number of unstageable pressure ulcers/injuries due to non-removable dressing/device | | | |
| Enter Number | E1. Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar | | | |
| Enter Number | F1. Unstageable: Deep tissue injury Number of unstageable pressure injuries presenting as deep tissue injury | | | |
| Intact skin | Current Number of Stage 1 Pressure Injuries with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have anching; in dark skin tones only, it may appear with persistent blue or purple hues. 10 11 2 3 4 or more | | | |
| Excludes pr | ressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough nar, or deep tissue injury. 1. Stage 1 2. Stage 2 3. Stage 3 4. Stage 4 | | | |
| NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries | | | | |
| M1330. Does this patient have a Stasis Ulcer? Enter Code 1. Ves, patient has BOTH observable and unobservable stasis ulcers 2. Yes, patient has observable stasis ulcers ONLY 3. Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound | | | | |
| | M1332. Current Number of Stasis Ulcer(s) that are Observable M1334. Status of Most Problematic Stasis Ulcer that | | | |
| Enter Code | 1. One is Observable 2. Two Enter Code 1. Fully granulating 3. Three 2. Early/partial granulation 4. Four or more 3. Not healing | | | |

| Patient Name ACOSTA, HORTENCIA | D # 181 | | |
|--|------------------------------------|----------------------------|--|
| SegionM Skin Conditions (Continued) | | | |
| M13/0 Deec this patient have a Saucia-LW | | | |
| M1340. Does this patient have a Surgical Wound? Enter Code 1 | | | |
| M1342. Status of Most Problematic Surgical Wound that is Observable | nia . | | |
| Enter Code O. Newly epithelialized 1. Fully granulating 2. Early/partial granulation 3. Not healing 3. Not healing 4. Not healing | | | |
| Segion N. Medications | | | |
| N0415. High-Risk Drug Classes: Use and Indication (1) | | | |
| Is taking Check-if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes. Indication noted If Column 1 is checked, check if there is an indication noted for all medications in the drug class | 1. is taking | 2. Indication noted | |
| A. Antipsychotic | ↓ Check all | that apply ↓ | |
| E. Anticoagulant | | | |
| F. Antibiotic | | | |
| H. Opioid | | | |
| | | | |
| I. Antiplatelet J. Hypoglycemic (including insulin) | | | |
| Z. None of the above | | | |
| Z. Notice of the above | | | |
| M2001. Drug Regimen Review ⑤ Did a complete drug regimen review identify potential clinically significant medication issues? EnterCode ○ No - No issues found during review → Skip to M2010, Patient/Caregiver High-Risk Drug Education 1. Yes - Issues found during review 9. NA - Patient is not taking any medications → Skip to COLLO Special Treatments Presenting and Patients and P | | | |
| '9. NA – Patient is not taking any medications → Skip to O0110, Special Treatments, Procedures, and Programs Check if any of the following were identified: Potential adverse effects Drug reactions Ineffective drug therapy Significant drug Interactions Duplicate drug therapy Mon-compliance with drug therapy High-risk drugs | | | |
| M2003. Medication Follow-up Did the agency contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues? | | | |
| Enter Code 0. No :1. Yes | | | |
| Olf yes, coded for M2001 and M2003 OR Olf yes, coded for M2001 and no for M2003 Then see: Orders Communication documentation (per agency policy) | | | |
| M2010. Patient/Caregiver High-Risk Drug Education Has the patient/caregiver received instruction on special precautions for all high-risk medications (such as hypoglycemics, anticoagulants, etc.) and how and when to report problems that may occur? | | | |
| EnterCode 0. No 1. Yes NA Patient not taking any high-risk drugs OR patient/caregiver f with all high-risk medications | ully knowledgeable about spec | ial precautions associated | |
| Instructed ■Patient ■Caregiver □Other:or □Teaching guide given per agency policy | n high-risk drugs and associated s | pecial precautions | |

| s : |
|---|
| |
| |
| |
| Patient Nam. |
| Section N Medications (Continued) , |
| M2020. Management of Oral Medications |
| Patient's current ability to prepare and take all oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.) |
| Enter Code 0. Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times. |
| 1. Able to take medication(s) at the correct times if: |
| a. individual dosages are prepared in advance by another person; OR b. another person develops a drug diary or chart. |
| 2. Able to take medication(s) at the correct times if given reminders by another person at the appropriate times |
| 3. <u>Unable</u> to take medication unless administered by another person. |
| NA No oral medications prescribed. |
| M2030. Management of Injectable Medications |
| Patient's current ability to prepare and take <u>all</u> prescribed injectable medications reliably and safely, including administration of |
| correct dosage at the appropriate times/intervals. Excludes IV medications. |
| Enter Code 0. Able to independently take the correct medication(s) and proper dosage(s) at the correct times. |
| 3 .1. Able to take injectable medication(s) at the correct times if: |
| a. individual syringes are prepared in advance by another person; OR |
| b. another person develops a drug diary or chart. 2. Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the |
| injection |
| 3. <u>Unable</u> to take injectable medication unless administered by another person. |
| NA No injectable medications prescribed. |
| MEDICATIONS |
| Financial ability to pay for medications: Yes No If no, was MSW referral made? Yes No/comment: |
| , , , , , , , , , , , , , , , , , , , |
| Medication Allergies: ■No known medication allergies □ Aspirin □ Penicillin □ Sulfa □ Other(s): |
| |
| INFUSION |
| ■N/A , |
| Does the patient have an IV? ONo OYes If yes, type(s): |
| If yes, number of site(s): Site location(s) |
| Total number of lumen(s): |
| Insertion date(s): Flush solution/frequency: |
| Lumen(s) patent: OYes ONo If no, explain: |
| N/A not flushed Injection cap change frequency: |
| Dressing change during visit: ONo OYes Dressing change frequency: |
| Sterile Clean Performed by: Patient RN Caregiver Family Other: |
| Site/skin condition: External catheter length cm |
| Other: |

PICC Specific: Circumference of arm _____ cm X-ray verification: ONo OYes

IVAD Port Specific: Reservoir: OSingle ODouble Huber gauge/length:__

Administered by: Patient Caregiver Nurse Family Other:_

Epidural/Intrathecal Access: Site/skin condition:_____

Pump: (type, specify):_

Infusion solution (type/volume/rate):_

Does the patient require any assistance with any medication(s)? ONo OYes If yes, who helps and what do they do:

______ Accessed: ONo OYes, date:_

| Patient Name | |
|--|--|
| INFUSION (Continued) | |
| Purpose of Intravenous Access: Antibiotic therapy Pain control Lab draws Chemotherapy Maintain | vengus access Hydration |
| Parenteral nutrition Other: | |
| ☐Infusion care provided during visit: ○No ○Yes | |
| Interventions/Instructions/Comments: | |
| | |
| | |
| | |
| • | |
| | |
| Saction © Special Treatment, Procedures, and Programs | |
| O0110. Special Treatments, Procedures, and Programs 💿 | a, On Admission |
| Check all of the following treatments, procedures, and programs that apply on admission. | Check all that apply |
| | 1 |
| Cancer Treatments | |
| A1. Chemotherapy | |
| A2. IV | |
| A3. Oral | |
| A10. Other | |
| B1. Radiation | |
| Respiratory Therapies . | |
| C1. Oxygen Therapy | |
| C2. Continuous | |
| C3. Intermittent | |
| C4. High-concentration | |
| D1. Suctioning | |
| D2. Scheduled | H |
| D3. As Needed | |
| E1. Tracheostomy care | |
| F1. Invasive Mechanical Ventilator (ventilator or respirator) | |
| G1. Non-invasive Mechanical Ventilator | |
| G2. BiPAP | <u> </u> |
| G3, CPAP | |
| Other | <u> </u> |
| H1. IV Medications | |
| U2 Veccation dist | |
| H3. Antibiotics | |
| H4. Anticoagulation | Ш |
| H10. Other | |
| II. Transfusions | |
| J1. Dialysis | |
| | Ш |
| J2. Hemodialysis | |
| J3. Peritoneal dialysis | |
| O1. IV Access | |
| O2. Peripheral | |
| O3. Mid-line | |
| O4. Central (e.g., PICC, tunneled, port) | |
| None of the Above | |

Z1. None of the Above

| Section ও Special Treatment, Procedures, and Programs (Continued) | | | | | |
|---|---|---|--|--|--|
| M2200. Therapy Need In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.) | | | | | |
| Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined). NA – Not Applicable: No case mix group defined by this assessment. | | | | | |
| | | | | | |
| RISK FACTORS/HOSPITAL ADMISSION/EMERGENCY ROOM Risk factors identified and followed up on by: Discussion Education Training Literature given to: Patient Representative Caregiver Family Member Other: List identified risk factors the patient has related to an unplanned hospital admission or an emergency department visit (e.g., smoking, alcohol, unsteady gait, etc.). (Reference M1033 on page 22) | | | | | |
| Easy fatigability, high risk for falls, unstable vital signs. | , | | | | |
| ; .: | • • | | | | |
| : | , | | | | |
| | | | | | |
| : | · | | | | |
| □N/A | 4 | | | | |
| Note: Following a patient's hospital discharge, HHA are required by CMS to include an assessment of the patient's level of risk for hospital ED visits and hospital admission. Interventions are required in the patient's plan of care. When assessing the patient, pay particular attention to patients with CHF, AMI, COPD, CABG, pneumonia, diabetes or hip and knee replacements. Consider these factors co-morbidities, multiple medications, low health literacy level, history of falls, low socioeconomic level, dyspnea, safety, confusion, chronic wounds, depression, lives alone, support system, etc. | | | | | |
| PATIENT/CAREGIVER/REPRESENTATI | | | | | |
| Check all that apply. Because several people may be involved per agency policy. | olved with education and tra | ining, document details of the outcome(s) and person(s) | | | |
| 9 | Knowledge Deficit Identified | Individuals to be Instructed | | | |
| Wound care: Diabetic: Foot exam Care Insulin administration: Glucometer use: Nutritional management: Medication(s) administration: Foral Injected Infused Inhaled Topical Pain management: Oxygen use: Use of medical devices: Pressure reduction: Catheter care: Trach care: Ostomy care: Emergency Preparedness Plan: Infection control: S/S Report to agency: Patient's Rights: Other care(s): | OYes ONO ON/A | Patient Caregiver Representative Family Family Representative Family Family Family Representative Family Family Family Representative Family Family | | | |
| • | | | | | |
| 1 1 1 | | | | | |

| Patient N | |
|--|--|
| Seaton special reatment, Pi | rocedures, and Programs (Continued) |
| | MILY EDUCATION AND TRAINING FOR CARE PLANNING (Continued) |
| | s further education training with items checked "Yes" on previous page |
| ■ Medication(s) administration: ■ Oral Injected □ Pain management □ Oxygen use ■ Use of medical ■ Emergency Preparedness Plan ■ Infection control ■ Patient ■ Caregiver ■ Representative □ Family made | ☐Insulin administration ☐Glucometer use ☐Nutritional management Infused ☐ Inhaled ☐Topical devices ☐Catheter care ☐Trach care ☐Ostomy care |
| homecare nurse vs. emergency services): ONo OYes | • |
| Agency admission packet given, per agency policy, to | atient Representative Family Other: |
| Comment(s): | |
| REHABILITATION POTEN | ITIAL FOR ANTICIPATED DISCHARGE PLANNING |
| ■ Return to an independent level of care (self-care) ■ Able to remain in residence with assistance of: ■ Primary ■ Restorative Potential, based on clinical objective assessment functional improvement and benefit from rehabilitative Discussed discharge plan with: □ Patient □ Representa | nent and evidence-based knowledge the patient's condition is likely to undergo care |
| To a second Control of the control o | |
| | CARE COORDINATION |
| CARE PLAN: Collaboration with: Patient Caregiver Check all items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagno Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed | ■ CARE COORDINATION ■ Representative ■ Family involvement according to agency policy. Sis is defined as the chief reason for home care and related to the Plan of Care. The assessment data and additional documentation |
| CARE PLAN: Collaboration with: Patient Caregiver Check all items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagno Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology In Nutritional Status (includes nutritional approaches) | ☐ Representative ☐ Family involvement ccording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up ☐ Outcome documented in communication note ☐ Order received apply): tegumentary Status ☐ Cardiopulmonary Status inary Elimination ☐ Bowel Elimination ☐ Neuro/Emotional/Behavioral Status rs, psychlatric symptoms, depression and mental status) ☐ Psychosocial ☐ Fall Risk |
| CARE PLAN: Collaboration with: Patient Caregiver Check all Items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagno Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology Includes functional Status (includes nutritional approaches) Ur (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobile Additional areas assessed during the SOC: Coping mechanisms Level of comprehension/understation Non-paid caregiver availability Family support Fried Care preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use | |
| CARE PLAN: Collaboration with: Patient Caregiver Check all Items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagno Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology Im Nutritional Status (includes nutritional approaches) Ur (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobiled and includes mechanisms Level of comprehension/understation) Additional areas assessed during the SOC: Coping mechanisms Level of comprehension/understation are preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use Coordination of services and/or resources to meet problem Additional care coordination and communication with ce Findings of comprehensive assessment reported Repo Medication issues identified and resolution (see narrative) | ■ Representative ■ Family involvement coording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up □ Outcome documented in communication note □ Order received apply): regumentary Status ■ Cardiopulmonary Status inary Elimination ■ Bowel Elimination ■ Neuro/Emotional/Behavioral Status rs, psychiatric symptoms, depression and mental status) ■ Psychosocial ■ Fall Risk lity and completion ADL/IADLs) ■ Safety issues anding ■ Motivation ■ Identified strengths/limitations ands and/or community support ■ Living arrangements (includes safety) of home health services' outcome at discharge) □ Interventions to avoid: □ (re)hospitalization □ ED use n/issue needs ■ Emergency Preparedness Plan rtifying physician at SOC/ROC: |
| CARE PLAN: Collaboration with: Patient Caregiver Check all Items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagno Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology In Nutritional Status (includes nutritional approaches) Ur (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobiled and areas assessed during the SOC: Coping mechanisms Level of comprehension/understate Non-paid caregiver availability Family support Fried Care preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use Coordination of services and/or resources to meet problem Additional care coordination and communication with ce | ■ Representative ■ Family involvement coording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up □ Outcome documented in communication note □ Order received apply): regumentary Status ■ Cardiopulmonary Status inary Elimination ■ Bowel Elimination ■ Neuro/Emotional/Behavioral Status rs, psychiatric symptoms, depression and mental status) ■ Psychosocial ■ Fall Risk lity and completion ADL/IADLs) ■ Safety issues anding ■ Motivation ■ Identified strengths/limitations ands and/or community support ■ Living arrangements (includes safety) of home health services' outcome at discharge) □ Interventions to avoid: □ (re)hospitalization □ ED use n/issue needs ■ Emergency Preparedness Plan rtifying physician at SOC/ROC: |
| CARE PLAN: Collaboration with: Patient Caregiver Check all Items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagnom Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology Interview includes functional cognition, confusion, anxiety, behavior (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobile Additional areas assessed during the SOC: Coping mechanisms Level of comprehension/understation-paid caregiver availability Family support Fried Care preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use Coordination of services and/or resources to meet problem Additional care coordination and communication with ce Findings of comprehensive assessment reported Repo Medication issues identified and resolution (see narrative Verification of additional diagnosis(es) List additional diagnosis(es): Verification of rehabilitation potential for anticipated disch | ■ Representative ■ Family involvement ccording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up □ Outcome documented in communication note □ Order received apply): tegumentary Status ■ Cardiopulmonary Status inary Elimination ■ Bowel Elimination ■ Neuro/Emotional/Behavioral Status rs, psychiatric symptoms, depression and mental status) ■ Psychosocial ■ Fall Risk lity and completion ADL/IADLs) ■ Safety issues anding ■ Motivation ■ Identified strengths/limitations ands and/or community support ■ Living arrangements (includes safety) of home health services' outcome at discharge) □ Interventions to avoid: □ (re)hospitalization □ ED use vissue needs ■ Emergency Preparedness Plan rtifying physician at SOC/ROC: rted additional findings not included in referral es and/or orders) arge □ Approval of additional interventions on POC |
| CARE PLAN: Collaboration with: Patient Caregiver Check all items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagnom Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology in Nutritional Status (includes nutritional approaches) Ur (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobiled Additional areas assessed during the SOC: Coping mechanisms Level of comprehension/understation-paid caregiver availability Family support Fried Care preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use Coordination of services and/or resources to meet problem Additional care coordination and communication with ce Medication issues identified and resolution (see narrative Verification of additional diagnosis(es) List additional diagnosis(es): Verification of rehabilitation potential for anticipated disched Other Services involved: PT OT SLP MSW Aide | ☐ Representative ☐ Family involvement coording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up: ☐ Outcome documented in communication note ☐ Order received apply): regumentary Status ☐ Cardiopulmonary Status finary Elimination ☐ Bowel Elimination ☐ Neuro/Emotional/Behavioral Status rs, psychiatric symptoms, depression and mental status) ☐ Psychosocial ☐ Fall Risk lity and completion ADL/IADLs) ☐ Safety issues anding ☐ Motivation ☐ Identified strengths/limitations ands and/or community support ☐ Living arrangements (includes safety) of home health services' outcome at discharge) ☐ Interventions to avoid: ☐ (re)hospitalization ☐ ED use n/issue needs ☐ Emergency Preparedness Plan rtifying physician at SOC/ROC: rted additional findings not included in referral es and/or orders) arge ☐ Approval of additional interventions on POC a ☐ Other (specify): SN |
| CARE PLAN: Collaboration with: Patient Caregiver Check all items that apply were completed at SOC/ROC at Primary diagnosis identified (M1021) (The primary diagnom Must relate to all HHA skilled services.) All pertinent secondary diagnoses identified. Homebound status, medical necessity as supported by the Drug regimen review completed Any identified medication issues were addressed and follo Assessment findings problems/issues (Check all areas that Sensory status Pain Endocrine/Hematology in Nutritional Status (includes nutritional approaches) Ur (includes functional cognition, confusion, anxiety, behavior Musculoskeletal Functional Limitations (includes mobiled Additional areas assessed during the SOC: Coping mechanisms Level of comprehension/understation-paid caregiver availability Family support Fried Care preferences Personal goals (patient's expectation Risk for: (re)hospitalization Avoidable ED use Coordination of services and/or resources to meet problem Additional care coordination and communication with ce Medication issues identified and resolution (see narrative Verification of additional diagnosis(es) List additional diagnosis(es): Verification of rehabilitation potential for anticipated disched Other Services involved: PT OT SLP MSW Aide | ■ Representative ■ Family involvement ccording to agency policy. sis is defined as the chief reason for home care and related to the Plan of Care. e assessment data and additional documentation wed-up □ Outcome documented in communication note □ Order received apply): tegumentary Status ■ Cardiopulmonary Status inary Elimination ■ Bowel Elimination ■ Neuro/Emotional/Behavioral Status rs, psychiatric symptoms, depression and mental status) ■ Psychosocial ■ Fall Risk lity and completion ADL/IADLs) ■ Safety issues anding ■ Motivation ■ Identified strengths/limitations ands and/or community support ■ Living arrangements (includes safety) of home health services' outcome at discharge) □ Interventions to avoid: □ (re)hospitalization □ ED use vissue needs ■ Emergency Preparedness Plan rtifying physician at SOC/ROC: rted additional findings not included in referral es and/or orders) arge □ Approval of additional interventions on POC |

į

CARE COORDINATION (Continued)

Comments:

Covid 19 precautions maintained every visit. Covid 19 educational materials provided to the pt/pcg.

Skilled assessment of all body system done. Vital signs checked and recorded. All medication reviewed and verified. Reviewed medication schedule, dosage, actions, effects and side effects, proper storage and medication expiration dates checked. Patient/caregiver informed of visit plan. Instructed patient/caregiver on the following (materials were provided. Rights and Responsibilities, State Hot Line Number, Advance Directives, DNR, HIPAA Notice of Privacy Practices, OASIS Privacy Notice, Emergency Planning, Agency phone number/after hours number, when to contact physician and/or agency, Standard Precautions / Hand washing, Basic Home safety, HHA services, Plan of care, Consent obtained. Patient/caregiver verbalized understanding and agreed with the care plan. Patient/ pcg were very happy and satisfied with the level of care and knowledge provided by the Skilled Nurse.

Safety reminders about COVID 19 were instructed. Taught patient and caregiver on how to prevent acquiring Coronavirus (COVID-19) by washing hands frequently with soap and water for at least 20 seconds, also reminded patient and caregiver to cover mouth and nose with a tissue when coughing or sneezing and use the nearest waste receptacle to dispose tissue immediately after use. Advised to avoid touching eyes, nose or mouth with unwashed hands. Lastly, instructed to disinfect, with bleach and water, frequently touched surfaces like tables, doorknobs, light switches, counter tops, handles, desks, phones, keyboards, toilets, faucets, and sinks.

| CURRENT DME/MEDICAL SUPPLIES | | | | | | |
|-----------------------------------|----------------------------|-----------------------------|--|---------------------------------|--|--|
| DME Company: | | | Phone: | | | |
| Oxygen Company: | | | Phone: | | | |
| Community Organization | | | | | | |
| | | | | | | |
| 1 | | | | | | |
| Contact: | Contact: Phone: | | | | | |
| Comments: | | | | | | |
| 3 | | | | | | |
| · | | | | | | |
| | | | | | | |
| | Γ | | | T | | |
| □NONE USED | IV SUPPLIES (Cont'd): | CATHETER SUPPLIES (Cont'd): | SUPPLIES/EQUIPMENT: | SUPPLIES/EQUIPMENT (Cont'd): | | |
| WOUND CARE: ☐2x2's | ☐iV pole ☐iV start kit | Saline . | Augmentative and alternative communication | Oxygen concentrator | | |
| □4x4's | ☐IV tubing | Straight catheter | device(s) (type) | ☐Pressure relieving device | | |
| □ABD's ! | Syringes size | Other | | | | |
| Cotton tipped applicators | ☐ Tape | Louiei | | ☐Prosthesis: ☐RUE ☐RLE | | |
| Drain sponges | Other | | ■Bath bench | LUE LLE Other | | |
| Hydrocolloids | | DIABETIC: | ☐Brace ☐Orthotics (specify): | | | |
| TKerlix size | | Chemstrips | | | | |
| □Nu-gauze | URINARY/OSTOMY: | □Syringes | | Raised tollet seat | | |
| ☐Saline | ☐External catheters | Other | ☐Cane | Reacher | | |
| Tape . | Ostomy pouch (brand, size) | 1- | ☐Commode | ☐Special mattress overlay | | |
| ☐Transparent dressings | | MISCELLANEOUS: | ☐Dressing Aid Kit/Hip Kit | | | |
| ☐Wound cleanser | Ostomy wafer (brand, size) | ☐Enema supplies | (e.g. reacher, long handle sponge, long handle shoe horn, etc.) | Suction machine | | |
| ∐Wound gel : | | ☐Feeding tube: | ☐Eggcrate | TENS unit | | |
| ☐Other : | ☐Skin protectant | type size | Enteral feeding pump | ☐Transfer equipment: | | |
| wound VAC on right big toe | Stoma adhesive tape | ☐Gloves: | Grab bars: Bathroom/Other | ☐Board ☐Lift | | |
| i. | ☐Underpads | ☐Sterile ☐Non-sterile | —) | Ventilator | | |
| IV SUPPLIES: | ☐Urinary bag ☐Pouch | ■Med Box | ! | ■Walker Wheelchair | | |
| Alcohol swabs | ☐Other | Staple removal kit | ☐Handheld shower | Other Supplies Needed | | |
| Angiocatheter size | | Steri strips | ☐Hospital bed: | L_Other Supplies Needed | | |
| Batteries size | | Suturè removal kit | Semi-electric | | | |
| Central line dressing | CATHETER SUPPLIES: | Other | ☐Hoyer lift | | | |
| Extension tubings | ☐ Acetic acid | , | ☐Knee scooter | | | |
| ☐Infusion pump ☐Injection caps | Fr catheter kit | | Medical alert | | | |
| Linjection caps | (tray, bag, foley) | | ☐Nebulizer | l | | |

Form 3491E-23 © 2023 BRIGGS (800) 247-2343 www.BriggsHealthcare.com. The Outcome and Assessment Information Set (OASIS) is the Intellectual property of the Center for Health Services and Policy Research. Denvet Colorada, it is used with permission.

| 7 | . # |
|---|-----|
| | |

Patient Name

Seat ၁pecia၊ ireatment, Procedures, and Programs (Continued) HOMEBOUND AND ASSESSMENT SUMMARY (Include skilled care provided this visit and analysis of findings) CONFINED TO HOME (homebound): ONo •Yes, and the patient either 1. Criteria One: because of illness or injury, (must choose at least one): ■ Dependent upon adaptive device(s) Check all that apply: ☐crutches ☐canes ☐walker ☐wheelchair: ☐manual ☐motorized ☐prosthetic limb scooter a helper other:___ Needs special transportation as indicated by:_ Needs physical assist to leave as indicated by: AND/OR Leaving home is medically contraindicated due to:__ 2. Criteria Two: There exists a normal inability to leave the home as indicated by infrequent outings, consisting of: AND Leaving home requires a considerable and taxing effort due to functional impairment caused by diagnosis, as indicated by effort such as: Skilled care provided? ONo OYes If yes, explain care provided and patient response: Patient and pcg are willing to follow the PMD orders related to patient's care. Plan for next visit: Continue MD orders. Comments: PHYSICIAN VERBAL ORDER (Complete if applicable per agency policy) Physician (ncalled to report comprehensive assessment findings (including medical, nursing, rehabilitative lanning needs). ■ Verbal order received for home health (reasonable and necessary) skilled services. See Plan of Care or Verbal Orders.

Signature/Title of Person Who Received Verbal Order Date Time Physician Signature for Verbal Order or see Plan of Care/Verbal Orders Date Time SIGNATURES/DATES

Patie (Penresentative (if applicable)

Agency N Form 3491E-23 © 2023 BRIGGS (800) 247-2343 www.BriggsHealthcare.com. The Outcome and ASsessment Information Set (is the intellectual property of the Center for Health Services and Policy Research, Denver, Colorado. It is used with the content of the Center for Health Services and Policy Research.

OASIS-E Comprehensive Adult Nursing Assessment Effective 01/01/2023 36 of 36