Kettle

User journeys as UML sequence diagrams

From first connection to creating, refining, saving and returning. One diagram per flow, using the same F01-F26 identifiers as the user-flow specification.

HOW TO READ

Read downward	Time progresses from top to bottom. Participant boxes identify who acts; dashed vertical lines are their lifelines.
Follow the arrows	Solid arrows are actions or requests. Dashed arrows are responses. Message numbers are local to each diagram.
Read the guards	An alt frame means choose one branch. An opt frame happens only when its condition is met. Reference notes point to another flow.
Separate scope from behavior	Baseline is the proposed first release. Proposed additions, later work, paid-use requirements and data requirements are labelled on each page.
Understand the system roles	ChatGPT + panel includes the host bridge. Kettle backend includes MCP tools and internal services. The job runner is durable background work.
Apply the common rules	Every protected call checks authorization and ownership. Writes deduplicate; revisions check versions. These checks are not repeated on every arrow.

Planning status: these diagrams specify proposed behavior, not implemented features or approved launch scope. Vendor and hosting selection remains separate. Background completion is read through polling or a user request; spontaneous notifications are not assumed.

Find a journey

Clickable entries and PDF bookmarks open each diagram.

F01 Enter from the Kettle website
Baseline / page 3

F02 Enter from ChatGPT
Baseline / page 4

F03 First use or a return visit
Baseline / page 5

F04 Recover access or switch account
Baseline / page 6

F05 Build a brief from links or text
Baseline / page 7

F06 Creator or founder content
Later / page 8

F07 Turn your own idea into a script
Proposed addition / page 9

F08 Review or revise a pasted script
Proposed addition / page 10

F09 Change the brief after work exists
Baseline / page 11

F10 Discover video ideas and a first script
Baseline / page 12

F11 Filter, refine, or ask for more ideas
Baseline / page 13

F12 Compare ideas and choose one
Baseline / page 14

F13 Revise and accept a script change
Baseline / page 15

F14 Create a related script variant
Later / proposed translation / page 16

F15 Undo, restore history, or resolve conflict
Baseline / page 17

F16 Export a script and record filming
Baseline / page 18

F17 Save, unsave, browse, and resume
Baseline / page 19

F18 Select and manage projects
Baseline selection / later management / page 20

F19 Explore and replace a script section
Later / source permissions required / page 21

F20 Leave, resume, retry, or cancel a job
Baseline / page 22

F21 Start paid access or an adopted trial
Before paid use / page 23

F22 Limits, failed payment, and cancellation
Limits baseline / billing before paid use / page 24

F23 Disconnect and reconnect ChatGPT
Baseline / page 25

F24 Export account data or delete account
Before real-user data / page 26

F25 Get help, report issues, give feedback
Basic help before pilot / feedback proposed / page 27


F26 Switch chat or device; use text fallback
Baseline / page 28

F01 Enter from the Kettle website

SCOPE: Baseline

Entry: User starts on the Kettle website.

Outcome: The intended Kettle account is connected and ready.




RULE / DECISION Website login does not itself connect ChatGPT. Verify the actual published handoff; do not assume a preselected-chat URL.

F02 Enter from ChatGPT

SCOPE: Baseline

Entry: User finds Kettle inside ChatGPT and asks for help.

Outcome: Authorization completes and the original task can continue.




RULE / DECISION No duplicate job is created during connection. Sign-up can occur in the authorization flow; a separate marketing-site visit is unnecessary.

F03 First use or a return visit

SCOPE: Baseline

Entry: User opens Kettle with an authorized account.

Outcome: The user reaches the appropriate new or existing work.




RULE / DECISION Direct idea and pasted-script options depend on adoption of F07/F08. Finding jobs must work without the original conversation or job ID.

F04 Recover access or switch account

SCOPE: Baseline

Entry: Login fails, authorization expires, or the wrong account is connected.

Outcome: The correct account is verified before protected work resumes.




RULE / DECISION Reconnect includes the authorization-code/PKCE exchange in F01. Never merge accounts or transfer content automatically.

F05 Build a brief from links or text

SCOPE: Baseline

Entry: User shares a description, website, product, profile, or reference.

Outcome: A usable, corrected brief is stored with its fact sources.




RULE / DECISION URL access is an optional, permission-dependent adapter. If access fails, continue with user-supplied details. Saving a brief does not start a paid search.

F06 Creator or founder content

SCOPE: Later

Entry: User wants a creator-style video or a founder story.

Outcome: The chosen project type shapes the script without invented personal facts.




RULE / DECISION Use F10 for discovery or F07 for direct writing. Social-account connection is optional; unsupported profiles use a description fallback.

F07 Turn your own idea into a script

SCOPE: Proposed addition

Entry: User already knows what they want to film.

Outcome: A user-origin idea becomes a saved script without mandatory discovery.




RULE / DECISION No reference provider is required. Never invent reference links, performance claims, or independent verification of user-supplied facts.

F08 Review or revise a pasted script

SCOPE: Proposed addition

Entry: User pastes an existing script.

Outcome: Feedback stays conversational; saved editing preserves the original.




RULE / DECISION Plain pasted text is the proposed first input. A third-party script is adaptation material, not the user's original. All saves use ownership and version checks.

F09 Change the brief after work exists

SCOPE: Baseline

Entry: User changes audience, facts, goal, tone, language, or filming constraints.

Outcome: The intended scope changes while existing outputs retain their history.




RULE / DECISION A field change alone does not launch a paid search. Show when a script was generated from an older brief.

F10 Discover video ideas and a first script

SCOPE: Baseline

Entry: User requests ideas for a saved brief.

Outcome: Relevant ideas and a script are saved, or a useful no-match/failure is recorded.




RULE / DECISION Lightreel is an optional reference adapter subject to permissions. No padded references, invented metrics, or guaranteed unsolicited completion message.

F11 Filter, refine, or ask for more ideas

SCOPE: Baseline

Entry: User changes the visible ideas or asks for a different direction.

Outcome: The request triggers filtering, a script edit, or a new search as appropriate.




RULE / DECISION An empty filter is not a failed search. A genuine new search may consume allowance; local filtering does not incur another provider search.

F12 Compare ideas and choose one

SCOPE: Baseline

Entry: User is comparing a saved set of ideas.

Outcome: The chosen idea opens in Studio without discarding the current script on failure.




RULE / DECISION Choosing the top idea normally reuses its initial script. Duplicate clicks reuse the logical request rather than charging twice.

F13 Revise and accept a script change

SCOPE: Baseline

Entry: User requests an edit or asks for a suggested improvement.

Outcome: An intended edit is saved, or the current script survives rejection/conflict.




RULE / DECISION Ownership, structure and source checks apply to every saved edit. Checks flag problems; they do not prove all claims true. Keep shots and timing consistent.

F14 Create a related script variant

SCOPE: Later / proposed translation

Entry: User asks for silent, no-face, alternate-hook, or translated output.

Outcome: A separate variant preserves the source script and has its own revisions.




RULE / DECISION Variant language must not silently change conversation or project language. Direct ChatGPT drafting is shown; background writing can use the F07 job pattern.

F15 Undo, restore history, or resolve conflict

SCOPE: Baseline

Entry: User requests undo, chooses an earlier version, or encounters a stale edit.

Outcome: A deliberate current version is saved while all previous revisions remain.




RULE / DECISION Restore is not destructive rollback. The same conflict-resolution branch applies to stale edits and candidate acceptance.

F16 Export a script and record filming

SCOPE: Baseline

Entry: User wants the script outside Kettle or reports filming it.

Outcome: The complete intended version is exported; filmed status changes only explicitly.




RULE / DECISION Use supplied filmed date or clearly state today when omitted. Filmed is self-reported; it does not prove publication or performance.

F17 Save, unsave, browse, and resume

SCOPE: Baseline

Entry: User saves a piece or opens Vault from a later conversation.

Outcome: One saved association points to work that can be reliably resumed.




RULE / DECISION Proposed policy: reopen the current revision of the selected variant. Unsave is not project or script deletion. Repeated saves must not duplicate the item.

F18 Select and manage projects

SCOPE: Baseline selection / later management

Entry: User works across products or manages an existing project.

Outcome: The selected project is clear; lifecycle actions preserve or remove data deliberately.




RULE / DECISION A late job cannot recreate a deleted project. Do not move content between projects automatically. Archive remains reversible; delete follows the adopted policy.

F19 Explore and replace a script section

SCOPE: Later / source permissions required

Entry: User browses hooks or other parts from Studio or Explore.

Outcome: A permitted part is adapted, previewed, and accepted as a revision.




RULE / DECISION Source access, storage, display and adaptation permissions must be established first. Slow adaptation uses the durable job pattern; no literal promise of an immediate response.

F20 Leave, resume, retry, or cancel a job

SCOPE: Baseline

Entry: A generation job exists and the user leaves or changes course.

Outcome: A retrievable final outcome is recorded with one quota settlement.




RULE / DECISION Completion may win a cancellation race. In-flight provider cost can remain. Partial output is shown only if persisted and supported. No unsolicited chat notification assumed.

F21 Start paid access or an adopted trial

SCOPE: Before paid use

Entry: User chooses an offer on the authenticated Kettle website.

Outcome: Access follows verified account state and the user can return to ChatGPT.




RULE / DECISION The browser return and webhook may arrive in either order. A return URL never grants access. Trial, price and allowance are unresolved product choices.

F22 Limits, failed payment, and cancellation

SCOPE: Limits baseline / billing before paid use

Entry: User reaches a quota, encounters renewal failure, cancels, or reactivates.

Outcome: Access and saved-work behavior follow an explicit entitlement policy.




RULE / DECISION Decide read/edit/export access after expiry and metering by action. Cancellation is not immediate expiry in every plan. Subscription expiry must not silently delete scripts.

F23 Disconnect and reconnect ChatGPT

SCOPE: Baseline

Entry: User wants to revoke the Kettle connection.

Outcome: Protected access is revoked and later reconnection restores the intended account.




RULE / DECISION Revocation delivery may use an event, lookup or token policy; provider-specific enforcement must be proven. Disconnect does not automatically cancel billing or delete data. Active-job treatment remains a decision.

F24 Export account data or delete account

SCOPE: Before real-user data

Entry: User requests account-wide data controls on the website.

Outcome: The correct user gets a secure export or truthful deletion status.




RULE / DECISION Account export differs from script export. Do not promise instant erasure from backups or third parties. Billing, legal records and provider retention need an adopted policy.

F25 Get help, report issues, give feedback

SCOPE: Basic help before pilot / feedback proposed

Entry: User asks how to use Kettle or wants to report a problem.

Outcome: They receive accurate help or a traceable, intentional support handoff.




RULE / DECISION A support destination and owner must exist. Do not forward a full conversation by default. A local saved rating need not create an external support ticket.

F26 Switch chat or device; use text fallback

SCOPE: Baseline

Entry: User opens Kettle in another chat/device or without a usable panel.

Outcome: The same account reaches current work and actions stay tied to the correct selection.



RULE / DECISION Do not depend on a sidebar extension or model memory to recover work. Filtered card order, selected IDs, and version checks must agree across chat and panel.