
SR215 · Reference TM similarity by cluster

Primary full target (29) 11,000 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · automatic (3) 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=2 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=3 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=4 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=5 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=6 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=7 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=8 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=9 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=10 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=11 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=12 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=13 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=14 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=15 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=16 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=17 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=18 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=19 exploratory 10,120 models




Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.

SR215 · Reference TM similarity by cluster

Largest cluster · K=20 exploratory 10,120 models



Same frozen 5–95 TM scores in every view. The clustering features use the full construct with the frozen primary mask.

Equal maximum violin widths. White dots = medians; dark bars = quartiles. Labels give n. Singletons are points.

Reference similarity is separate from the within/between-ensemble TM used to review K. Final K remains unselected.