
SR215 · TM similarity by cluster

Whole-model clusters | 11,000 models | 29 saved clusters




Same frozen TM scores in every view: canonical residues 5–95 (91 Cα atoms) versus chain A of the rank-one ColabFold homo-12mer.

Equal-width violins show observed distributions (Scott KDE); white dots = medians, dark bars = interquartile ranges. Labels give n.

Singletons are points. Similarity is not confidence, experimental accuracy or an equilibrium probability. No rescoring or reclustering.

SR215 · TM similarity by cluster

Residues 77–104 clusters | 11,000 models | 28 saved clusters




Same frozen TM scores in every view: canonical residues 5–95 (91 Cα atoms) versus chain A of the rank-one ColabFold homo-12mer.

Equal-width violins show observed distributions (Scott KDE); white dots = medians, dark bars = interquartile ranges. Labels give n.

Singletons are points. Similarity is not confidence, experimental accuracy or an equilibrium probability. No rescoring or reclustering.

SR215 · TM similarity by cluster

Original regional C1 · automatic | 10,258 models | 2 saved clusters




Same frozen TM scores in every view: canonical residues 5–95 (91 Cα atoms) versus chain A of the rank-one ColabFold homo-12mer.

Equal-width violins show observed distributions (Scott KDE); white dots = medians, dark bars = interquartile ranges. Labels give n.

Singletons are points. Similarity is not confidence, experimental accuracy or an equilibrium probability. No rescoring or reclustering.

SR215 · TM similarity by cluster

Original regional C1 · K12 | 10,258 models | 12 saved clusters




Same frozen TM scores in every view: canonical residues 5–95 (91 Cα atoms) versus chain A of the rank-one ColabFold homo-12mer.

Equal-width violins show observed distributions (Scott KDE); white dots = medians, dark bars = interquartile ranges. Labels give n.

Singletons are points. Similarity is not confidence, experimental accuracy or an equilibrium probability. No rescoring or reclustering.

SR215 · TM similarity by cluster

Original regional C1 · K15 | 10,258 models | 15 saved clusters



Same frozen TM scores in every view: canonical residues 5–95 (91 Cα atoms) versus chain A of the rank-one ColabFold homo-12mer.

Equal-width violins show observed distributions (Scott KDE); white dots = medians, dark bars = interquartile ranges. Labels give n.

Singletons are points. Similarity is not confidence, experimental accuracy or an equilibrium probability. No rescoring or reclustering.