







Administrator Isomer Training






Add/Remove Collaborator



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)

isomerpages / isomerpages-govtech

 4  0  4

[Code](#) [Issues 0](#) [Pull requests 0](#) [Projects 0](#) [Wiki](#) [Insights](#) [Settings](#)

[Options](#)

[Collaborators & teams](#)

[Branches](#)

[Webhooks](#)

[Integrations & services](#)

[Deploy keys](#)

[Alerts](#)

Moderation

[Interaction limits](#)

Default repository permission

The isomerpages organization has their default repository permission set to **read**. This means that every member of this organization has **read** access to this repository, regardless of the team and collaborator access specified below.




You can change or remove the default repository permission setting on this organization's [member privileges](#) page.

Teams

+ Create new team









core	Core team running Isomer Pages for the ...	Admin	×
5 members			
Add a team			

Collaborators

	Shirley Kee shirleyk80	Admin	×
	mjasw	Write	×
	chrizraj	Write	×

scroll down

This is the
same screen
where you
can check
user access
for the repo

Collaborators			
	Shirley Kee shirleyk80	Admin ▾	×
	mjasw	Write ▾	×
	chrizraj	Write ▾	×
	mhliong	Write ▾	×
	royteosg	Write ▾	×
	raypoon	Write ▾	×
	allanchow93	Write ▾	×
	euliang	Write ▾	×

Search by username, full name or email address

You'll only be able to find a GitHub user by their email address if they've chosen to list it publicly. Otherwise, use their username instead.

Add collaborator