



BUYER'S GUIDE
2025 - 2026





Contents

3	BCD's
4	BCD's / Wings
5	Systems
6	BCD Comparison Charts / Systems Overview
7	Harnesses / Backplates
9	Buoyancy Accessories
14	Regulators
15	Regulators / Comparison Charts
16	Sidemount Regulator Components
17	Regulator Accessories / Gauges
18	Masks
19	Mask Accessories
20	Fins / Size Chart / Fin Accessories
21	Accessories
22	Warranty / Terms & Conditions



HD-200 BCD

Hollis HD-200 BCD Comfort, function and durability. The HD-200 is everything the advanced sport diver could ask for. Fitted with a combination of Tech/Rec features and updates that provide ultimate comfort and function. Heavy duty construction and innovative design make this BC the best in class.

- 1000 denier Cordura™ with PU lamination outer shell & 15mm urethane internal bladder
- Contoured, lightweight backpack with back pad, lumbar support, and a rolled neoprene comfort neck
- 10 lb (4.5 kg) interchangeable quick release weight pockets with new pinch and pull buckle
- 3 lb (1.36 kg) non-dumpable rear weight pockets
- System weight: 9.4 lbs (4.3 kg)
- Traditional 2" waist strap with Stainless buckle
- 2" Nylon waist strap with quick release buckle and 2" SS d-ring
- New comfort molded backpad
- New 10 lb pinch and pull weight pockets
- Oval corrugated hose Rear inflation bladder provides up to 58 lbs lift
- QLR4 Integrated Weight System
- 20 lbs plus dual 5 lbs rear Generous zippered utility pockets with knife mounts
- Pre-bent welded stainless steel D-rings
- Patented adjustable depth compensating cummerbund
- Streamlined harness with reinforced contoured shoulders
- Padded backpack with lumbar support



SKU	DESCRIPTION
HL208.1151.002	HD 200 BCD - S
HL208.1151.003	HD 200 BCD - M
HL208.1151.005	HD 200 BCD - L
HL208.1151.006	HD 200 BCD - XL

BASELINE	TRADE	DEALER	PARTNER	MSRP
1060.99	721.47	649.32	631.29	1249.95

KATANA 2

Katana 2 is designed for the dedicated sidemount diver and every configuration imaginable, from warm water to cold, wet to dry, steel to aluminum tanks, open circuit to sidemount CCR. The Katana 2 is the answer to the evolving minimalist, low profile and modular sidemount category. "QFS" Quick Fit System offers fine tuning of the torso height between small and large divers for a true one size fits all

- "H" or "Y" style harness configuration
- Innovative top dump allows venting of gas with outbreathing trim or reaching behind the wing like in other designs
- Single bladder option ideal for recreational sidemount with two cylinders or in a Drysuit for redundancy / Dual bladder option ideal for technical dives in a wetsuit
- 20lb weight capacity
- 40lb lift capacity
- Easy to reach attachment points for accessories on the side of the wing
- Integrated sidemount CCR mount
- Add on the SMS Regulator kit -preconfigured with all the necessary DCX 1st and 200LX 2nd stages, LP and HP hoses, two brass SPG's and regulator necklace
- QFS one-size-fits-all design
- Also available in single bladder configuration



SKU	DESCRIPTION
HL208.1382	SMS Katana 2 - Dual
HL208.1381	SMS Katana 2

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1382	Special Order: SMS Katana 2 - Dual	1527.84	1038.93	935.03	909.07	1799.95
HL208.1381	SMS Katana 2	976.11	663.76	597.38	580.79	1149.95

SMS 75

Hollis has become a leader in the sidemount market. It is not just a fad and not just a tool for cavers, it's here to stay and is growing. The SMS 75 is an evolution from years of sidemount development. While it will cater more to hardcore cave divers, SMS 75 was created to handle all environments. Proper trim is key, and the wing is designed to promote horizontal diving with increased lift towards the hips where it's needed most. The SMS 75 will also support rear-mounted tanks and reversible inflator positions.

- Trapezoid shape to promote horizontal trim
- Adjustable and removable wing bungee
- Designed for cave or open water sidemount
- Cam slots for single tank and grommets at 11" for banded doubles
- Reversible Inflator & Dump assembly
- System weight 7 pounds (3.18kg)
- Rigging kit included: Tank bungees, SS Cam bands, SS Bolt snaps & nylon line
- Includes sternum strap & crotch strap
- Inner located elbow to avoid overhead interference
- Rugged 1000D Cordura

SKU	DESCRIPTION
HL208.1375.003	SMS 75 S-M
HL208.1375.005	SMS 75 L-XL

BASELINE	TRADE	DEALER	PARTNER	MSRP
1273.19	865.77	779.20	757.55	1499.95



ST WINGS

ST wing design features a 360° tapered profile, to increase lift towards the hips, promoting better horizontal trim in dive position while still allowing perfect surface floatation. The ST22 is designed for warm water dives in aluminum cylinders, where low lift and maximum streamlining is preferred. Alternatively the ST35 is an excellent choice for a go-anywhere wing with the added lift for those local cold-water dives and heavier steel cylinders, but still streamlined enough for travel destinations.

Tank slots and tank cradle are included on both models, which allows you to connect your wing and backplate without the need for a single tank adapter plate. This reduces weight and unnecessary accessories while traveling.

The bladder is a two-piece design, with a rugged 1680 Cordura® nylon outer shell to prevent abrasion and punctures, and a 420-denier nylon inner bladder to maintain the buoyancy. The lower OPV is easy to reach for venting gas while horizontal or heads down, and the inflator design is a K-style with a rugged crushproof rubber hose for easy positioning and oral inflation should you need to.

- ST22 - 22lbs lift / 10 kg
- ST35 - 35lbs lift / 16 kg
- Welded flange and one piece retainer for servicing without the need for tools
- HD Laminated 1680D Cordura outer shell
- 420 nylon internal bladder
- Elbow offset to avoid tank valve/regulator interference and streamlined hose routing
- Lower left pull relief valve
- Cam band slots & tank cradle built in



HL208.1254.022



HL208.1254.035

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1254.022	ST22 Wing w/Slots (22lbs)	551.69	375.15	337.64	328.25	649.95
HL208.1254.035	ST35 Wing w/Slots (35lbs)	594.13	404.01	363.60	353.51	699.95

DT WINGS

The DT line of wings are another brand new series designed for double cylinders. The DT50 features a 360 degree tapered profile for heavier cylinders, to increase lift towards the hips, promoting better horizontal trim in dive position while still allowing perfect surface floatation.

While the DT45 Dual features a more consistent 360 degree floatation for lighter aluminum cylinders with a redundant air cell. Target audience for the DT45 dual is warm water, banded aluminum cylinders in a wetsuit where backup inflation is mandatory. While the DT50 is focused on the dedicated drysuit diver, with heavier cylinders in cold water.

Tank slots included on both models, which allows the occasional single tank dive without the need for a single tank adapter plate. This reduces weight and unnecessary accessories while traveling.

The bladder is a two-piece design, with a rugged 1680 Cordura nylon outer shell to prevent abrasion and punctures, and a 420-denier nylon inner bladder to maintain the buoyancy.

The lower OPV is easy to reach for venting gas while horizontal or heads down, and the inflator design is a K style with a rugged crushproof rubber hose for easy positioning and oral inflation should you need to.

- DT50 - 50 lbs / 23 kg lift
- DT45 Dual - 45lb lift / 20 kg lift
- Welded flange and one piece retainer for servicing without the need for tools
- HD Laminated 1680D Cordura outer shell
- 420 nylon internal bladder
- Central elbow to avoid tank valve/regulator interference
- Lower left pull relief valve
- Cam band slots



HL208.1254.052



HL208.1256.045

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1256.045	Special Order: DT 45 Dual Wing (45lbs)	1018.55	692.61	623.36	606.04	1199.95
HL208.1254.052	DT 50 Wing (50lbs)	679.02	461.74	415.56	404.01	799.95

ST SYSTEMS

The ST System combines our most popular single tank components into one, both including the Solo harness for the ultimate in simplicity and streamlining. This kit is preassembled from the factory and includes unique components depending on the configuration.

For warm water and travel destinations we have the ST Travel, which includes the ST22 wing Aluminum backplate 2.0, Delrin cam bands and Backplate backpad 2.0. While those diving in colder waters can choose the ST System, which includes the ST35 wing, Stainless Steel Backplate 2.0 and Backplate backpad 2.0.

ST System includes:

- S35 Wing
- Solo Harness with Stainless Steel Backplate 2.0
- Backplate Backpad 2.0
- Stainless Cam Bands (x 2)

ST Travel System includes:

- S22 Wing
- Solo Harness with Aluminum Backplate 2.0
- Backplate Backpad 2.0
- Delrin Cam Bands (x 2)



HL208.8001.035



HL208.8001.022
ST TRAVEL SYSTEM
POCKETS SOLD SEPARATELY

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.8001.035	ST System	1103.43	750.33	675.30	656.54	1299.95
HL208.8001.022	Special Order: ST Travel System	1018.55	692.61	623.36	606.04	1199.95

ST ELITE SYSTEMS

The ST Elite System combines our most popular single tank components into one, including the Elite 2 harness for the ultimate in features and comfort in a backplate and harness system. This kit is preassembled from the factory and includes unique components depending on the configuration.

For warm water and travel destinations we have the ST Elite Travel, which includes the ST22 wing Aluminum backplate 2.0, Delrin cam bands and Backplate backpad 2.0. While those diving in colder waters can choose the ST Elite system, which includes the ST35 wing, Stainless backplate 2.0 and Backplate backpad 2.0.

ST Elite System includes:

- S35 Wing
- Elite Harness with Stainless Steel Backplate 2.0
- Backplate Backpad 2.0
- Stainless Cam Bands (x 2)

ST Elite Travel System includes:

- S22 Wing
- Elite Harness with Aluminum Backplate 2.0
- Backplate Backpad 2.0
- Delrin Cam Bands (x 2)



HL208.1254.022



HL208.1254.035

SKU	DESCRIPTION	SKU	DESCRIPTION				
HL208.8002.035	ST Elite System - XS/SM	HL208.8002.022	ST Elite Travel System - XS/SM	HL208.1254.022	HL208.1254.035		
HL208.8003.035	ST Elite System - MD/LG	HL208.8003.022	ST Elite Travel System - MD/LG				
HL208.8005.035	ST Elite System - XL/XXL	HL208.8005.022	ST Elite Travel System - XL/XXL				
DESCRIPTION			BASELINE	TRADE	DEALER	PARTNER	MSRP
ST Elite System			1188.31	808.05	727.24	707.05	1399.95
ST Elite Travel System			1103.43	750.33	675.30	656.54	1299.95

DT SYSTEM

The DT SYSTEM is designed for the demanding doubles diver, with all the components for your backplate and wing kit in one, preassembled from the factory. This system includes the new DT50 doubles wing with a radical new design and ideal for larger double cylinders and colder waters. Also includes the Solo Harness, new Stainless Backplate 2.0 and backpad. Add a set of cam bands for the occasional single tank dive.

DT System includes:

- DT50 Doubles Wing
- Solo Harness with Stainless Steel Backplate 2.0
- Backplate Backpad 2.0



HL208.1254.022

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.8001.050	DT System	1103.43	750.33	675.30	656.54	1299.95





BACKMOUNT COMPARISON CHART

	HD-200	ELITE 2	SOLO
ADJUSTABLE	✓	✓	✓
QUICK RELEASE	✓	✓	
BACKPAD	✓	✓	✓
SINGLE CYLINDER	✓	✓	✓
TWIN CYLINDER		✓	✓
EXHAUST VALVE	✓		
COMFORT PADDING	✓	✓	
WEIGHT INTEGRATED	✓	Optional	Optional

SIDEMOUNT COMPARISON CHART

	SMS 75	KATANA 2	KATANA 2 DUAL
ADJUSTABLE	✓	✓	✓
QUICK RELEASE	✓		
BACKPAD	✓	✓	✓
BACKMOUNT COMPATIBLE	✓		
DUAL BLADDER			✓
COMFORT PADDING	✓		
WEIGHT INTEGRATED	Optional	✓	✓

ST & DT SERIES WINGS COMPARISON CHART

	ST22	ST35	DT50	DT45 DUAL
SINGLE CYLINDER	✓	✓		
TWIN CYLINDER			✓	✓
SINGLE BLADDER	✓	✓	✓	
DUAL BLADDER				✓

HOLLIS BACKPLATE SYSTEMS MATRIX

SYSTEMS	ST SYSTEM	ST TRAVEL SYSTEM	ST ELITE SYSTEM XS/SM	ST ELITE SYSTEM MD/LG	ST ELITE SYSTEM XL/XXL	ST ELITE TRAVEL SYSTEM XS/SM	ST ELITE TRAVEL SYSTEM MD/LG	ST ELITE TRAVEL SYSTEM XL/XXL	DT SYSTEM
COMPONENTS	HL208.8001.035	HL208.8001.022	HL208.8002.022	HL208.8003.022	HL208.8005.022	HL208.8002.035	HL208.8003.035	HL208.8005.035	HL208.8001.050
ST22 WING W/SLOTS (22LBS) HL208.1254.022		✓				✓	✓	✓	
ST35 WING W/SLOTS (35LBS) HL208.1254.035	✓		✓	✓	✓				
DT 50 WING (50LBS) HL208.1254.052									✓
DT 45 DUAL WING (45LBS) HL208.1256.045									
SOLO HARNESS HL208.1260	✓	✓							✓
ELITE 2 HARNESS SYSTEM XS/SM HL208.1222.001			✓			✓			
ELITE 2 HARNESS SYSTEM MD/LG HL208.1222.003				✓			✓		
ELITE 2 HARNESS SYSTEM XL/XXL HL208.1222.006					✓			✓	
BACK PLATE BACK PAD 2.0 HL208.1267	✓	✓	✓	✓	✓	✓	✓	✓	✓
ALUMINIUM BACKPLATE BLACK 2.0 HL208.1291.000		✓				✓	✓	✓	
STAINLESS STEEL BACKPLATE 2.0 HL208.1291.000	✓		✓	✓	✓				✓
CAM BAND (STAINLESS) HL208.1070.010	✓		✓	✓	✓				
CAM BAND (DELFIN) HL208.1070.020		✓				✓	✓	✓	

ELITE 2 HARNESS

Tech/Rec is at its best with the Elite 2 Harness. The Elite 2 Harness offers you all the features of a technical harness with the added comfort that recreational divers look for.


- Adjustable shoulder straps with quick release buckles
- Easier donning and doffing of equipment
- Adjustable and removable shoulder pads
- 316 marine grade stainless steel
- Adjustable sternum strap included allows for custom fit
- Weight (harness only): 1.7 lb (0.77 kg)



BACKPLATE
SOLD SEPARATELY

SKU	DESCRIPTION
HL208.1222.001	Elite 2 Harness XS - S
HL208.1222.003	Elite 2 Harness M - L
HL208.1222.006	Elite 2 Harness XL - XXL

BASLINE	TRADE	DEALER	PARTNER	MSRP
322.51	219.31	197.38	191.90	379.95



SOLO HARNESS

Designed to meet all the needs of demanding technical divers, the Solo Harness is clean, simple, and foolproof!

- Streamlined design enhances comfort with less drag
- Continuous one piece harness limits failure potential
- Stainless steel D-rings and cam buckle included
- Removable shoulder pads accept stainless steel D-rings
- Backplate sold separately
- Weight (harness only): 1 lb (0.45kg)
- Solo Harness: One Size, Trim To Fit



BACKPLATE
SOLD SEPARATELY

SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.1260	Solo Harness	195.19	132.73	119.46	116.14	229.95

BACKPLATES

Our 2.0 backplate line is the foundation for the new Hollis technical harness systems. Both feature improved ergonomics for a more comfortable fit, but are still short enough to fit smaller frame divers.

The aluminum version weighs in at 1.5lbs or just under a Kilo, and the stainless version weighs in at 6.5lbs or just under 3 Kilos. Both are laser cut and CNC bent, which give this awesome new appearance. The stainless version is 304 stainless and has a bead blast finish to avoid scratching, so it will continue to look this way after many years of use. The Aluminum version is laser cut from 6061 aluminum and hard anodized in black for a marine grade finish.

Geometry of the webbing slots is similar to our prior design to ensure reverse compatibility for all Hollis buoyancy accessories, so if you have a current Hollis harness, wing or weight system, this new plate will fit.

Both of these are available individually and as part of the new 2021 tech systems.

STAINLESS BACKPLATE 2.0

- AISI 304 Stainless
- 4mm thickness
- Sandblasted finish
- Electropolished & chemically passivated
- Laser cut & CNC bent
- 6.5 lbs / 3 kg

ALUMINIUM BACKPLATE 2.0

- EN AW 6061 aluminum
- 3mm thickness
- Hard Anodized Marine Black
- Laser cut & CNC bent
- 1.5 lbs / 1 kg




HL208.1296.000



HL208.1291.000

SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.1296.000	Stainless Steel Backplate 2.0	314.52	213.88	192.48	187.14	349.95
HL208.1291.000	Aluminium Backplate Black 2.0	287.56	195.54	175.98	171.10	319.95





TESTED CE 0120 EN250

10 15 07

WARNING

10 15 07



BACKPLATE BACKPAD 2.0

The Backplate Backpad 2.0 is a comfortable two piece design with added lumbar support, which easily pivots out of the way of your doubles tank bolts and cam bands when assembly or disassembly as needed. Sold as an accessory but also included with our new Technical Harness systems. Note: Is not compatible with previous generation Hollis backplates.

- Two piece design for increase comfort and support
- Back support pad sits in the Mid Back area to provide more comfort
- Lumbar support fills the lower part of the back where you have the natural curvature of the spine and gives more support and load carrying assistance by taking the weight from the shoulders and distributing some around the hip area



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.1267	Back Plate Back Pad 2.0	101.82	69.24	62.31	60.58	119.95

SMS KATANA BUTT PLATE

A great accessory of the Katana SMS is the Katana Butt Plate. Secure and easily access your sidemount tanks or bailout, deco cylinders or other accessories. Or choose to use it with other backmount harness systems. The SMS Katana Butt Plate includes 2 x stainless steel book screws so you can easily secure the Butt Plate to your existing Katana Sidemount system, and also includes a webbing attachment point so you can simply thread the waist strap through the upper webbing loops to securely attach.

- Includes 2 x stainless steel book screws
- Webbing attachment point
- Designed for the Katana SMS



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.1265	SMS Katana Butt Plate	135.77	92.33	83.09	80.78	159.95

BOOKSCREW

Made from stainless steel, the Hollis Books Screw is used to secure hardware and backplates to back pads or attach accessories to their back plate.

- Stainless Steel Assembly
- 1 x male and 1 x female threaded components with friction O-ring



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL210.8031	Bookscrew - Pair	23.72	16.13	14.52	14.11	27.95

LX2 12LB WEIGHT SYSTEM

The LX2 replaces the older LX pocket, and is a great new design which adds weight versatility options. LX2 uses a simple pinch and pull buckle, and large nylon handle on the pouch to ditch or carry the weights. The pouch itself is zippered and holds 12 lbs total. It is partitioned to isolate weights within the pouch to avoid shifting of weights during the dive. This system is also reverse compatible to allow use with older Hollis backplates and harnesses.

- Simple pinch and pull buckle
- Large nylon handle
- Holds 12lb (5.44kg) in total
- Internal weight partitions
- Suitable for ELITE / SOLO / RIDE / HTS2



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.0016	12lb Weight System LX2 - Elite 2 / Solo / HTS 2	237.63	161.59	145.43	141.39	279.95


12LB. WEIGHT POCKET LX2

The Hollis LX2 pouch is zippered and holds 12 pounds total, but is partitioned to isolate weights within the pouch. The benefit there is if you only have say 5lbs in the pocket, the partition will avoid it shifting around during the dive. This system is also reverse compatible to allow use with older Hollis backplates and harnesses.

- 12 Pound (5.44kg) capacity
- Isolating partitions
- Reverse compatible



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL208.0027	12LB. Weight Pocket LX2 - Single	76.39	51.94	46.75	45.45	89.95



HD 200 WEIGHT POCKET SINGLE

Weight pocket to suit the Hollis HD200 BCD.

- 10lb (4.5kg) interchangeable quick release weight pocket
- New pinch and pull buckle
- Sold as a single



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.0026.000	HD 200 Weight Pocket - Single	84.84	57.69	51.92	50.48	99.95

5LB. NON DUMPABLE - PAIR

A simple and convenient way to safely add extra weight to your rig. The Hollis 5lb Non Dumpable Weight Pockets can be easily fitted to the tank band of any brand of BCD or back plate in minutes.

- Offers the ultimate weight trimming capability
- Sold as a pair. Includes two 5lb weight pockets
- Zipper Closure



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.0030.000	5lb. Non Dumpable - Pair	46.64	31.71	28.54	27.75	54.95

UTILITY POCKET

Bellowed velcro pocket for easy access and compact fit.

- 2 inch (5.1cm) webbing slot for easy attachment
- Includes Stainless grommet for quick water drain



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1029	Utility Pocket - Single	40.70	27.68	24.91	24.22	47.95

MASK POCKET

A simple and convenient way to safely store your mask.

- Zippered pocket for secure closure
- Fits any BC or weight belt with standard 2 inch webbing
- 1000 Cordura
- Stainless grommet for quick water drain



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1030	Mask Pocket	35.91	24.42	21.98	21.37	39.95

STORAGE POCKET

Ideal for both Technical and Sidemount divers who are looking for a simplified and organised way to carry their extra kit on their harness systems. This clever little pouch features two generous expanding pouches with zippered pockets for secure and easy access. The pocket also includes a 5.1 cm / 2 inch Webbing slot for easy attachment to your harness system, 4 x Stainless steel D-rings for quick and secure attachment points and built in stainless steel grommets for easy water draining when exiting the water.

- Expandable to 8cm
- Multiple stainless steel D-rings for easy access
- 2 stainless steel double snap hooks



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1266	Storage Pocket with Stainless Steel Snaps	110.30	75.00	67.51	65.63	129.95



QD INFLATOR HOSE

The Hollis QD Inflator Hose has been designed to work as a quick disconnect inflator hose ideal for wing, BCD or drysuit inflation.

- 3/8-inch male end that screws into the first stage LP port
- Fittings are made from high quality chrome plated brass



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL204.2381.022	QD Inflator Hose - 22 Inch	80.60	54.81	49.33	47.96	94.95
HL204.2381.015	QD Inflator Hose - 15 Inch	72.11	49.04	44.13	42.91	84.95

CORRUGATED HOSE

High quality rubber corrugated hose designed for Hollis BCD Power Inflator.



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1065.016	Corrugated Hose - 16 Inch	29.67	20.18	18.16	17.65	34.95
HL208.1065.019	Corrugated Hose - 19 Inch	29.67	20.18	18.16	17.65	34.95

SWIVEL BOLT SNAP

Made from marine grade stainless steel this swivel bolt snap has an extra large loop allowing use with or without gloves.



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL210.8002.045	4.5 Inch Swivel Bolt Snap	33.91	23.06	20.76	20.18	39.95

TANK BANDS & BOLT KIT

Corrosion resistant twin bands and bolt kit available for twin configuration. Suits the standard size Oceanpro and Hollis manifold with 2 x 178mm steel or aluminium cylinders. Along with fittings to all stainless steel and aluminium back plates.



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1077	7.25 (178mm) Tank Bands & Bolts – Pair	288.07	195.89	176.30	171.40	329.95

SMS 100 MAINS RIGGING KIT

Corrosion resistant twin bands and bolt kit available for twin configuration. Suits the standard size Oceanpro and Hollis manifold with 2 x 178mm steel or aluminium cylinders. Along with fittings to all stainless steel and aluminium back plates.

- 2 x stainless steel Cam Band
- 4 x 4.5 stainless steel bolt snaps
- Nylon line and Tank bungee



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL240.1550	SMS 100 Mains Rigging Kit	271.58	184.67	166.21	161.59	319.95

SINGLE TANK ADAPTOR WITH BOLT KIT

The Hollis Single Tank Adaptor with Bolt Kit has been designed to work with the Hollis cam bands. Manufactured from 316 marine grade stainless steel and with the same precision and quality as their other parts, the Hollis Single Tank Adapter is sure to impress. Allowing you to take a twin system and turn it into a single tank system.

- 316 Stainless Steel
- Laser-etched log
- Stainless Hardware included



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1071.001	Single Tank Adaptor with Bolt Kit	127.28	86.55	77.89	75.74	149.95

DELUXE STAGE KIT

Deluxe Stage bottle kit designed for AL80's. Includes all required hardware to securely rig your stage or deco bottles for technical diving. Available in small or large.

- 1 x Stainless cylinder clamp with nylon cover to prevent abrasion
- 2 x HD epdm hose retainers
- 2 x 3.5" stainless bolt snaps
- 1 x rubber cover for nylon line for easier carry of bottles
- + Braided nylon line allows kit to be cut away in emergencies 2 x stainless steel Cam Band
- 4 x 4.5 stainless steel bolt snaps
- Nylon line and Tank bungee



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL240.1700	Special Order: Deluxe Stage Kit S – (Suits Ali 40's / 7 ltr.)	127.28	86.55	77.89	75.74	149.95
HL240.1800	Special Order: Deluxe Stage Kit L – (Suits Ali 80's / 12 ltr.)	127.28	86.55	77.89	75.74	149.95

DOUBLE MOUNTING PLATES

The Hollis Double Mounting Plates eliminate the need for a standard backplate and have been engineered with a pre-curved design to fit the spacing of double tanks.

- Marine grade 304 stainless steel



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.1034	Double Mounting Plates – Pair	44.14	30.01	27.01	26.27	52.00



"WHETHER IT'S A TECHNICAL DIVER IN A CAVE AT 300 FT OR A RECREATIONAL DIVER ON A REEF AT 40 FT, WE ONLY MAKE OUR REGULATORS ONE WAY: TO THE HIGHEST POSSIBLE STANDARD." — BOB HOLLIS

 **Hollis**®

200LX DCX

Every feature is designed with high performance and superior manufacturing at every step. The 200LX can be converted from a right-handed hose configuration to a left-handed hose configuration, in a manner of minutes. The valve of the 200LX is "PVD" Industrial Plated. PVD is a super-hard coating that is by far the most durable coating available today. Superior quality that will out last any traditional plating. The Front metal ring, packing nut and inhalation knob are also "PVD" Plated. The DCX is surrounded by the most durable coating available today, DLC. The DCX was been redesigned to reduce weight while improving angle of LP and HP ports to maximize hoses routing. Hollis has made it an industry standard to include the 5th LP port making the DCX the diver's first choice for back-mounted doubles, sidemount or even for the recreational diver that demands the same performance as a technical diver. All LX regulators come standard with MiFlex® hoses and orthodontic mouthpieces with dual colour tabs. It comes standard in both YOKE or DIN configuration.

- Pneumatically balanced PVD plated brass valve results in smooth, easy breathing
- Reversible demand valve, can be converted from right-handed hose configuration to left-handed hose configuration
- Diver adjustable inhalation knob, allows diver to customise inhalation effort
- Adjustable Dive/Pre-Dive switch: Large Venturi lever has a soft rubber grip, which makes it easy to locate and use
- Ergonomic exhaust channels bubbles away from field of view and reduces exhaust effort
- Improved orthodontic mouthpiece with dual colour tabs
- PVD plated stainless steel metal ring, adjustable knob and Dive/Pre-Dive end cap
- MiFlex® braided hose
- Paired with the new DCX 1st Stage (below)
- Lighter weight
- DLC "industrial" plating - DLC (Diamond Like Carbon) is a super-hard coating that is by far the most durable coating available today. Superior quality that will out last any traditional finish
- Unique over-balanced, diaphragm design - As the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth
- 2 HP ports and 5 LP ports for optimum hose routing
- 5th port allows for side-mount or twin cylinder set ups
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping salt and contamination out
- Suitable for cold-water use



PHYSICAL VAPOR DEPOSITION (PVD)

Physical Vapor Deposition (PVD) is a time tested proven technology that has been used for decades in other industries and is now available for specific Hollis products. PVD is a collective set of processes used to deposit thin layers of material, typically in the range of few nanometers to several micrometers. This state of the art process provides a superior alternative to traditional "Chrome Plating", which is environmentally friendly and provides long lasting durability.

SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL240.2010.07.M	200LX DCX Regulator - Yoke	991.02	673.90	606.50	589.65	1199.95
HL240.2011.07.M	200LX DCX Regulator - Din	991.02	673.90	606.50	589.65	1199.95
HL240.2000.LX	200LX Second Stage without Hose	509.25	346.29	311.66	303.01	599.95
HL240.3572	DCX First Stage - Yoke	636.58	432.87	389.59	378.77	749.95
HL240.3573	DCX First Stage - Din	636.58	432.87	389.59	378.77	749.95



150LX DC7

150LX regulator provides the ultimate in breathing performance with a moderate price tag. Based on the 200LX but without the adjustable inhalation control and PVD plating. This second stage is paired either with the lightweight and cold water rated DC7 first stage for the perfect lightweight travel combination for single tanks, or the H02 first stage for deco stops and ready for oxygen service.

The front metal ring, packing nut and end cap are stainless steel. All LX regulators come standard with MiFlex hoses and orthodontic mouthpieces with dual color tabs. It comes standard in both YOKE or DIN configuration.

- Pneumatically balanced chrome-plated brass valve results in smooth, easy breathing
- Reversible demand valve, can be converted from right-handed hose configuration to left handed hose configuration
- Adjustable Dive/Pre-Dive switch: large Venturi lever has a soft rubber grip, which makes it easy to locate and use Ergonomic exhaust channels bubbles away from field of view and reduces exhaust effort
- Improved orthodontic mouthpiece with dual color tabs
- Stainless steel cosmetic ring
- MiFlex braided hose
- Suitable for coldwater diving
- Paired with the DC7 1st stage as primary regulator



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL240.1503.07.M	150LX DC7 - Din	847.98	576.62	518.97	504.55	999.00
HL240.1504.07.M	150LX DC7 - Yoke	847.98	576.62	518.97	504.55	999.00
HL240.3567	DC7 First Stage - Yoke	636.58	432.87	389.59	378.77	749.95
HL240.3568	DC7 First Stage - Din	636.58	432.87	389.59	378.77	749.95

150LX HO2

The Hollis 150LX HO2 is the perfect option for Divers requiring a regulator using higher percentage Nitrox mixes up to 100% Oxygen. The 150LX 2nd stage is fully Balanced and uses a durable Brass valve housing. The Regulator is super smooth to breathe and has an easy to use Pre Dive switch to avoid any unnecessary freeflow and loss of gas. The HO2 DIN 1st stage is a workhorse, super reliable and easy to maintain.

- 100% Oxygen compatible
- 2 Year Service Interval
- Parts for Life available subject to product registration
- Perfect for use on a Stage bottle



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL240.1502.19.M	150LX HO2 - Din	907.13	616.85	555.16	539.74	949.95

150LX OCCY

The 150LX, similar in design to the 200LX but without the PVD Plating. The 150LX delivers great performance at a moderate price. All LX regulators come standard with MiFlex® hoses and orthodontic mouthpieces with dual color tabs.

- Pneumatically balanced chrome-plated brass valve results in smooth, easy breathing
- Reversible demand valve, can be converted from right-handed hose configuration to left handed hose configuration
- Adjustable Dive/Pre-Dive switch: Large Venturi lever has a soft rubber grip, which makes it easy to locate and use
- Ergonomic exhaust channels bubbles away from field of view and reduces exhaust effort
- Improved orthodontic mouthpiece with dual color tabs
- Stainless steel cosmetic ring
- MiFlex® braided hose
- Suitable for coldwater diving



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL240.3150.M	150LX Occy	449.83	305.88	275.30	267.65	529.95

FIRST STAGE COMPARISON CHART


	DCX	DC7	HO2
TYPE	Over-Balanced Diaphragm	Over-Balanced Diaphragm	Unbalanced Piston
PRIMARY MATERIAL	DLC-plated Marine Brass	Forged Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Marine Brass
LOW PRESSURE PORTS	5	4	4
HIGH PRESSURE PORTS	2	2	1
SWIVEL TURRET	✓		
NITROX COMPATIBLE	Standard to 40% (outside EU)	Standard to 40% (outside EU)	Standard to 100% (outside EU)
300-BAR DIN FITTING	Optional	Optional	Standard
SEALED VALVE DESIGN	✓	✓	
COLDWATER / ENVIRONMENTAL SEAL PROTECTION	✓	✓	
WEIGHT	1.7 lb (78.4 kg)	21 oz (.59 kg)	140 – 145 psi / 9.7 – 10 bar
FACTORY SET INTERMEDIATE PRESSURE	138 – 142 psi / 9.5 – 9.8 bar	138 – 142 psi / 9.5 – 9.8 bar	140 – 145 psi / 9.7 – 10 bar
PRESSURE DROP	20 psi / 1.38 bar	9 psi / .6 bar	13 psi / .89 bar
CE APPROVED	✓	✓	✓

SECOND STAGE COMPARISON CHART

	200LX	150LX	150LX OCCY	500SE
VALVE TYPE	Demand	Demand	Demand	Demand
PNEUMATICALLY BALANCED SYSTEM	✓	✓	✓	✓
MATERIAL	PVD plated brass	Chrome plated brass	Chrome plated brass	Chrome plated brass
PATENTED DYNAMIC ADJUSTMENT AUTOMATICALLY MAINTAINS INHALATION EFFORT THROUGHOUT THE DIVE	✓	✓	✓	
DIVE / PRE-DIVE SWITCH	✓	✓	✓	
INTEGRATED PURGE BUTTON	✓	✓	✓	✓
PATENTED ORTHODONTIC MOUTHPIECE WITH HIGH-DENSITY BITE TABS	✓	✓	✓	✓
NITROX COMPATIBLE	Standard to 40% (outside EU)	Standard to 40% (outside EU) Up to 99.9% on HO2	Standard to 40% (outside EU)	Standard to 40% (outside EU)
WEIGHT WITHOUT HOSE	9.6 oz (273 g)	8.96 oz (254 g)	8.96 oz (254 g)	8.6 oz (240 g)
FIRST STAGE CONFIGURATION	DCX	DC7, HO2	N/A	DC7
MINIMUM CRACKING EFFORT	.8 CIW	1.0 CIW	1.5 CIW	.08 CIW
FACTORY SET INHALATION EFFORT	1.0 – 1.2 CIW	1.0 – 1.2 CIW	1.5 – 2.0 CIW	1.0 – 1.2 CIW
WORK OF BREATHING - 198 FT (60 M)	.76 Joules	.90 Joules	.90 Joules	1.1 Joules

HOLLIS SIDEMOUNT REGULATOR COMPONENTS

Use this guide as a quick reference guide to components and pricing that make up a Hollis sidemount regulator kit for your consumer.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL240.2000.LX	200LX Second Stage without Hose	509.25	346.29	311.66	303.01	599.95
HL240.2000.LX	200LX Second Stage without Hose	509.25	346.29	311.66	303.01	599.95
HL240.3573	DCX First Stage Din	636.58	432.87	389.59	378.77	749.95
HL240.3573	DCX First Stage Din	636.58	432.87	389.59	378.77	749.95
40248.06	HP Rubber Hose - 6 Inch	57.26	38.94	35.05	34.07	74.95
40248.06	HP Rubber Hose - 6 Inch	57.26	38.94	35.05	34.07	74.95
HL204.2311	Brass Pressure Gauge	181.39	123.34	111.01	107.92	189.95
HL204.2311	Brass Pressure Gauge	181.39	123.34	111.01	107.92	189.95
40246.40	LP Rubber Hose - 40 Inch	53.44	36.34	32.71	31.80	69.95
40246.84	LP Rubber Hose - 84 Inch	68.72	46.73	42.06	40.89	89.95
S-01-4	Swivel Adaptor 110 Degrees	38.15	25.94	23.35	22.70	44.95
S-01-4	Swivel Adaptor 110 Degrees	38.15	25.94	23.35	22.70	44.95
TOTAL		\$2967.42	\$2017.83	\$1816.09	\$1765.63	\$3479.40



OMNI SWIVEL

For Standard Hoses without swivel - 2nd Stage Swivel accessory

- Marine grade 304 stainless steel



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HLOMS	Omni Swivel	173.11	117.72	105.94	103.00	169.95

LOW PRESSURE HOSE

40 inch braided low pressure hoses



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL204.2382.040.M	Special Order: LP Reg Hose 40 Inch Green	76.35	51.92	46.72	45.43	89.95
HL204.2383.036	Special Order: LP Hose 36" Occy Yellow	68.31	46.45	41.80	40.65	84.95

OVER PRESSURE VALVE

Pressure relief for your first stage.



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL240.3001	Over Pressure Valve	28.11	19.12	17.20	16.73	34.95

BRASS PRESSURE GAUGE

The Hollis Brass Pressure Gauge is a solid and compact brass SPG. This rugged, easy-to-read gauge works great as a primary or even backup pressure gauge for the beginner to the most advanced technical diver. Gauge has a luminescent face for easy reading in low light or night diving conditions. Pressure gauge module has a durable tempered glass scratch resistant lens.

- Luminescent Faceplate
- Standard with Air Spool and Viton O-rings
- Oxygen Clean
- Available in 0-360 BAR
- Chrome-plated brass housing with Bourdon tube
- Scratch-resistant tempered glass
- 2" (50.8 mm) size



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL204.2311	Brass Pressure Gauge	181.39	123.34	111.01	107.92	189.95

BRASS PRESSURE GAUGE - LOW PROFILE

The Low-Profile Brass SPG with scratch-resistant lens, high contrast background, luminescent needle, low weight, and small size allow for a more streamlined rigging and are ideal for stage and deco bottles.

- High-contrast black background and white markings
- Luminescent needle
- Standard with Air Spool and Viton O-rings
- Suitable for oxygen service
- Available in 0-5000 PSI or 0-400 BAR
- Satin coated brass housing coated brass housing with
- Bourdon tube
- Scratch-resistant plastic lens
- 1.5 in (38.1 mm)



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL204.2309.07	Brass Pressure Gauge - Low Profile	124.09	84.38	75.94	73.83	129.95



M3 MASK

The M3 Mask provides visibility, the most important aspect of any dive, with distortion-free vision and superior fit. This low-profile design uses a rigid frame and two lenses with an UltraClear glass. The low iron content produces a higher light transmittance and a reduced green tint inherent in other glasses. This makes the lenses distortion free and helps improve color and visibility in low-light conditions underwater. Optical lenses and GoPro mount available separately.

- 100% pure silicone skirt
- UltraClear lenses
- Easily fitted with optical lenses
- Wide vision and low volume
- 4-way buckle design for superior comfort and easy storage



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL205.4700.07	M3 Mask - Black / Black	129.83	88.28	79.46	77.25	169.95
HL205.4700.10	M3 Mask - White / Black	129.83	88.28	79.46	77.25	169.95

M1 MASK

The M1 Mask raises the bar for optical quality and distortion-free vision. The lens is made from a highly transparent extra clear glass which is valued for its unique appearance and optical qualities. The low iron oxide content gives it optimum clarity. Its light transmittance is greater than that of conventional glass. The use of UltraClear glass results in a virtually colorless product which allows objects to remain vivid and natural. This makes the lens distortion-free and helps improve visibility, even in low-light conditions underwater.

- Frameless 100% pure silicone skirt
- UltraClear lenses
- Wide vision and low volume



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL205.4500.07	M1 Onyx Mask	122.19	83.09	74.78	72.70	159.95

M4 MASK

When choosing a mask, fit and field of vision come first. The M4 Mask gives you the best of both worlds, fitting a wide variety of faces and offering superior peripheral and vertical vision. It is low profile, stows easy and carries an excellent value.

- Frameless 100% pure silicone skirt
- Rugged mask box and adjustable mask strap included
- Increased vision and low volume



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL205.4800.07	M4 Mask	114.55	77.89	70.11	68.16	149.95

M3 OPTICAL LENS

The M3 may be easily fitted with Corrective Optical Lenses from -1.5 to -5.0 Diopters in 0.5 increments. Lenses are manufactured from optical quality UltraClear tempered glass.



SKU	DESCRIPTION	SKU	DESCRIPTION
HL205.5015.LT	M3 Optical Lens -1.5 Left	HL205.5035.LT	M3 Optical Lens -3.5 Left
HL205.5015.RT	M3 Optical Lens -1.5 Right	HL205.5035.RT	M3 Optical Lens -3.5 Right
HL205.5020.LT	M3 Optical Lens -2.0 Left	HL205.5040.LT	M3 Optical Lens -4.0 Left
HL205.5020.RT	M3 Optical Lens -2.0 Right	HL205.5040.RT	M3 Optical Lens -4.0 Right
HL205.5025.LT	M3 Optical Lens -2.5 Left	HL205.5045.LT	M3 Optical Lens -4.5 Left
HL205.5025.RT	M3 Optical Lens -2.5 Right	HL205.5045.RT	M3 Optical Lens -4.5 Right
HL205.5030.LT	M3 Optical Lens -3.0 Left	HL205.5050.LT	M3 Optical Lens -5.0 Left
HL205.5030.RT	M3 Optical Lens -3.0 Right	HL205.5050.RT	M3 Optical Lens -5.0 Right

BASLINE	TRADE	DEALER	PARTNER	MSRP
58.37	39.70	35.73	34.73	64.95

M1 /M3 MASK STRAP

A quality 100% silicone mask strap suitable for the M1 and M3 masks.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL205.4500ST	M1 / M3 Mask Strap	26.70	18.16	16.34	15.89	34.95

NEOPRENE MASK STRAP


The Hollis Neoprene Mask Strap is has adjustable buckles and is manufactured from neoprene to ensure an even, non-twisted and padded comfortable strap.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL205.1000	Neoprene Mask Strap	19.06	12.96	11.66	11.34	24.95

GOPRO MOUNT

Mount your GoPro camera and housing on your M3 Mask for hands-free photography and video. Made from durable glass filled nylon, the M3 GoPro Mount is easy-to-install on the M3 with just a hex key wrench. Once mounted, your camera and housing can be attached to your mask when needed and you can film your underwater adventures with ease.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HL205.1001	GoPro Mount for Hollis M3 Mask	17.53	11.92	10.73	10.43	22.95

MASK SIDE CLIPS

Keep a set of side clips as a handy spare for your Save a Dive kit. Available for the Hollis M1 and M3 masks.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HLZSCM1	M1 Mask Side Clip/Buckle Pair (L&R)	17.93	12.19	10.97	10.67	19.95
HLZSCM3	M3 Mask Side Clip/Buckle Pair (L&R)	17.53	11.92	10.73	10.43	22.95

M3 LENS RETAINER

Lens retainer to suit Hollis M3 Mask.



SKU	DESCRIPTION	BASLINE	TRADE	DEALER	PARTNER	MSRP
HLZLRM3	M3 Lens Retainer	6.84	4.65	4.18	4.07	8.95



F1 FIN

The Hollis F1 fin blends graceful movement, power, & bulletproof construction making it the standard in technical diving.

- High grade, heavy duty rubber construction
- Angled strap mounts for comfort & a better transition of power
- Spring heel straps with easy-grip heel tab
- Multiple strap mounting positions for a fine tuned fit
- Vented blade to reduce stress while accelerating
- Generous foot pocket



SKU	DESCRIPTION
HL214.2200.005	Special Order: F1 Fin - R
HL214.2200.006	Special Order: F1 Fin - XL
HL214.2200.007	Special Order: F1 Fin - 2XL

BASELINE	TRADE	DEALER	PARTNER	MSRP
267.34	181.79	163.61	159.07	349.95



F2 FIN

Increase your power to weight ratio. The patented F2 is designed to add blade surface on both the down-stroke and upstroke to increase your efficiency with any type of kick.

- High grade, heavy duty monoprene construction
- Angled strap mounts for comfort & a better transition of power
- Spring heel straps w/ easy-grip heel tab
- Multiple strap mounting positions for a fine tuned fit
- Vented blade to reduce stress while accelerating
- Generous foot pocket with 3 sizes—Small, Regular and XL



SKU	DESCRIPTION
HL214.2300.002	F2 Fin - S
HL214.2300.005	F2 Fin - R
HL214.2300.006	F2 Fin - XL

BASELINE	TRADE	DEALER	PARTNER	MSRP
213.87	145.44	130.89	127.25	279.95



FIN SIZE CHART

	SMALL	REGULAR	XL	XL
F1	US 4-6 EU 37-39 UK 3.5-5.5	US 7-9 EU 40-42 UK 6.5-8.5	US 10-12 EU 43-45 UK 9.5-11.5	US 13-15 EU 46-48 UK 12.5-14.5
F2	US 4-6 EU 37-39 UK 3.5-5.5	US 7-9 EU 40-42 UK 6.5-8.5	US 10-12 EU 43-45 UK 9.5-11.5	US 13-15 EU 46-48 UK 12.5-14.5

SPRING STRAP

The Hollis F1/F2 Fin Spring Strap is the perfect replacement for your old fin straps. This spring heel strap is designed with an easy-grip heel tab, making it easy to put on and take off. The strap includes nuts and bolts and a spring, making it simple to assemble and install. Whether you're an experienced diver or just starting out, the F1/F2 Fin Spring Strap is sure to provide a secure fit. The strap is sold as a single, so you can easily replace a lost or broken strap.

- Spring Heel Strap with easy-grip heel tab
- User replaceable
- Includes nuts and bolts and spring
- Sold as a single



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL214.8002	Spring Strap F1 & F2 - S	48.21	32.78	29.50	28.69	59.95
HL214.8006	Spring Strap F1 & F2 - R/XL	48.21	32.78	29.50	28.69	59.95

SEEKER REEL

A reliable and robust primary reel that's easy to deploy is a necessity whether discovering a virgin cave or exploring a deep shipwreck. Our new 200ft and 400ft primary reels combine simplicity with durability so you can get on with your deepest explorations without any worries about performance.

- Spool machined with high-tensile Delrin® for durability and abrasion resistance
- Handle is 6061-T6 hard anodized aluminum to protect against cracking or breaking
- Easy deployment with left and right handle designed for easy switching between hands
- Knurled Stainless Steel lock-down screw for simple "on/off" with gloves on
- Ultra-bright lines in two sizes: 200ft is perfect for short distances such as jumps or shooting an SMB, and 400ft is ideal for reaching the main cave line or for deepest explorations
- Robust 316 Stainless hardware
- Built in rubber stop to prevent backing out of the lock-down and precise adjustment
- Molded line stopper included with both models
- Convenient winding knob provides easy and comfortable grip with gloves on
- Close tolerances to prevent line trapping during heavy use
- Sized appropriately for both warm and cold water wearing dry gloves
- Radius edges for comfort
- All parts engineered with the strictest tolerances to eliminate line traps or failures when spooling



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL203.8200	Special Order: Seeker Reel 200'	334.18	227.24	204.52	198.84	349.95
HL203.8400	Special Order: Seeker Reel 400'	362.82	246.72	222.05	215.87	379.95

SIGNAL MARKER BUOYS

The Hollis Signal Marker Buoy (SMB) is a great safety devise that all serious divers carry on every dive. The SMB is the smart-way for a diver to mark their location when making safety stops, completing mandatory decompression-stops and signaling the boat if they surface a distance away from the boat.

The Hollis Marker Buoy is a Closed Cell Design made from Durable 300-D Polyester material with Radio Frequency (RF) Welded Seams. The Hollis SMB also has a Sturdy Nylon Webbing Strap Loop with a Stainless Steel D-Ring for attachment to a Reel or Anchor Line along with a Wrist Lanyard for Hand-Held Use.

- 6 ft (1.8 m), 3 ft (1 m)
- Oral inflation
- Stainless oral inflate valve
- Open / Cell Closed cell
- Quick Dump valve included



HL208.2021.03



HL208.2022.03

SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.2022.03	Hollis SMB w/Pouch	176.87	120.28	108.25	105.24	219.95
HL208.2021.03	Marker Buoy Closed Cell	114.55	77.89	70.11	68.16	149.95

LIFT BAG

You never know what you might find on a dive, so be prepared and always pack a Lift Bag. The Hollis 60 lb (27.2 kg) Lift Bag is just what you need to raise or mark items.

- 60-lb Lift Capacity
- Tear- and mildew-resistant durable nylon fabric
- High-visibility bright orange for easy identification
- Over pressure relief valve with pull dump
- Stainless D-ring for line attachment
- Handle at the top of the lift bag for easy handling



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HL208.2060.03	60lb. Lift Bag - Orange	144.26	98.10	88.29	85.83	169.95

STERAMINE TABLETS

Sanitize your rebreather loop with Steramine™. Steramine, which sanitizes on contact, contains a quaternary ammonium compound (Myristalkonium Chloride) that is widely used in the food service industry to sanitize food contact surfaces. The most recommended product for sanitizing your rebreather. 150 tabs per bottle.



SKU	DESCRIPTION	BASELINE	TRADE	DEALER	PARTNER	MSRP
HLSTER	Steromine Tablets	38.15	25.94	23.35	22.70	39.95



HOLLIS WARRANTY USER GUIDE

RECREATIONAL WARRANTY PERIOD				
BCD'S	Seams	Wings	Jacket	Inflator
	5 Years	5 Years	5 Years	2 Years 12 month inspection / 24 month service
REGULATOR'S - PFL (PARTS FOR LIFE)	1st Stage		2nd Stage	Occy
	Limited Lifetime 12 month inspection / 24 month or 200 dives service		Limited Lifetime 12 month inspection / 24 month or 200 dives service	Limited Lifetime 12 month inspection / 24 month or 200 dives service
GAUGES / ANALOGUE INSTRUMENTS	SPG / Max Depth / Compass			
	2 Years			
ACCESSORIES	Masks/Snorkels/Fins		Boots/Socks/Hoods/Gloves	
	1 Year		1 Year	

COMMERCIAL WARRANTY PERIOD			
COMMERCIAL / SCHOOL & RENTAL - SCUBA HARDWARE, MATERIALS AND WORKMANSHIP NOTE - NO PFL AVAILABLE	Warranty Period	Registration Available	Proof of Purchase Requirements
	12 Months*	✓	Tax Invoice Number Required
COMMERCIAL / SCHOOL & RENTAL - REGULATOR SERVICE REQUIREMENT	6 month inspection 12 month service		
COMMERCIAL / SCHOOL & RENTAL - SOFTGOODS, TORCHES, NON SPECIFIED, MATERIALS AND WORKMANSHIP	6 Months	✓	Tax Invoice Number Required

*The warranty of products supplied under commercial or special contracts depends solely on the warranty agreed to as part of that contract. If no warranty is specifically defined, a 12 month warranty (Scuba hardware) or 6 month (Non-specified accessories) is assumed with the above caveats, under the assumption of heavy duty use.

TERMS & CONDITIONS OF TRADE

Terms and Conditions of Trade are displayed on our website. Please click the above link to view.