

RETAIL DATA INTEGRATION PLATFORM

Step 1: Create a Resource Group

Create Storage Account

Create SQL Database

Microsoft Azure portal showing the 'BENCY_DE' resource group. The 'Resources' tab is selected, displaying a table of resources. A red box highlights the 'bencyst790' storage account, 'retail_sql_db' SQL database, and 'retailsqserver790' SQL server.

Name	Type	Location
bencyst790	Storage account	East US
retail_sql_db (retailsqserver790/retail_sql_db)	SQL database	Southeast Asia
retailsqserver790	SQL server	Southeast Asia

Inside the storage account, create containers.

1. Raw

- Orders
- Product Catalog
- Store Master

2. Processed

- Sales summary

Microsoft Azure portal showing the 'raw' container within the 'bencyst790' storage account. The 'Overview' tab is selected, displaying a table of blobs. A red box highlights the 'Orders', 'ProductCatalog', and 'StoreMaster' blobs.

Name	Last modified	Access tier	Blob type	Size	Lease state
Orders	15/9/2026, 1:15:42 pm				...
ProductCatalog	15/9/2026, 1:15:53 pm				...
StoreMaster	15/9/2026, 1:16:08 pm				...

The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, an 'Upgrade' button, a search bar, and a 'Copilot' button. The user's profile 'Bency Benedict' is visible in the top right. The main content area shows the 'processed' container under the 'bencyst790' resource group. The 'Overview' tab is selected, displaying a table of blobs. The 'SalesSummary' blob is highlighted with a red box. The table has columns: Name, Last modified, Access tier, Blob type, Size, and Lease state.

Name	Last modified	Access tier	Blob type	Size	Lease state
SalesSummary	15/9/2026, 1:17:36 pm				

Step 2: Create Source Table

First source is **Orders**.

The screenshot shows the Microsoft Azure portal interface for the 'retail_sql_db' database. The 'Query editor (preview)' tab is selected. The 'Explorer' pane on the left shows the database structure. The 'SQL query 1' query is executed, and the results are displayed in a table. The table has columns: OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice, and LastModified. The results show 100 rows of data.


OrderID	OrderDate	StoreID	ProductID	Quantity	UnitPrice	LastModified
1095	2026-02-18	105	15	3	749.00	2026-02-18T16:55...
1096	2026-02-18	101	16	2	1599.00	2026-02-18T17:25...
1097	2026-02-19	102	17	6	299.00	2026-02-19T12:15...
1098	2026-02-19	103	18	2	649.00	2026-02-19T13:40...
1099	2026-02-20	104	19	1	2499.00	2026-02-20T15:35...
1100	2026-02-20	105	20	4	399.00	2026-02-20T18:10...

Step 3: Create Product API


Second source is the **vendor REST API**.

Base URL: <https://github.com>


Relative URL: /bencybenedict/BRD_Retail_Data_Integration_ADF/blob/main/productcatalog.json



Step 4: Store Master CSV, Third source is CSV



Step 5: Launch Studio



<https://adf.azure.com/en/home?factory=%2Fsubscriptions%2Fb9d3db-c3e8-4c3a-96c3-27db6b002aaf>

Step 6: Create Azure Key Vault

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

Bency.Benedict@akume... AKUMENBYQ (AKUMENBYQ.COM)

Home > bencykey790 > BENCY_DE > bencykey790 | Access control (IAM)

Add role assignment

RoleMembersConditionsReview + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

Copilot can help pick a role

Job function rolesPrivileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Key Vault Secrets User

Type: AllCategory: All

Name	Description	Type	Category	Details
Key Vault Certificate User	Read certificate contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	None	View
Key Vault Data Access Administrator	Manage access to Azure Key Vault by adding or removing role assignments for the Key Vault Administrator, Key Vault Certif...	BuiltInRole	None	View
Key Vault Secrets User	Read secret contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	Security	View

Showing 1 - 3 of 3 results.

Review + assignPreviousNext

Feedback

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

Bency.Benedict@akume... AKUMENBYQ (AKUMENBYQ.COM)

Home > bencykey790 > BENCY_DE > bencykey790

bencykey790 | Secrets

SearchGenerate/ImportRefreshRestore BackupManage deleted secretsView sample code

OverviewActivity logAccess control (IAM)TagsDiagnose and solve problemsAccess policiesResource visualizerEventsObjectsKeysSecretsCertificatesSettingsMonitoringAutomationHelp

You are unauthorized to view these contents.

NameTypeStatusExpiration date

The operation is not allowed by RBAC. If role assignments were recently changed, please wait several minutes for role assignments to become effective.

Give feedback

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

Bency.Benedict@akume... AKUMENBYQ (AKUMENBYQ.COM)

Home > bencykey790 > BENCY_DE > bencykey790 | Access control (IAM)

Add role assignment

RoleMembersConditionsReview + assign

Selected roleKey Vault Secrets User

Assign access toUser, group, or service principalManaged identity

Members+ Select members

Name	Object ID	Type
bencydf790	815f0684-cf9c-424b-b86a-94db46541d...	App

DescriptionOptional

Review + assignPreviousNext

Feedback

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot Bency.Benedict@akumenbyq.com AKUMENBYQ

Home > bencykey790 > BENCY_DE > bencykey790 | Secrets

Create a secret

Upload options: Manual

Name * admin790 ✓

Secret value * ***** ✓

Content type (optional)

Set activation date ☐

Set expiration date ☐

Enabled: Yes No

Tags: 0 tags

Create Cancel

Step 7: Create Linked Services

Microsoft Azure Data Factory bencydf790 Search Upgrade to Fabric (preview)

General

Connector upgrade advis... Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Linked services

Linked service defines the connection information to a data store or compute. Learn more

+ New

Filter by name Annotations: Any

Showing 1 - 5 of 5 items

Name	Type	Related	Annotations
LS_ADL	Azure Data Lake Storage Gen2	0	
LS_KEYVALUT	Azure Key Vault	0	
LS_REST	REST	0	
LS_SQL_SOURCE	Azure SQL Database	0	
LS_SQL_TARGET	Azure SQL Database	0	

Step 8: Create Datasets

Microsoft Azure Data Factory bencydf790 Search Upgrade to Fabric (preview)

Factory Resources

Filter resources by name

Pipelines 0

Change Data Capture (preview) 0

Datasets 8

- DS_Blob_Stores
- DS_Bronze_Orders
- DS_Bronze_Products
- DS_Bronze_Stores
- DS_REST_Products
- DS_Silver_SalesSummary
- DS_SQL_Orders
- Gold_SQL_Sales

Data flows

Power Query 0

Azure SQL Database Gold_SQL_Sales

Properties

General Related

Name * Gold_SQL_Sales

Description

Annotations

+ New

Cancel

Connection Schema Parameters


Linked service * LS_SQL_TARGET

Test connection Edit + New Learn more

Table Select_ Enter manually

Refresh Preview data

Step 9: Create Watermark Control Table



Microsoft Azure | Upgrade | Search resources, services, and docs (G+/)

Home > retail_sql_db (retailsqserver790/retail_sql_db) | Query editor (preview) ☆

Search

Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help

Explorer

retail_sql_db

- dbo
 - Tables
 - Orders
 - WatermarkC...
 - Views
 - Stored Procedures
 - Functions
- Queries
 - SQL query 1

SQL query 1

Run Save as view


Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it

```
41 'StoreMaster',
42 'LastModified',
43 '1900-01-01 00:00:00',
44 1
45 );
46
47 SELECT * FROM WatermarkControl;
```

Messages Results

	SourceID	SourceName	Source Type	SourceTable	WatermarkCol...	LastLoadTime...	IsActive
1	1	Orders	SQL	Orders	LastModified	1900-01-01T00:00...	True
2	2	ProductCatalog	REST	ProductCatalog	LastModified	1900-01-01T00:00...	True
3	3	StoreMaster	CSV	StoreMaster	LastModified	1900-01-01T00:00...	True

Succeeded (0 sec: 252 ms) Columns: 7 Rows: 3



Microsoft Azure | Data Factory | bencydf790 | Search

Factory Resources

- Pipelines
 - master_pipeline
 - pipeline1
 - Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - Gold_SQL_Sales
- Data flows
- Power Query

Preview data

Linked service: LS_SQL_SOURCE

Object: dbo.Orders

	OrderID	OrderDate	StoreID	ProductID	Quantity	UnitPrice	LastModified
1	1001	01/01/2026	101	1	2	499.00	2026-01-01T10:15:00
2	1002	01/01/2026	102	2	1	899.00	2026-01-01T11:20:00
3	1003	01/02/2026	103	3	5	199.00	2026-01-02T09:45:00
4	1004	01/02/2026	104	4	2	1299.00	2026-01-02T14:10:00
5	1005	01/03/2026	105	5	3	749.00	2026-01-03T16:30:00
6	1006	01/03/2026	101	6	1	1599.00	2026-01-03T17:15:00
7	1007	01/04/2026	102	7	4	299.00	2026-01-04T12:05:00
8	1008	01/04/2026	103	8	2	649.00	2026-01-04T12:05:00

Properties

General Related


Name *
DS_SQL_Orders

Description

Annotations
+ New

Cancel

Step 10: Lookup activity & For Each



Microsoft Azure | Data Factory | bencydf790 | Search

Factory Resources

- Pipelines
 - master_pipeline
 - gold_pipeline
 - raw_pipeline
 - silver_pipeline
 - Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - Gold_SQL_Sales
- Data flows
- Power Query

Activities

Validate Debug Add trigger

Move and transform

Copy data

Lookup

Lookup1

For Each

ForEach1

If Condition1

Parameters Variables Settings Output

Pipeline run ID f6e7b59b-e0fb-4ba1-8dd7-8bc258570d83

Pipeline status Queued

All status List

Showing 0 - 0 of 0 items

Step 11: Inside For Each add If Condition, Check the source type.

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists pipelines and datasets. The 'raw_pipeline' is selected. The main canvas displays a workflow with a 'Lookup' activity followed by a 'ForEach' loop. Inside the 'ForEach' loop, there is an 'If Condition' activity. The 'Activities' pane on the right shows the details of the 'If Condition' activity, indicating it is part of the 'ForEach' loop and has 3 activities.

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists pipelines and datasets. The 'raw_pipeline' is selected. The main canvas displays a workflow with a 'Lookup' activity followed by a 'ForEach' loop. Inside the 'ForEach' loop, there is an 'If Condition' activity. The 'Output' tab is selected, showing a table of activity results.

Activity name	Activity status	Activity...	Run start	Duration	Integration runtime
Copy products	Succeeded	Copy data	9/15/2026, 4:39:54 PM	21s	AutoResolveIntegrationRuntime (East U)
Copy orders	Succeeded	Copy data	9/15/2026, 4:39:54 PM	25s	AutoResolveIntegrationRuntime (East U)
Copy data1	Succeeded	Copy data	9/15/2026, 4:39:54 PM	22s	AutoResolveIntegrationRuntime (East U)
If Condition2	Succeeded	If Condition	9/15/2026, 4:39:53 PM	24s	
If Condition3	Succeeded	If Condition	9/15/2026, 4:39:53 PM	3s	
If Condition2	Succeeded	If Condition	9/15/2026, 4:39:53 PM	3s	
If Condition1	Succeeded	If Condition	9/15/2026, 4:39:53 PM	3s	

Orders source is fetched to raw container

The screenshot shows the Microsoft Azure Storage Explorer interface. The 'raw' container is selected, and the file 'dbo.Orders.parquet' is highlighted. The file is a Block blob, 3.3 KIB in size, and is available. The 'Authentication method' is set to 'Access key'.

Name	Last modified	Access tier	Blob type	Size	Lease state
[.]					
dbo.Orders.parquet	15/9/2026, 3:18:26 pm	Hot (inferred)	Block blob	3.3 KIB	Available

Products source is fetched to raw container

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/)

Home > bencyst790 | Containers

raw Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

raw > ProductCatalog

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☒	data_4cc48347-556f-427f-9759-95fce76f1f8d_ed57b4f0-02af...	15/9/2026, 3:18:16 pm	Hot (Inferred)	Block blob	805 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

Stores source is fetched to raw container

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/)

Home > bencyst790 | Containers

raw Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

raw > StoreMaster

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☒	store_master_source.csv	15/9/2026, 3:18:17 pm	Hot (Inferred)	Block blob	329 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

Step 12: Update Watermark

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/)

Home > retail_sql_db (retailsqserver790/retail_sql_db)

retail_sql_db (retailsqserver790/retail_sql_db) | Query editor (preview)

SQL database

Search

Overview

Activity log

Tags

Diagnose and solve problems

Query editor (preview)

Mirror database in Fabric (preview)

Resource visualizer

Settings

Data management

Integrations

Power Platform

Security

Intelligent performance

Monitoring

Automation

Help

Explorer

retail_sql_db

dbo

Tables

Orders

WatermarkCon

Views

Stored Procedures

Functions

Queries

SQL query 1

SQL query 1

Run

Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it

```
11 WHERE SourceTable = 'Orders'
12 AND IsActive = 1;
13 END;
14 SELECT OBJECT_DEFINITION(
15     OBJECT_ID('dbo.usp_UpdateOrdersWatermark')
16 );
17 EXEC dbo.usp_UpdateOrdersWatermark
18     @NewWatermark = '2026-09-15 18:30:00';
```

	SourceID	ABC SourceName	ABC SourceType	ABC SourceTable	ABC WatermarkCol...	LastLoadTime...	IsActive
1	1	Orders	SQL	Orders	2026-02-20 18:10...	2026-09-15T14:47...	True

Succeeded (1 sec 469 ms)

Columns: 7 Rows: 1

Add or remove favorites by pressing Ctrl+Shift+F

Step 13: Create Mapping Data Flow, Data Flow Source 1: Orders

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists various pipelines and datasets. The main canvas shows a mapping data flow with a 'sourceorders' source. The 'Data preview' tab is active, displaying a table with 4 rows of order data. The table has columns: OrderID, OrderDate, StoreID, ProductID, Quantity, and Unit.

OrderID	OrderDate	StoreID	ProductID	Quantity	Unit
1001	2026-01-01	101	1	2	499.0
1002	2026-01-01	102	2	1	899.0
1003	2026-01-02	103	3	5	199.0
1004	2026-01-02	104	4	2	1295.0

Preview data

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists various pipelines and datasets. The main canvas shows a mapping data flow with a 'sourceproducts' source. The 'Data preview' tab is active, displaying a table with 4 rows of product data. The table has columns: OrderID, OrderDate, StoreID, ProductID, Quantity, and Unit.

OrderID	OrderDate	StoreID	ProductID	Quantity	Unit
1001	2026-01-01	101	1	2	499.0
1002	2026-01-01	102	2	1	899.0
1003	2026-01-02	103	3	5	199.0
1004	2026-01-02	104	4	2	1295.0

Step 14: Data Flow Source 2: Products

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists various pipelines and datasets. The main canvas shows a mapping data flow with a 'sourceproducts' source. The 'Data preview' tab is active, displaying a table with 4 rows of product data. The table has columns: Category, LastModified, Price, ProductID, and Title.

Category	LastModified	Price	ProductID	Title
Electronics	2026-01-01T08:00:00	499.0	501	Wireless Headphones
Electronics	2026-01-01T08:00:00	899.0	502	Smart Watch
Accessories	2026-01-01T08:00:00	199.0	503	USB Cable
Electronics	2026-01-01T08:00:00	1299.0	504	Bluetooth Speaker

Step 15: Data Flow Source 3 :Stores

Microsoft Azure | Data Factory | bencyd790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview) 0
- Datasets 9
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows 1
 - dataflow1
- Power Query 0

Properties

General

Name * dataflow1

Description

Source settings Source options Projection Optimize Inspect **Data preview**

Number of rows + INSERT 5 + UPDATE 0 + DELETE 0 + UPSERT 0 + LOOKUP 0 + ERROR 0 TOTAL 5

Refresh | Typecast | Modify | Map drifted | Statistics | Remove | Export to CSV

StoreID	StoreName	City	State	StoreType	OpeningDate
101	Central Mall	Thiruvalla	Kerala	Mall	NULL
102	City Center	Kochi	Kerala	Mall	NULL
103	Metro Plaza	Thiruvananthapuram	Kerala	Supermarket	NULL
104	Lulu Shopping Hub	Kozhikode	Kerala	Mall	NULL

Cancel

Step 16: Filter Bad Records

Microsoft Azure | Data Factory | bencyd790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview) 0
- Datasets 9
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows 1
 - dataflow1
- Power Query 0

Properties

General

Name * dataflow1

Description

Filter settings Optimize Inspect Data preview

Output stream name * filter1

Description Filtering rows using expressions on columns 'OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice'

Incoming stream * sourceorders

Filter on * isNotNull(OrderID) && isNotNull(OrderDate) && isNotNull(StoreID) && isNotNull(ProductID) && Quantity > 0 && UnitPrice >= 0

Cancel

Step 17: Derived Column

Microsoft Azure | Data Factory | bencyd790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview) 0
- Datasets 9
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows 1
 - dataflow1
- Power Query 0

Properties

General

Name * dataflow1

Description

Derived column's settings Optimize Inspect **Data preview**

+ UPDATE 0 + DELETE 0 + UPSERT 0 + LOOKUP 0 + ERROR 0 TOTAL 100

Modify | Map drifted | Statistics | Remove | Export to CSV

StoreID	ProductID	Quantity	UnitPrice	LastModified	SalesAmount
101	1	2	499.00	2026-01-01 10:15:00.000	998.00
102	2	1	899.00	2026-01-01 11:20:00.000	899.00
103	3	5	199.00	2026-01-02 09:45:00.000	995.00
104	4	2	1299.00	2026-01-02 14:10:00.000	2598.00

Cancel

Step 18: Join Orders + Products

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows
 - dataflow1
- Power Query

Validate | Data flow debug | Debug Settings

filter1: Filtering rows using expressions on columns: OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice

derivedColumn1: Creating/updating the columns: OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice, LastModified, SalesAmount

join1: Columns: 13 total

Join settings | Optimize | Inspect | Data preview

Refresh | Typecast | Modify | Map drifted | Statistics | Remove | Export to CSV

OrderID	OrderDate	StoreID	ProductID	ProductID	Quantity	UnitPrice
1081	2026-02-11	101	1	1	2	1599.0
1061	2026-02-01	101	1	1	2	499.0
1041	2026-01-21	101	1	1	2	999.0
1021	2026-01-11	101	1	1	1	1599.0
1001	2026-01-01	101	1	1	2	499.0

Properties

General | Related

Name: dataflow1

Description:

Step 19: Join Stores

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows
 - dataflow1
- Power Query

Validate | Data flow debug | Debug Settings

derivedColumn1: Creating/updating the columns: OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice, LastModified, SalesAmount

join1: Inner join on 'derivedColumn1' and 'sourceproducts'

sourcestores

Join settings | Optimize | Inspect | Data preview

Join type: Full outer | Inner | Left outer | Right outer | Custom (cross)

Use fuzzy matching: ☐

Join conditions: Left: join1's column, Right: sourcestores's column

Left: StoreID, Right: StoreID

Properties

General | Related

Name: dataflow1

Description:

Preview data

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows
 - dataflow1
- Power Query

Validate | Data flow debug | Debug Settings

derivedColumn1: Creating/updating the columns: OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice, LastModified, SalesAmount

join1: Inner join on 'derivedColumn1' and 'sourceproducts'

sourcestores

Join settings | Optimize | Inspect | Data preview

Refresh | Typecast | Modify | Map drifted | Statistics | Remove | Export to CSV

OrderID	OrderDate	StoreID	StoreID	ProductID	ProductID	Quantity
1081	2026-02-11	101	101	1	1	2
1061	2026-02-01	101	101	1	1	2
1041	2026-01-21	101	101	1	1	2
1021	2026-01-11	101	101	1	1	1

Properties

General | Related

Name: dataflow1

Description:

Step 20: Aggregate Sales

Microsoft Azure | Data Factory | bencyd790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline

Change Data Capture (preview) 0

Datasets 9

- DS_Blob_Stores
- DS_Bronze_Orders
- DS_Bronze_Products
- DS_Bronze_Stores
- DS_REST_Products
- DS_Silver_SalesSummary
- DS_SQL_Orders
- DS_SQL_WM
- Gold_SQL_Sales

Data flows 1

- dataflow1

Power Query 0

Validate all Publish all

Validate Data flow debug Debug Settings

Aggregate settings Optimize Inspect Data preview

Description: Aggregating data by 'OrderID, OrderDate, StoreID, ProductID' producing columns 'TotalQuantity'

Incoming stream: join2

Group by: OrderID, OrderDate, StoreID, ProductID

Column: TotalQuantity Expression: sum(Quantity)

Properties

General Related

Name: dataflow1

Description:

Aggregate settings Optimize Inspect Data preview

OrderID	OrderDate	StoreID	ProductID	TotalQuantity
1081	2026-02-11	101	1	2
1061	2026-02-01	101	1	2
1041	2026-01-21	101	1	2
1021	2026-01-11	101	1	1
1001	2026-01-01	101	1	2
1082	2026-02-11	102	2	4
1062	2026-02-01	102	2	4
1042	2026-01-21	102	2	1
1022	2026-01-11	102	2	3

Step 21: Write Silver Data

Microsoft Azure | Data Factory | bencyd790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline

Change Data Capture (preview) 0

Datasets 9

- DS_Blob_Stores
- DS_Bronze_Orders
- DS_Bronze_Products
- DS_Bronze_Stores
- DS_REST_Products
- DS_Silver_SalesSummary
- DS_SQL_Orders
- DS_SQL_WM
- Gold_SQL_Sales

Data flows 1

- dataflow1

Power Query 0

Validate all Publish all

Validate Data flow debug Debug Settings

Sink Settings Errors Mapping Optimize Inspect Data preview

Number of rows: INSERT N/A UPDATE N/A DELETE N/A UPSERT N/A LOOKUP N/A ERROR N/A TOTAL 75

Refresh Statistics Export to CSV

OrderID	OrderDate	StoreID	ProductID	TotalQuantity
1081	2026-02-11	101	1	2
1061	2026-02-01	101	1	2
1041	2026-01-21	101	1	2
1021	2026-01-11	101	1	1
1001	2026-01-01	101	1	2
1082	2026-02-11	102	2	4
1062	2026-02-01	102	2	4

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- master_pipeline
- gold_pipeline
- raw_pipeline
- silver_pipeline
- Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows
 - dataflow1
- Power Query

Activities

- sourceorders: Import data from DS_Bronze_Orders
- filter1: Filtering rows using expressions on columns 'OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice'
- derivedColumn1: Creating/updating the columns 'OrderID, OrderDate, StoreID, ProductID, Quantity, UnitPrice, LastModifiedDate, SalesAmount'
- join1: Inner join on 'OrderID' and 'sourceproducts'
- sourceproducts: Columns: 5 total

Properties

General

Name: dataflow1

Description:

Source settings | Source options | Projection | Optimize | Inspect | **Data preview**

Number of rows: INSERT 15, UPDATE 0, DELETE 0, UPSERT 0, LOOKUP 0, ERROR 0, TOTAL 15

Category	LastModified	Price	ProductID	Title
Electronics	2026-01-01T08:00:00	499.0	1	Wireless Headphones
Electronics	2026-01-01T08:00:00	899.0	2	Smart Watch
Accessories	2026-01-01T08:00:00	199.0	3	USB Cable
Electronics	2026-01-01T08:00:00	1299.0	4	Bluetooth Speaker

Step 22: Create Sales Summary SQL Table

Microsoft Azure | Upgrade

Home > retail_sql_db (retailsqserver790/retail_sql_db)

retail_sql_db (retailsqserver790/retail_sql_db) | Query editor (preview)

SQL database

Search

Overview | Activity log | Tags | Diagnose and solve problems | Query editor (preview) | Mirror database in Fabric (preview) | Resource visualizer | Settings | Data management | Integrations | Power Platform | Security | Intelligent performance | Monitoring | Automation | Help

Explorer

- retail_sql_db
 - dbo
 - Tables
 - Orders
 - SalesSummary
 - WatermarkCon
 - Views
 - Stored Procedures
 - Functions
 - Queries
 - SQL query 1

SQL query 1

```

1 CREATE TABLE SalesSummary
2 (
3   OrderID INT PRIMARY KEY,
4   OrderDate DATE,
5   StoreID INT,
6   ProductID INT,
7   TotalQuantity INT,
8   TotalSales DECIMAL(10, 2)
9 )

```

Messages | Results

OrderID	OrderDate	StoreID	ProductID	TotalQuantity	TotalSales
123		123	123	123	

Succeeded (0 sec 476 ms) Columns: 6 Rows: 0

Step 23: Configure activity in silver pipeline

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- Pipelines
 - master_pipeline
 - silver_pipeline**
 - raw_pipeline
- Change Data Capture (preview)
- Datasets
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows
 - dataflow1
- Power Query

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Data flow

Data flow act

Parameters | Variables | Settings | **Output**

Pipeline run ID: a2f12ade-020e-4ca9-98ee-198709c209fb

Pipeline status: In progress

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Data flow act	In progress	Data flow	9/16/2026, 12:16:36 AM	1m 42s	

Microsoft Azure | Data Factory | bencydf790

Factory Resources

- Pipelines (4)
 - master_pipeline
 - gold_pipeline
 - raw_pipeline
 - silver_pipeline
- Change Data Capture (preview) (0)
- Datasets (9)
 - DS_Blob_Stores
 - DS_Bronze_Orders
 - DS_Bronze_Products
 - DS_Bronze_Stores
 - DS_REST_Products
 - DS_Silver_SalesSummary
 - DS_SQL_Orders
 - DS_SQL_WM
 - Gold_SQL_Sales
- Data flows (1)
 - dataflow1

Activities

- Validate
- Debug
- Add trigger
- Copy data

Copy data

Copy data_sil_gold

Parameters Variables Settings Output

Pipeline run ID: 084c8a2e-66a9-4d66-9e49-99185653cc63

Pipeline status: Succeeded

All status

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Copy data_sil_gold	Succeeded	Copy data	9/16/2026, 12:31:51 AM	39s	AutoResolveIntegrationRuntime (Southea...

Processed data is loaded into Azure SQL Database

Microsoft Azure | Upgrade

Search resources, services, and docs (G+)

Copilot

Home > retail_sql_db (retailsqserver790/retail_sql_db)

retail_sql_db (retailsqserver790/retail_sql_db) | Query editor (preview)

SQL database

Search

New query Templates Open in Feedback Sign out Classic experience

Overview Activity log Tags Diagnose and solve problems Query editor (preview) Mirror database in Fabric (preview) Resource visualizer Settings Data management Integrations Power Platform Security Intelligent performance Monitoring Automation Help

SQL query 1

Run Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it externally.

1 select * from SalesSummary;

Messages Results

	OrderID	OrderDate	ProductID	TotalQuantity	TotalSales
1	1001	2026-01-01	1	2	998.00
2	1002	2026-01-01	2	1	899.00
3	1003	2026-01-02	3	5	995.00
4	1004	2026-01-02	4	2	2598.00
5	1005	2026-01-03	5	3	2247.00
6	1006	2026-01-03	6	1	1599.00
7	1007	2026-01-04	7	4	1196.00
8	1008	2026-01-04	8	2	1298.00
9	1009	2026-01-05	9	1	2499.00
10	1010	2026-01-05	10	3	1197.00

Connected (1 row SQL text)

Fabric version: 6.0.0.0