


MICROSOFT AZURE


IF CONDITION (FOREACH)

- Resource group created
- Storage account and Data factory is created in Resource group




In Storage account 3 containers are created:

1. Input
2. output1
3. output2



Files uploaded in input container



Microsoft Azure | Upgrade | Search resources, services, and docs (G+)

Home > BENECY_DE > stbency | Containers

input ...

Container

Search

+ Add Directory | Upload | Change access level | Refresh | Delete | Copy | Paste | Rename | Acquire lease | Break lease | Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Input

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs


Showing all 3 items

Name	Last modified	Access tier	Blob type	Size	Lease state
temp_1.csv	24/8/2026, 4:37:44 pm	Hot (Inferred)	Block blob	86 B	Available
temp_2.csv	24/8/2026, 4:37:44 pm	Hot (Inferred)	Block blob	86 B	Available
weather_data.csv	24/8/2026, 4:37:43 pm	Hot (Inferred)	Block blob	209 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

Launched Data factory

New pipeline is created; Author -> Pipeline -> New pipeline



Microsoft Azure | Data Factory | dlbeney

Explore upgrade options to Microsoft Fabric Data Factory. Get started with guided support. [Learn more](#)

Validate all | Publish all | Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines

- if condition
- Change Data Capture (preview)
- Datasets
- Data flows
- Power Query


Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query



Parameters | Variables | Settings | Output

+ New


Getmetadata is selected from activities and dragged into the panel



In settings, new Dataset and Linked Service is created




set child items in field list




ForEach is selected from activities and dragged into panel


Made a connection between **getmetadata** and **ForEach**




By adding the dynamic content, **items** is configured



In **ForEach**, **if condition** is chosen




By adding the dynamic content, **expression** is configured




Using Set variable

Set variable dragged into panel




For **Set variable1**, 'True' value is set to 'temp'


For **Set variable2**, 'False' value is set to 'weather'



The 2 cases are now set



Validate and Debug the pipeline



These are the outputs from the two conditons

The first screenshot shows the pipeline execution results for the 'temp' condition. The 'Output' window displays the following JSON:

```
{  "name": "temp",  "value": "True"}
```

The second screenshot shows the pipeline execution results for the 'weather' condition. The 'Output' window displays the following JSON:

```
{  "name": "weather",  "value": "False"}
```

Both screenshots show a table of activities with their status, name, and duration. The activities listed are:

Activity Name	Status	Activity Name	Run Start	Duration	Integration Runtime
Set variable1	Succeeded	Set variable	8/24/2026, 5:05:12 PM	Less than 1s	
Set variable1	Succeeded	Set variable	8/24/2026, 5:05:12 PM	Less than 1s	
If Condition1	Succeeded	If Condition	8/24/2026, 5:05:11 PM	2s	
If Condition1	Succeeded	If Condition	8/24/2026, 5:05:11 PM	2s	
If Condition1	Succeeded	If Condition	8/24/2026, 5:05:11 PM	2s	
ForEach1	Succeeded	ForEach	8/24/2026, 5:05:11 PM	5s	
Get Metadata1	Succeeded	Get Metadata	8/24/2026, 5:04:58 PM	11s	AutoResolveIntegrationRuntime (East US)

Using CopyData


CopyData is dragged into the panel

Source and Sink have been configured

The Dataset and Linked Service is configured and also assigned the file path

CopyData1 is now set for 'temp' in 'True' condition


Set output1 as the filepath



CopyData2 is now set for 'weather' in 'False' condition, similar to **CopyData1**

Set output2 as the filepath

Validate the pipeline and Debug it



Validation and Debugging Succeeded

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists 'Pipelines' (1), 'Datasets' (5), and 'Data flows' (0). The 'Activities' pane shows 'Copy data', 'Data flow', and 'ForEach'. The main canvas displays a pipeline diagram with a 'Get Metadata' activity followed by a 'ForEach' loop containing an 'If Condition' activity. Below the diagram, the 'Parameters Variables Settings Output' table shows the execution results:

Parameters	Variables	Settings	Output
Copy data1		✓ Succeeded	Copy data 8/24/2026, 5:53:36 PM 18s AutoResolveIntegrationRuntime (East U
If Condition1		✓ Succeeded	If Condition 8/24/2026, 5:53:36 PM 18s
If Condition1		✓ Succeeded	If Condition 8/24/2026, 5:53:36 PM 17s
If Condition1		✓ Succeeded	If Condition 8/24/2026, 5:53:36 PM 21s
ForEach1		✓ Succeeded	ForEach 8/24/2026, 5:53:35 PM 24s
Get Metadata1		✓ Succeeded	Get Metadata 8/24/2026, 5:53:23 PM 11s AutoResolveIntegrationRuntime (East U

As Result, the temp files are copied to output1 container

The screenshot shows the Microsoft Azure Storage Explorer interface. The 'output1' container is selected, and the 'Overview' pane displays a list of blobs. Two blobs, 'temp_1.csv' and 'temp_2.csv', are highlighted with red boxes. The table below shows the details of these blobs:

Name	Last modified	Access tier	Blob type	Size	Lease state
temp_1.csv	24/8/2026, 5:53:49 pm	Hot (Inferred)	Block blob	86 B	Available
temp_2.csv	24/8/2026, 5:53:48 pm	Hot (Inferred)	Block blob	86 B	Available

The weather file is copied to output2

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

Benny.Benedict@akume... AKUMENBYG (AKUMENBYG.COM)

Home > Resource Manager | All resources > stbency | Containers

output2

Container

Search

+ Add Directory

Upload

Change access level

Refresh

Delete

Copy

Paste

Rename

Acquire lease

Break lease

Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

output2

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	 weather_data.csv	24/8/2026, 5:53:49 pm	Hot (inferred)	Block blob	209 B	Available

Add or remove favorites by pressing Ctrl+Shift+F