

[before chap1]¹_a

¹ERRATUM! Description before chap1P:1 (L ??)

Chapter 1

[In par1]_a²
[In par1]_a³
ERRAT1 CREF: Err(1)
ERRATA1 CPAGEREF: page 1
ERR1 LINE NUMBER: ??.
Therefore, the' [result]_r⁴,

Err(4)

Section 1.1

Note test space before?

Err(5)

Err(4) LINE NUMBER: ??.
What's for? Its contents is delivered into the token list par1 [added
in par1]_a⁶.

Err(6)

Err(5) (Err(6)) LINE NUMBER: ??.
TeX is reading when it switches from vertical to horizontal mode.
[added in par2]_a⁷ This happens when TeX, in vertical mode, sees a hori-
zontal command par2.

Err(7)

At that time the horizontal command is set aside; [added in par3]_a⁸
before examining it again par3.

Err(8)

Adding comma here[,]_a⁹ horizontal command is set aside;
Sect1: section 1.1 (1.1)

Err(9)

Replace: Next' [WORD]_r¹⁰ 'has been replaced.

Err(10)

Err(9) LINE NUMBER: ??.
Add: A word has been' [added]_a¹¹ 'here.

Err(11)

Delete: A word has been' [removed]_d¹² 'removed here, and here' [removed]_d¹³.

Err(12)

²ERRATUM! Description In par1P:2 (L ??)
³ERRATUM! Added In par1P:2 (L ??)

Err(13)

⁴ERRATUM! grammar results →resultP:2 (L ??)

Err(14)

⁵ERRATUM! Changes to paragraphP:2 (L ??)
⁶ERRATUM! added in par1P:2 (L ??)
⁷ERRATUM! added in par2P:2 (L ??)
⁸ERRATUM! added in par3P:2 (L ??)
⁹ERRATUM! ,P:2 (L ??)
¹⁰ERRATUM! word →WORDP:2 (L ??)
¹¹ERRATUM! addedP:2 (L ??)
¹²ERRATUM! removedP:2 (L ??)
¹³ERRATUM! removedP:2 (L ??)

[chap-one] _a ¹⁴ [CREF INSIDE chapter 1] _a ¹⁵	Err(15)
[[_n ¹⁶ [[_n ¹⁷	Err(16)
1.1.0.0.1 TEST paragrah: Delete: A word has been removed	Err(17)
with space:' [[_d ¹⁸ 'and without'[[_d ¹⁹ .	Err(18)
[[_d ²⁰ at beginning of sentence.	Err(19)
Delete comma'[[_d ²¹ 'prev space is removed.	Err(20)
Removed a word'[[_d ²² 'with no previous space.	Err(21)
SECT1: section 1.1 SECT1PREF page 2	Err(22)
[tull] _r ²³ ,[added] _a ²⁴ ,	Err(23)
Subsection 1.1	Err(24)
SUBSECT1.1: section 1.1.1 (1.1.1)	Err(25)
noinline	Err(26)
[of] _r ²⁶	
Subsubsection 1.1.1	
[insubsubsect] _a ²⁷	Err(27)
SUBSUBSECT1: section 1.1.1.1 (1.1.1.1)	
1.1.1.1.1 Paragraph 1 [inparagraph] _a ²⁸	Err(28)
PAR1: § 1.1.1.1.1 (1.1.1.1)	
ERR1 ref: 1	
Subsubsection 1.1.2	
[insubsubsecttwo] _a ²⁹	Err(29)
<hr/> ¹⁴ ERRATUM! Added listing chap-oneP:2 (L ??) ¹⁵ ERRATUM! Added listing CREF INSIDE chapter 1P:3 (L ??) ¹⁶ ERRATUM! Changes to paragraphP:3 (L ??) ¹⁷ ERRATUM! Changes to paragraphP:3 (L ??) ¹⁸ ERRATUM! removedP:3 (L ??) ¹⁹ ERRATUM! removedP:3 (L ??) ²⁰ ERRATUM! removedP:3 (L ??) ²¹ ERRATUM! ,P:3 (L ??) ²² ERRATUM! removedP:3 (L ??) ²³ ERRATUM! grammar tulls →tullP:3 (L ??) ²⁴ ERRATUM! addedP:3 (L ??) ²⁵ ERRATUM! noinlineP:3 (L ??) ²⁶ ERRATUM! Fix gramar in →ofP:3 (L ??) ²⁷ ERRATUM! grammar insubsubsectP:3 (L ??) ²⁸ ERRATUM! grammar inparagraphP:3 (L ??) ²⁹ ERRATUM! grammar insubsubsecttwoP:3 (L ??)	

SUBSUBSECT2: section 1.1.1.2 (1.1.1.2)

Subsection 1.2

SECT2: section 1.1.2
[insubsect2]³⁰_a

Err(30)

Paragraph 2 noinline
noinline

Err(31)

Err(32)

Section 2

Subsection 2.1

³⁰ERRATUM! grammar insubsect2P:4 (L ??)
³¹ERRATUM! noinlineP:4 (L ??)
³²ERRATUM! noinlineP:4 (L ??)

Chapter2

HELLO [In chap2 par1.]³³_a
PAR1: chapter 2 (2)
[in chap two]³⁴_a
PAR ONE: § 1.1.1.1.1
SECT1: section 1.1.1

Err(33)
Err(34)

Section 2.1

SECT2.1: section 2.1 (2.1)
[inlinemark]³⁵_a
Here we have removed [_d³⁶ a word.
ERRATA35 pref: ??, lineref: ??
[In this experiment, they are limited to bundle one previous segment.]³⁷_a
this is a test of a long erratum

1. We can replace [newtext]^{38:1}_r

2. and [new text]_a

3. and finally delete old text [_d^{38:2}

Err(35)
Err(36)
Err(37)
BErr(38)
EErr(38)

Subsection Margin test

: Add test [added word]³⁹_a sentence test.
: Add test [added missing word]⁴⁰_a sentence test.
inlinemark=false : Add test new sentence test.
marginargs=size=fbold test [test]⁴²_a sentence test.

Err(39)
Err(40)
Err(41)

³³ERRATUM! In chap2 par1.P:5 (L ??)
³⁴ERRATUM! in chap twoP:5 (L ??)
³⁵ERRATUM! inlinemarkP:5 (L ??)
³⁶ERRATUM! removedP:5 (L ??)
³⁷ERRATUM! In this experiment, they are limited to bundle one previous segment.P:5 (L ??)
³⁸ERRATUM! OLD SHOULD BE NEW
^{38:1}was: oldtext
^{38:2}deleted: alltogether
³⁹ERRATUM! added wordP:5 (L ??)
⁴⁰ERRATUM! forgotten words added missing wordP:5 (L ??)
⁴¹ERRATUM! missing word newP:5 (L ??)

Err(42)

customlabel: Err(40)
: INNER MODE TEST

ERRAT40: Err(40)

$$a = a \tag{2.1}$$

$$b = b[1]_a^{43} \tag{2.2} \quad \text{Err(43)}$$

REF(gatherlabel): 2.1

$$a = a$$

$$b = b[\text{equationtest}]_a^{44} \tag{2.3} \quad \text{Err(44)}$$

REF(equationlabel): 2.3
[Spaces here should be preserved]_a⁴⁵ Err(45)

Subsection Space tests

erratumAdd space test

inlinemark=false : Add test [added]_a⁴⁶ sentence test. Err(46)
inlinemark=false : Add test added sentence test. Err(47)
inlinechange=false : Add test [|]_a⁴⁸ sentence test. Err(48)
inlineboth=false : Add test sentence test. Err(49)
: Add test [,]_a⁵⁰ sentence test. Err(50)
inlinemark=false : Add test, sentence test. Err(51)

erratumReplace space test

inlinemark=false : Replace test [repl]_r⁵² sentence test. Err(52)
inlinemark=false : Replace test repl sentence test. Err(53)
inlinechange=false : Replace test [orig]_r⁵⁴ sentence test. Err(54)

⁴²ERRATUM! word 'test' missing testP:5 (L ??)
⁴⁵ERRATUM! Spaces here should be preservedP:6 (L ??)
⁴⁶ERRATUM! addedP:6 (L ??)
⁴⁷ERRATUM! addedP:6 (L ??)
⁴⁸ERRATUM! addedP:6 (L ??)
⁴⁹ERRATUM! addedP:6 (L ??)
⁵⁰ERRATUM! ,P:6 (L ??)
⁵¹ERRATUM! ,P:6 (L ??)
⁵²ERRATUM! orig →replP:6 (L ??)
⁵³ERRATUM! orig →replP:6 (L ??)
⁵⁴ERRATUM! orig →replP:6 (L ??)

inlineboth=false : Replace test orig sentence test.
inlinechange=true : Replace test [repl]_r⁵⁶ sentence test.

Err(55)

Err(56)

erratumDelete space test

inlinemark=false : Delete test sentence test.
inlinemark=false : Delete test [|]_d⁵⁸ sentence test.
inlinechange=false : Delete test [deleted]_d⁵⁹ sentence test.
inlineboth=false : Delete test deleted sentence test.

Err(57)

Err(58)

Err(59)

Err(60)

erratumNote space test

inlinemark=false : Note test sentence test.
inlinemark=false : Note test [|]_n⁶² sentence test.
inlinechange=false : Note test [|]_n⁶³ sentence test.
inlineboth=false : Note test sentence test.

Err(61)

Err(62)

Err(63)

Err(64)

⁵⁵ERRATUM! orig →replP:7 (L ??)

⁵⁶ERRATUM! orig →replP:7 (L ??)

⁵⁷ERRATUM! deletedP:7 (L ??)

⁵⁸ERRATUM! deletedP:7 (L ??)

⁵⁹ERRATUM! deletedP:7 (L ??)

⁶⁰ERRATUM! deletedP:7 (L ??)

⁶¹ERRATUM! note1P:7 (L ??)

⁶²ERRATUM! note2P:7 (L ??)

⁶³ERRATUM! note3P:7 (L ??)

⁶⁴ERRATUM! note4P:7 (L ??)

Testing special environments

List

a) has the \llbracket_d^{65} same behavior, and *b)* when the competing traffic does not care about per-packet latency. *c)* aaaaaaaaa aaaaaaaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa *d)* bbbbbbbb bbbbbbbbbbbb bbbbbbbb bbbbbbbb bbbbbbbbb bbbbbbbb *e)* ccccc ccccc-cccc cccccccc ccccc cccccccc cccccccc cccccccc cccccccc *f)* has the [test
linelabel in inner mode] \llbracket_a^{66} *g)* dddddddd dddddddd dddddddd dddddddd dddddddd dddddddd *h)* eeeeeeee eeeeeeee eeeeeeee eeeeeeee eeeeeeee eeeeeeee

This might be considered fair practice when the competing traffic *a)* has the \llbracket_d^{67} same behavior, and *b)* when the competing traffic does not care about per-packet latency.

Equation

Title

```
\begin{equation}\label{customlabel}
\begin{split}
a=a \quad \backslash\backslash
b=b \quad \erratumAdd[uselabel=customlabel]{custom label example}
[Space test]
\end{split}
\end{equation}
```

$$a = a$$
$$b = b[customlabel example]_a^{68}[Spacetest] \tag{3.1}$$

⁶⁸ERRATUM! custom label exampleP:8 (L ??)

⁶⁸ERRATUM! custom label exampleP:8 (L ??)

⁶⁵ERRATUM! margP:8 (L ??)
⁶⁶ERRATUM! test linelabel in inner modeP:8 (L ??)
⁶⁷ERRATUM! theP:8 (L ??)

Tables

Alpha	Beta	Gamma	[added] _a ⁶⁹	[added2] _a ⁷⁰	Err(69)
0	2		4		Err(70)
1	3		5		

Colorboxes

In this sentence\erratumAdd{.} we added a comma without an inline mark\erratumAdd[inlinemark=true]{..} and a comma with inline marking.

Title

In this sentence\erratumAdd{,} we added a comma without an inline mark\erratumAdd[inlinemark=true]{,} and a comma with inline marking.

In this sentence[,]_a⁷¹ we added a comma without an inline mark[,]_a⁷² and a comma with inline marking.

⁷¹ERRATUM! ,P:9 (L ??)

⁷²ERRATUM! ,P:9 (L ??)

Err(72)

Example

Here we have \erratumAdd{three} errata in one
\erratumDelete{superfluous phrase}{darned} long \erratumReplace
[description={translated}]{Zeile}{line}

Errata

	Title	Type	Action	Page
	Err(1)	Addition	before chap1	1 (L ??)
1	Err(2)	Addition	In par1	2 (L ??)
	Err(3)	Addition	In par1	2 (L ??)
	Err(4)	Correction	results →result	2 (L ??)
1.1	Err(5)	Note	Changes to paragraph	2 (L ??)
	Err(6)	Addition	added in par1	2 (L ??)
	Err(7)	Addition	added in par2	2 (L ??)
	Err(8)	Addition	added in par3	2 (L ??)
	Err(9)	Addition	,	2 (L ??)
	Err(10)	Correction	word →WORD	2 (L ??)
	Err(11)	Addition	added	2 (L ??)
	Err(12)	Deletion	removed	2 (L ??)
	Err(13)	Deletion	removed	2 (L ??)
	Err(14)	Addition	chap-one	2 (L ??)
	Err(15)	Addition	CREF INSIDE chapter 1	3 (L ??)
	Err(16)	Note	Changes to paragraph	3 (L ??)
	Err(17)	Note	Changes to paragraph	3 (L ??)
	Err(18)	Deletion	removed	3 (L ??)
	Err(19)	Deletion	removed	3 (L ??)
	Err(20)	Deletion	removed	3 (L ??)
	Err(21)	Deletion	,	3 (L ??)
	Err(22)	Deletion	removed	3 (L ??)
	Err(23)	Correction	tulls →tull	3 (L ??)
	Err(24)	Addition	added	3 (L ??)
1.1.1	Err(25)	Addition	noinline	3 (L ??)
	Err(26)	Correction	in →of	3 (L ??)
1.1.1.1	Err(27)	Addition	insubsubsect	3 (L ??)
	Err(28)	Addition	inparagraph	3 (L ??)
1.1.1.2	Err(29)	Addition	insubsubsecttwo	3 (L ??)
1.1.2	Err(30)	Addition	insubsect2	4 (L ??)

	Err(31)	Addition	noinline	4 (L ??)
	Err(32)	Addition	noinline	4 (L ??)
2	Err(33)	Addition	In chap2 par1.	5 (L ??)
	Err(34)	Addition	in chap two	5 (L ??)
2.1	Err(35)	Addition	inlinemark	5 (L ??)
	Err(36)	Deletion	removed	5 (L ??)
	Err(37)	Addition	In this experiment, they are limited to bundle one previous segment.	5 (L ??)
	Err(38)			5 (L ??)
2.1.1	Err(39)	Addition	added word	5 (L ??)
	Err(40)	Addition	added missing word	5 (L ??)
	Err(41)	Addition	new	5 (L ??)
	Err(42)	Addition	test	5 (L ??)
	Err(43)	Addition	1	6 (L ??)
	Err(43)	Addition	1	6 (L ??)
	Err(44)	Addition	equation test	6 (L ??)
	Err(44)	Addition	equation test	6 (L ??)
	Err(45)	Addition	Spaces here should be preserved	6 (L ??)
2.1.2.1	Err(46)	Addition	added	6 (L ??)
	Err(47)	Addition	added	6 (L ??)
	Err(48)	Addition	added	6 (L ??)
	Err(49)	Addition	added	6 (L ??)
	Err(50)	Addition	,	6 (L ??)
	Err(51)	Addition	,	6 (L ??)
2.1.2.2	Err(52)	Correction	orig →repl	6 (L ??)
	Err(53)	Correction	orig →repl	6 (L ??)
	Err(54)	Correction	orig →repl	6 (L ??)
	Err(55)	Correction	orig →repl	7 (L ??)
	Err(56)	Correction	orig →repl	7 (L ??)
2.1.2.3	Err(57)	Deletion	deleted	7 (L ??)
	Err(58)	Deletion	deleted	7 (L ??)
	Err(59)	Deletion	deleted	7 (L ??)
	Err(60)	Deletion	deleted	7 (L ??)
2.1.2.4	Err(61)	Note	note1	7 (L ??)
	Err(62)	Note	note2	7 (L ??)
	Err(63)	Note	note3	7 (L ??)

	Err(64)	Note	note4	7 (L ??)
3.1	Err(65)	Deletion	marg	8 (L ??)
	Err(66)	Addition	test linelabel in inner mode	8 (L ??)
	Err(67)	Deletion	the	8 (L ??)
3.2	Err(68)	Addition	custom label example	8 (L ??)
	Err(68)	Addition	custom label example	8 (L ??)
	Err(69)	Addition	added	9 (L ??)
	Err(70)	Addition	added2	9 (L ??)
3.4	Err(71)	Addition	,	9 (L ??)
	Err(72)	Addition	,	9 (L ??)