[before chap1] $_a^1$

¹ERRATUM! SKROT before chap1

Chapter 1

 $[\text{In par1}]_a^2$ $[\text{In par1}]_a^3$ ERRAT1 CREF: Err(1) ERRATA1 CPAGEREF: page 1 ERR1 LINE NUMBER: 1. $\text{Therefore, the' [result]}_r^4$

Err(4)

1.1 Section 1.1

Note test space before?

Err(4) LINE NUMBER: 8.

Err(5)

What's for? Its contents is delivered into the token list par1 [added in par1]_a.

Err(6)

Err(5) (Err(6)) LINE NUMBER: 10.

TeX is reading when it switches from vertical to horizontal mode. [added in par2]⁷_a This happens when TeX, in vertical mode, sees a horizontal command par2.

Err(7)

At that time the horizontal command is set aside; [added in par3] $_a^8$ before examining it again par3.

Err(8)

Adding comma here $[,]_a^9$ horizontal command is set aside;

Err(9)

Sect1: section 1.1 (1.1)

Replace: Next' $[WORD]_r^{10}$ 'has been replaced. Err(9) LINE NUMBER: 20. Add: A word has been' [added] $_a^{11}$ 'here. Delete: A word has been' $[]_d^{12}$ 'removed here, and here' $[]_d^{13}$ '. [chap-one] $_a^{14}$ [CREF INSIDE chapter $1]_a^{15}$ TEST TWO LINELABELS 7, 7 3 1.1.0.0.1 TEST paragrah: Delete: A word has been removed with space: $\begin{bmatrix} 18 \\ d \end{bmatrix}$ and without $\begin{bmatrix} 19 \\ d \end{bmatrix}$. $\begin{bmatrix} 20 \\ d \end{bmatrix}$ at beginning of sentence. Delete comma' $\begin{bmatrix} 21 \\ d \end{bmatrix}$ 'prev space is removed. Removed a word' $\begin{bmatrix} 22 \\ d \end{bmatrix}$ 'with no previous space. SECT1: section 1.1 SECT1PREF page 2 $[\text{tull}]_r^{23}$, $[\text{added}]_a^{24}$, 1.1.1 Subsection 1.1 SUBSECT1.1: section 1.1.1 (1.1.1) noinline $[of]_r^{26}$ ²ERRATUM! SKROT In par1 ³Erratum! add In par1 ⁴Erratum! grammar results →result ⁵Erratum! Changes to paragraph ⁶Erratum! added in par1 ⁷Erratum! added in par2 ⁸Erratum! added in par3 $^9\mathrm{Erratum!}$, ¹⁰ERRATUM! word →WORD ¹¹Erratum! added ¹²Erratum! removed ¹³Erratum! removed ¹⁴Erratum! Added listing chap-one ¹⁵Erratum! Added listing CREF INSIDE chapter 1 ¹⁶Erratum! Changes to paragraph ¹⁷Erratum! Changes to paragraph ¹⁸Erratum! removed ¹⁹Erratum! removed ²⁰Erratum! removed ²¹Erratum!, ²²Erratum! removed 23 ERRATUM! grammar tulls →tull ²⁴Erratum! added ²⁵Erratum! noinline

Err(10)

Err(11)
Err(12)
Err(13)

Err(14)
Err(15)

Err(16)

Err(17)

Err(18)

Err(19)

Err(20)
Err(21)

Err(22)

Err(23)

Err(24)

Err(25)

Err(26)

²⁶ERRATUM! Fix gramar in →of

1.1.1.1 Subsubsection 1.1.1

[insubsubsect] $_a^{27}$ SUBSUBSECT1: section 1.1.1.1 (1.1.1.1) Err(27)

1.1.1.1.1 Paragraph 1 $[inparagraph]_a^{28}$

 $\mathrm{Err}(28)$

PAR1: § 1.1.1.1.1 (1.1.1.1)

ERR1 ref: 1

1.1.1.2 Subsubsection 1.1.2

[insubsubsect two] $_a^{29}$ SUBSUBSECT2: section 1.1.1.2 (1.1.1.2) Err(29)

1.1.2 Subsection 1.2

SECT2: section 1.1.2 $[insubsect2]_a^{30}$

Err(30)

Paragraph 2 noinline noinline

Err(31)

1.2 Section 2

1.2.1 Subsection 2.1

 $^{^{27}{\}rm Erratum!}$ grammar insubsubsect

 $^{^{28}\}mathrm{Erratum!}$ grammar inparagraph

 $^{^{29}\}mathrm{Erratum!}$ grammar insubsubsect two

 $^{^{30}}$ Erratum! grammar insubsect2

³¹Erratum! noinline

³²Erratum! noinline

Chapter2

HELLO [In chap2 par1.] $_a^{33}$ PAR1: chapter 2 (2) [in chap two] $_a^{34}$ PAR ONE: § 1.1.1.1.1 SECT1: section 1.1.1

Err(33)

Err(34)

2.1 Section 2.1

SECT2.1: section 2.1 (2.1)

 $[\text{inlinemark}]_a^{35}$

Err(35)

a) has the $\begin{bmatrix} 36 \\ d \end{bmatrix}$ same behavior, and b) when the competing traffic does not care about per-packet latency.

Here we have removed $\begin{bmatrix} 37 \\ d \end{bmatrix}$ a word.

ERRATA35 pref: 5, lineref: 10

Err(37)

[In this experiment, they are limited to bundle one previous segment.] $_a^{138}$ Err(38) this is a test of a long erratum

BErr(39)

- 1. We can replace $[\text{newtext}]_r^{39:1}$
- 2. and [new text]_a
- 3. and finally delete old text $\begin{bmatrix} 39:2 \\ d \end{bmatrix}$

EErr(39)

³³Erratum! In chap2 par1.

³⁴Erratum! in chap two

 $^{^{35}}$ Erratum! inlinemark

³⁶Erratum! marg

 $^{^{37}}$ Erratum! removed

 $^{^{38}}$ Erratum! In this experiment, they are limited to bundle one previous segment.

³⁹Erratum! Old should be new

 $^{^{39:1}}$ was: oldtext

 $^{^{39:2}}$ deleted: alltogether

2.1.1Subsection Margin test

: Add test [added word] $_a^{40}$ sentence test. : Add test [added missing word] $_a^{41}$ sentence test.

inlinemark=false : Add test new sentence test. marginargs=size=fb \triangle xld test [test]⁴³_a sentence test. Err(41) Err(42)

Err(43)

Err(40)

customlabel: Err(41)

: INNER MODE TEST

ERRAT40: Err(40)

$$a = a \tag{2.1}$$

$$b = b[1]_a^{44}$$
 (2.2) Err(44)

REF(gatherlabel): 2.1

$$a = a$$

$$b = b[equationtest]_a^{45}$$
(2.3) Err(45)

REF(equationlabel): 2.3

[Spaces here should be preserved]_a⁴⁶

Err(46)

Err(47)

Err(48)

Err(49)

Err(50)

Err(51)

2.1.2 Subsection Space tests

2.1.2.1erratumAdd space test

inlinemark=false : Add test [added] $_a^{47}$ sentence test. inlinemark=false : Add test added sentence test.

inlinechange=false: Add test $\begin{bmatrix} 49 \\ a \end{bmatrix}$ sentence test.

: Add test sentence test. inlineboth=false

: Add test $[,]_a^{51}$ sentence test.

inlinemark=false

: Add test, sentence test.

Err(52) ⁴⁰Erratum! added word

⁴¹Erratum! forgotten words added missing word

 $^{^{42}}$ Erratum! missing word new

⁴³Erratum! word 'test' missing test

 $^{^{46}}$ Erratum! Spaces here should be preserved

⁴⁷Erratum! added

⁴⁸Erratum! added

⁴⁹Erratum! added

⁵⁰Erratum! added

⁵¹Erratum!,

⁵²Erratum!,

${\bf 2.1.2.2} \quad {\bf erratum Replace \ space \ test}$

inlinemark=false : Replace test $[repl]_r^{53}$ sentence test. inlinemark=false : Replace test repl sentence test.	Err(53)
inlinechange=false: Replace test [orig] $_{r}^{55}$ sentence test.	Err(54)
inlineboth=false : Replace test orig sentence test.	Err(55)
inlinechange=true : Replace test $[repl]_r^{57}$ sentence test.	Err(56)
	Err(57)

2.1.2.3 erratumDelete space test

inlinemark=false : Delete test sentence test.	Err(58)
inlinemark=false : Delete test $\begin{bmatrix} 59 \\ d \end{bmatrix}$ sentence test.	Eff(98)
inlinechange=false: Delete test [deleted] $_d^{60}$ sentence test.	Err(59)
inlineboth=false : Delete test deleted sentence test.	Err(60)
	Err(61)

2.1.2.4 erratumNote space test

inlinemark=false : Note test sentence test.	Err(62)
inlinemark=false : Note test $\begin{bmatrix} 63 \\ n \end{bmatrix}$ sentence test.	Err(63)
inlinechange=false: Note test $\begin{bmatrix} 6^4 \\ n \end{bmatrix}$ sentence test. inlineboth=false: Note test sentence test.	Err(64)
	Err(65)

⁵³Erratum! orig →repl

 $^{^{54}}$ ERRATUM! orig \rightarrow repl 55 ERRATUM! orig \rightarrow repl

⁵⁶ERRATUM! orig →repl

 $^{^{57}}$ Erratum! orig \rightarrow repl

⁵⁸Erratum! deleted

 $^{^{59}}$ Erratum! deleted

 $^{^{60}}$ Erratum! deleted

⁶¹Erratum! deleted

⁶²Erratum! note1

⁶³Erratum! note2

 $^{^{64}{}m Erratum!}$ note3

⁶⁵Erratum! note4

Testing special environments

3.0.3 Equation

```
Title \label{label} $$ \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} \end{array} = a & \\ \end{array} \end{array} \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} \end{array} = a & \\ \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} = a & \\ \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} = a & \\ \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} = a & \\ \end{array} \end{array} = a & \\ \end{array} \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} \end{array} = a & \\ \end{array} = a & \\ \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ \end{array} = a & \\ \end{array} = a & \\ \end{array} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ \end{array} = a & \\ \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ \begin{array}{ll} \begin{array}{ll} \end{array} = a & \\ = a & \\ \end{array} = a & \\ = a & \\ \end{array} = a & \\ \end{array} = a & \\ \end{array} = a & \\ = a & \\
```

3.0.4 Tables

Alpha	Beta	Gamma $[added]_a^{67}$ $[added2]_a^{68}$	Err(67)
0	2	4	Err(68)
1	3	5	LII(00)

3.0.5 Colorboxes

In this sentence\erratumAdd $\{.\}$ we added a comma without an inline mark\erratumAdd[inlinemark=true] $\{..\}$ and a comma with inline marking.

Title

In this sentence\erratumAdd{,} we added a comma without ar inline mark\erratumAdd[inlinemark=true]{,} and a comma with inline marking.

In this sentence $[,]_a^{69}$ we added a comma without an inline mark $[,]_a^{70}$ and a comma with inline marking.

Err(70)

Example

Here we have \erratumAdd{three} errata in one
\erratumDelete{superfluous phrase}{darned} long \erratumReplace
[description={translated}]{Zeile}{line}

 $^{^{69}}$ Erratum!,

⁷⁰ERRATUM!,

Errata

	Title	Type	Action	Page
	Err(1)	Addition	before chap1	1 (L 1)
1	Err(2)	Addition	In par1	2 (L 3)
	Err(3)	Addition	In par1	2 (L 4)
	Err(4)	Correction	$results \rightarrow result$	2 (L 8)
1.1	Err(5)	Note	Changes to paragraph	2 (L 10)
	Err(6)	Addition	added in par1	2 (L 12)
	Err(7)	Addition	added in par2	2 (L 16)
	Err(8)	Addition	added in par3	2 (L 18)
	Err(9)	Addition	1	2 (L 20)
	Err(10)	Correction	$word \rightarrow WORD$	3 (L 1)
	Err(11)	Addition	added	3(L3)
	Err(12)	Deletion	removed	3(L4)
	Err(13)	Deletion	removed	3(L 4)
	Err(14)	Addition	chap-one	3(L5)
	Err(15)	Addition	CREF INSIDE chapter 1	3(L5)
	Err(16)	Note	Changes to paragraph	3 (L 6)
	Err(17)	Note	Changes to paragraph	3 (L 6)
	$\operatorname{Err}(18)$	Deletion	removed	3 (L 9)
	Err(19)	Deletion	removed	3 (L 9)
	Err(20)	Deletion	removed	3 (L 10)
	$\operatorname{Err}(21)$	Deletion	,	3 (L 11)
	$\operatorname{Err}(22)$	Deletion	removed	3 (L 12)
	$\operatorname{Err}(23)$	Correction	tulls →tull	3 (L 14)
	$\operatorname{Err}(24)$	Addition	added	3 (L 14)
1.1.1	Err(25)	Addition	noinline	3 (L 17)

	Err(26)	Correction	in →of	3 (L 18)
1.1.1.	1 Err(27)	Addition	insubsubsect	4 (L 2)
	$\operatorname{Err}(28)$	Addition	inparagraph	4 (L 4)
	. ,			
1.1.1.2	2 Err(29)	Addition	insubsubsecttwo	4 (L 8)
1.1.2	Err(30)	Addition	insubsect2	4 (L 12)
	Err(31)	Addition	noinline	4 (L 13)
	Err(32)	Addition	noinline	4 (L 14)
2	Err(33)	Addition	In chap2 par1.	5 (L 3)
	$\operatorname{Err}(34)$	Addition	in chap two	5 (L 5)
0.1	. ,	A 1 1:4:		· · ·
2.1	$\operatorname{Err}(35)$	Addition	inlinemark	5 (L 10)
	$\operatorname{Err}(36)$	Deletion	marg	5 (L ??)
	$\operatorname{Err}(37)$	Deletion	removed	5 (L 13)
	Err(38)	Addition	In this experiment, they are lim-	5 (L 15)
			ited to bundle one previous seg-	
	_		ment.	(-
	Err(39)			5 (L 16)
2.1.1	Err(40)	Addition	added word	6 (L 2)
	Err(41)	Addition	added missing word	6 (L 3)
	$\operatorname{Err}(42)$	Addition	new	6 (L 4)
	Err(43)	Addition	test	6 (L 5)
	$\operatorname{Err}(44)$	Addition	1	6 (L ??)
	Err(45)	Addition	equation test	6 (L ??)
	Err(46)	Addition	Spaces here should be preserved	6 (L 13)
2.12	1 Err(47)	Addition	added	6 (L 16)
	$\operatorname{Err}(48)$	Addition	added	6 (L 17)
	$\operatorname{Err}(49)$	Addition	added	6 (L 18)
	Err(50)	Addition	added	6 (L 19)
	Err(51)	Addition	•	6 (L 20)
	Err(52)	Addition	,	6 (L 21)
0.1.07	. ,	- · · ·		
2.1.2.	$2\operatorname{Err}(53)$	Correction	orig →repl	7 (L 2)
	Err(54)	Correction	orig →repl	7 (L 3)
	$\operatorname{Err}(55)$	Correction	orig →repl	7 (L 4)
	Err(56)	Correction	orig →repl	7 (L 5)
	Err(57)	Correction	orig →repl	7 (L 6)
2.1.2.3	$3\operatorname{Err}(58)$	Deletion	deleted	7 (L 9)

Err(59)	Deletion	deleted	7 (L 10)
Err(60)	Deletion	deleted	7 (L 11)
Err(61)	Deletion	deleted	7 (L 12)
$2.1.2.4\mathrm{Err}(62)$	Note	note1	7 (L 15)
Err(63)	Note	note2	7 (L 17)
Err(64)	Note	note3	7 (L 19)
Err(65)	Note	note4	7 (L 20)
Err(66)	Addition	custom label example	8 (L ??)
$\mathrm{Err}(67)$	Addition	added	8 (L ??)
Err(68)	Addition	added2	8 (L ??)
Err(69)	Addition	7	9 (L ??)
Err(70)	Addition	,	9 (L ??)