1 [before chap1] $_a^1$

 $^{^{1}}$ Erratum! SKROT before chap1P:1 (L 1)

Chapter 1

2 Chapter 1

 $[\text{In par1}]_a^2$

```
[\text{In par1}]_a^3
       ERRAT1 CREF: Err(1)
       ERRATA1 CPAGEREF: page 1
       ERR1 LINE NUMBER: 1.
       Therefore, the [result]_r^4,
                                                                               Err(4)
           Section 1.1
   1.1
   Note test space before?
10
                                                                               Err(5)
       Err(4) LINE NUMBER: 8.
11
       What's for? Its contents is delivered into the token list par1 [added
12
                                                                               Err(6)
   in par1^{6}_{a}.
       Err(5) (Err(6)) LINE NUMBER: 10.
       TeX is reading when it switches from vertical to horizontal mode.
15
   [added in par2]_a^7 This happens when TeX, in vertical mode, sees a hori-
16
                                                                               Err(7)
   zontal command par2.
17
       At that time the horizontal command is set aside; [added in par3]_a^8
18
                                                                               Err(8)
   before examining it again par3.
19
       Adding comma here [,]_a^9 horizontal command is set aside;
20
                                                                               Err(9)
       Sect1: section 1.1 (1.1)
21
```

```
Replace: Next' [WORD]_r^{10} 'has been replaced.
          Err(9) LINE NUMBER: 20.
          Add: A word has been' [added]_a^{11} 'here.
         Delete: A word has been' []_d^{12} 'removed here, and here' []_d^{13}'. [chap-one]_a^{14} [CREF INSIDE chapter 1]_a^{15}
          TEST TWO LINELABELS 7, 7 3
     1.1.0.0.1 TEST paragrah: Delete: A word has been removed
         with space: \begin{bmatrix} 18 \\ d \end{bmatrix} and without \begin{bmatrix} 19 \\ d \end{bmatrix}.
         \begin{bmatrix} 20 \\ d \end{bmatrix} at beginning of sentence.
         Delete comma' \begin{bmatrix} 21 \\ d \end{bmatrix} 'prev space is removed.
Removed a word' \begin{bmatrix} 22 \\ d \end{bmatrix} 'with no previous space.
          SECT1: section 1.1 SECT1PREF page 2
13
         [\text{tull}]_r^{23}, [\text{added}]_a^{24},
14
                  Subsection 1.1
     1.1.1
    SUBSECT1.1: section 1.1.1 (1.1.1)
          noinline
17
          [of]_r^{26}
        <sup>2</sup>ERRATUM! SKROT In par1P:2 (L 3)
        <sup>3</sup>Erratum! add In par1P:2 (L 4)
        <sup>4</sup>Erratum! grammar results →resultP:2 (L 8)
        <sup>5</sup>Erratum! Changes to paragraphP:2 (L 10)
        <sup>6</sup>Erratum! added in par1P:2 (L 12)
        <sup>7</sup>Erratum! added in par2P:2 (L 16)
        <sup>8</sup>Erratum! added in par3P:2 (L 18)
        <sup>9</sup>Erratum! ,P:2 (L 20)
       <sup>10</sup>ERRATUM! word →WORDP:3 (L 1)
       <sup>11</sup>Erratum! addedP:3 (L 3)
       <sup>12</sup>Erratum! removedP:3 (L 4)
       <sup>13</sup>Erratum! removedP:3 (L 4)
       <sup>14</sup>Erratum! Added listing chap-oneP:3 (L 5)
       <sup>15</sup>ERRATUM! Added listing CREF INSIDE chapter 1P:3 (L 5)
       <sup>16</sup>Erratum! Changes to paragraphP:3 (L 6)
       <sup>17</sup>Erratum! Changes to paragraphP:3 (L 6)
       <sup>18</sup>Erratum! removedP:3 (L 9)
       <sup>19</sup>Erratum! removedP:3 (L 9)
       <sup>20</sup>Erratum! removedP:3 (L 10)
       <sup>21</sup>Erratum! ,P:3 (L 11)
       <sup>22</sup>Erratum! removedP:3 (L 12)
       <sup>23</sup>Erratum! grammar tulls →tullP:3 (L 14)
       <sup>24</sup>Erratum! addedP:3 (L 14)
       <sup>25</sup>Erratum! noinlineP:3 (L 17)
```

Err(10)

Err(11)
Err(12)
Err(13)

Err(14)
Err(15)

Err(16)

Err(17)

Err(18)

Err(19)

Err(20)

Err(21)

Err(22)

Err(23)

Err(24)

Err(25)

Err(26)

²⁶ERRATUM! Fix gramar in →ofP:3 (L 18)

1	1.1.1.1 Subsubsection 1.1.1	
2	[insubsubsect] $_a^{27}$ SUBSUBSECT1: section 1.1.1.1 (1.1.1.1)	Err(27
4 5 6	1.1.1.1.1 Paragraph 1 [inparagraph] _a ²⁸ PAR1: § 1.1.1.1.1 (1.1.1.1) ERR1 ref: 1	Err(28
7	1.1.1.2 Subsubsection 1.1.2	
8 9	[insubsubsect two] $_a^{29}$ SUBSUBSECT2: section 1.1.1.2 (1.1.1.2)	Err(29
10	1.1.2 Subsection 1.2	
11 12	SECT2: section 1.1.2 $[insubsect2]_a^{30}$	Err(30
13	Paragraph 2 noinline	Err(31
14	noinline	Err(32

Section 2 1.2 1.2

Subsection 2.1 1.2.1

²⁷Erratum! grammar insubsubsectP:4 (L 2)

²⁸ERRATUM! grammar inparagraphP:4 (L 4)
²⁹ERRATUM! grammar insubsubsecttwoP:4 (L 8)
³⁰ERRATUM! grammar insubsect2P:4 (L 12)

 $^{^{31}}$ ERRATUM! noinlineP:4 (L 13) 32 ERRATUM! noinlineP:4 (L 14)

¹ Chapter 2

₂ Chapter2

```
HELLO [In chap2 par1.]_a^{33}
                                                                                                   Err(33)
        PAR1: chapter 2 (2)
        [\text{in chap two}]_a^{34}
                                                                                                   Err(34)
        PAR ONE: § 1.1.1.1.1
        SECT1: section 1.1.1
    2.1
              Section 2.1
    SECT2.1: section 2.1 (2.1)
                                                                                                   Err(35)
        [\text{inlinemark}]_a^{35}
10
        Here we have removed \begin{bmatrix} 36 \\ d \end{bmatrix} a word.
11
                                                                                                   Err(36)
        ERRATA35 pref: 5, lineref: 10
12
        [In this experiment, they are limited to bundle one previous segment.]_a^{37} Err(37)
         this is a test of a long erratum
                                                                                                   BErr(38)
       1. We can replace [newtext]_r^{38:1}
15
       2. and [\text{new text}]_a
16
       3. and finally delete old text \begin{bmatrix} 38:2 \\ d \end{bmatrix}
                                                                                                   EErr(38)
      <sup>33</sup>Erratum! In chap2 par1.P:5 (L 3)
      <sup>34</sup>Erratum! in chap twoP:5 (L 5)
      <sup>35</sup>Erratum! inlinemarkP:5 (L 10)
      ^{36}Erratum! removedP:5 (L 11)
      <sup>37</sup>Erratum! In this experiment, they are limited to bundle one previous seg-
    ment.P:5 (L 13)
      <sup>38</sup>Erratum! old should be new
     ^{38:1}was: oldtext
     ^{38:2}deleted: alltogether
```

Subsection Margin test 2.1.1

: Add test [added word]_a^{39} sentence test. : Add test [added missing word]_a^{40} sentence test. Err(39) Err(40) inlinemark=false : Add test new sentence test. marginargs=size=fb \triangle xld test [test]⁴² sentence test. Err(41)Err(42)customlabel: Err(40) : INNER MODE TEST ERRAT40: Err(40)10

$$a = a$$
 (2.1)
 $b = b[1]_a^{43}$ (2.2) Err(43)

Err(45)

REF(gatherlabel): 2.1

$$a = a$$

$$b = b[equationtest]_a^{44}$$
(2.3)

REF(equationlabel): 2.3 [Spaces here should be preserved]_a⁴⁵ 13

2.1.2Subsection Space tests

2.1.2.1erratumAdd space test

inlinemark=false : Add test [added] $_a^{46}$ sentence test. Err(46) inlinemark=false : Add test added sentence test. Err(47) inlinechange=false: Add test $\begin{bmatrix} 48 \\ a \end{bmatrix}$ sentence test. : Add test sentence test. inlineboth=false Err(48) : Add test $[,]_a^{50}$ sentence test. 20 Err(49) : Add test, sentence test. inlinemark=false 21 Err(50) 22 Err(51) ³⁹Erratum! added wordP:6 (L 2)

⁴⁰Erratum! forgotten words added missing wordP:6 (L 3)

⁴¹Erratum! missing word newP:6 (L 4)

⁴²Erratum! word 'test' missing testP:6 (L 5)

⁴⁵Erratum! Spaces here should be preservedP:6 (L 13)

⁴⁶Erratum! addedP:6 (L 16)

 $^{^{47}}$ Erratum! addedP:6 (L 17)

⁴⁸Erratum! addedP:6 (L 18)

⁴⁹Erratum! addedP:6 (L 19)

⁵⁰ERRATUM! ,P:6 (L 20)

⁵¹ERRATUM! ,P:6 (L 21)

$_{\scriptscriptstyle 1}$ 2.1.2.2 erratum Replace space test

2 3 4	inlinemark=false : Replace test $[repl]_r^{52}$ sentence test. inlinemark=false : Replace test repl sentence test. inlinechange=false : Replace test $[orig]_r^{54}$ sentence test.	Err(52) Err(53)
5	inlineboth=false : Replace test orig sentence test.	Err(54)
6	inlinechange=true : Replace test [repl] $_r^{56}$ sentence test.	
7		Err(55)
		Err(56)
8	2.1.2.3 erratumDelete space test	
9 10	inlinemark=false : Delete test sentence test. inlinemark=false : Delete test $\begin{bmatrix} 58 \\ d \end{bmatrix}$ sentence test.	Err(57)
11	inlinechange=false: Delete test [deleted] $_d^{59}$ sentence test.	Err(58)
12	inlineboth=false : Delete test deleted sentence test.	Err(59)
13		Err(60)
14	2.1.2.4 erratumNote space test	
15	inlinemark=false : Note test sentence test.	Err(61)
16 17 18	inlinemark=false : Note test $\begin{bmatrix} 1 & 62 \\ n & 62 \end{bmatrix}$ sentence test.	Err(62)
	inlinechange=false: Note test $\begin{bmatrix} 1 & 63 \\ n & 63 \end{bmatrix}$ sentence test.	Err(63)

Err(64)

21

inlineboth=false : Note test sentence test.

 $^{^{52}}$ ERRATUM! orig →replP:7 (L 2) 53 ERRATUM! orig →replP:7 (L 3) 54 ERRATUM! orig →replP:7 (L 4)

⁵⁵ERRATUM! orig →replP:7 (L 5)

⁵⁶ERRATUM! orig →replP:7 (L 6)

⁵⁷ERRATUM! deletedP:7 (L 9)

⁵⁸ERRATUM! deletedP:7 (L 10)

⁵⁹ERRATUM! deletedP:7 (L 11)

⁶⁰ERRATUM! deletedP:7 (L 12)

⁶¹ERRATUM! note1P:7 (L 15)

⁶²ERRATUM! note2P:7 (L 17)

⁶³ERRATUM! note3P:7 (L 19)

⁶⁴ERRATUM! note4P:7 (L 20)

Chapter 3

2 Testing special environments

₃ 3.1 List

15 3.2 Equation

 $^{^{65}}$ Erratum! margP:8 (L 4)

⁶⁶ERRATUM! test linelabel in inner modeP:8 (L 8)

⁶⁷ERRATUM! theP:8 (L 13)

```
Title \label{label} $$ \begin{array}{ll} \begin{array}{ll} \begin{array}{ll} \textbf{begin} & \textbf{begin} & \textbf{begin} & \textbf{begin} & \textbf{split} \\ \textbf{a=a} & \textbf{beb} & \textbf{customlabel} & \textbf{custom label} & \textbf{example} \\ \textbf{[Space test]} & \textbf{bed} & \textbf{split} \\ \textbf{bed} & \textbf{split} & \textbf{bed} & \textbf{equation} \\ \end{array} \\ & \begin{array}{ll} a=a \\ b=b[customlabelexample]_a^{68} & \textbf{[Spacetest]} \\ \hline & & \textbf{68ERRATUM!} & \textbf{custom label} & \textbf{exampleP:9} & \textbf{(L ??)} \\ & & \textbf{68ERRATUM!} & \textbf{custom label} & \textbf{exampleP:9} & \textbf{(L ??)} \\ \hline \end{array} \\ \end{array}
```

₂ 3.3 Tables

Alpha	Beta	Gamma $[added]_a^{69}$ $[added2]_a^{70}$	Err(69)
0	2	4	Err(70)
1	3	5	<u> </u>

3 3.4 Colorboxes

- 4 In this sentence $\operatorname{def}(x)$ we added a comma without an
- 5 inline mark\erratumAdd[inlinemark=true]{..} and a comma with
- 6 inline marking.

Example

Here we have \erratumAdd{three} errata in one
\erratumDelete{superfluous phrase}{darned} long \erratumReplace
[description={translated}]{Zeile}{line}

1

Chapter 4

₂ Errata

	Title	Type	Action	Page
	Err(1)	Addition	before chap1	1 (L 1)
1	Err(2)	Addition	In par1	2 (L 3)
	Err(3)	Addition	In par1	2 (L 4)
	Err(4)	Correction	$results \rightarrow result$	2 (L 8)
1.1	Err(5)	Note	Changes to paragraph	2 (L 10)
	Err(6)	Addition	added in par1	2 (L 12)
	Err(7)	Addition	added in par2	2 (L 16)
	Err(8)	Addition	added in par3	2 (L 18)
	Err(9)	Addition	1	2 (L 20)
	Err(10)	Correction	$word \rightarrow WORD$	3 (L 1)
	Err(11)	Addition	added	3(L3)
	Err(12)	Deletion	removed	3(L4)
	Err(13)	Deletion	removed	3(L 4)
	Err(14)	Addition	chap-one	3(L5)
	Err(15)	Addition	CREF INSIDE chapter 1	3(L5)
	Err(16)	Note	Changes to paragraph	3 (L 6)
	Err(17)	Note	Changes to paragraph	3 (L 6)
	$\operatorname{Err}(18)$	Deletion	removed	3 (L 9)
	Err(19)	Deletion	removed	3 (L 9)
	Err(20)	Deletion	removed	3 (L 10)
	$\operatorname{Err}(21)$	Deletion	,	3 (L 11)
	$\operatorname{Err}(22)$	Deletion	removed	3 (L 12)
	$\operatorname{Err}(23)$	Correction	tulls →tull	3 (L 14)
	$\operatorname{Err}(24)$	Addition	added	3 (L 14)
1.1.1	Err(25)	Addition	noinline	3 (L 17)

$\begin{array}{cccccccccccccccccccccccccccccccccccc$		Err(26)	Correction	in →of	3 (L 18)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.1.1.	1 Err(27)	Addition	insubsubsect	4 (L 2)
1.1.1.2 Err(29) Addition insubsubsecttwo 4 (L 8) 1.1.2 Err(30) Err(31) Addition insubsect2 4 (L 12) Err(31) Err(32) Addition noinline 4 (L 13) 2 Err(32) Addition In chap2 par1. Err(34) Addition in chap two 5 (L 3) 2.1 Err(35) Err(36) Err(36) Deletion removed Err(37) Addition In this experiment, they are lim- 5 (L 13)		` (1 1
1.1.2 Err(30) Addition insubsect2 4 (L 12) Err(31) Addition noinline 4 (L 13) Err(32) Addition noinline 4 (L 14) 2 Err(33) Addition In chap2 par1. 5 (L 3) Err(34) Addition in chap two 5 (L 5) 2.1 Err(35) Addition inlinemark 5 (L 10) Err(36) Deletion removed 5 (L 11) Err(37) Addition In this experiment, they are lim- 5 (L 13)					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.1.1.	$2\operatorname{Err}(29)$	Addition	insubsubsecttwo	4 (L 8)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.1.2	Err(30)	Addition	insubsect2	4 (L 12)
2 Err(33) Err(34) Addition In chap2 par1. S (L 3) Err(34) Addition in chap two 5 (L 3) 2.1 Err(35) Addition inlinemark Err(36) Deletion removed Err(37) 5 (L 10) Err(37) Addition In this experiment, they are lim- 5 (L 13)		Err(31)	Addition	noinline	4 (L 13)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Err(32)	Addition	noinline	4 (L 14)
2.1 Err(35) Addition inlinemark 5 (L 10) Err(36) Deletion removed 5 (L 11) Err(37) Addition In this experiment, they are lim- 5 (L 13)	2	Err(33)	Addition	In chap2 par1.	5 (L 3)
Err(36) Deletion removed 5 (L 11) Err(37) Addition In this experiment, they are lim- 5 (L 13)		Err(34)	Addition	in chap two	5 (L 5)
Err(36) Deletion removed 5 (L 11) Err(37) Addition In this experiment, they are lim- 5 (L 13)	2.1	Err(35)	Addition	inlinemark	5 (L 10)
		Err(36)	Deletion	removed	5 (L 11)
		Err(37)	Addition	In this experiment, they are lim-	5 (L 13)
ited to bundle one previous seg-				ited to bundle one previous seg-	
ment. \overline{a}		- ()		ment.	- ()
$\frac{\text{Err}(38)}{}$		Err(38)			5 (L 14)
2.1.1 Err(39) Addition added word $6 (L 2)$	2.1.1	Err(39)	Addition	added word	6 (L 2)
Err(40) Addition added missing word 6 (L 3)		Err(40)	Addition	added missing word	6 (L 3)
Err(41) Addition new 6 (L 4)		Err(41)		new	6 (L 4)
Err(42) Addition test 6 (L 5)		Err(42)	Addition	test	6 (L 5)
Err(43) Addition 1 6 (L ??)		Err(43)	Addition	1	6 (L ??)
Err(44) Addition equation test 6 (L ??)		Err(44)	Addition	equation test	6 (L ??)
Err(45) Addition Spaces here should be preserved 6 (L 13)		Err(45)	Addition	Spaces here should be preserved	6 (L 13)
2.1.2.1 Err(46) Addition added 6 (L 16)	2.1.2.	1 Err(46)	Addition	added	6 (L 16)
Err(47) Addition added 6 (L 17)		Err(47)	Addition	added	6 (L 17)
Err(48) Addition added 6 (L 18)			Addition	added	6 (L 18)
Err(49) Addition added 6 (L 19)		Err(49)		added	6 (L 19)
Err(50) Addition , 6 (L 20)		Err(50)	Addition	,	6 (L 20)
$\operatorname{Err}(51)$ Addition , 6 (L 21)		Err(51)	Addition	,	6 (L 21)
$2.1.2.2 \operatorname{Err}(52) \qquad \operatorname{Correction} \operatorname{orig} \rightarrow \operatorname{repl} \qquad \qquad 7 \text{ (L 2)}$	2.1.2.	$2\operatorname{Err}(52)$	Correction	orig →repl	7 (L 2)
$Err(53)$ Correction orig $\rightarrow repl$ 7 (L 3)		Err(53)	Correction	orig →repl	
$Err(54)$ Correction orig $\rightarrow repl$ 7 (L 4)		Err(54)	Correction	orig →repl	7 (L 4)
$Err(55)$ Correction orig $\rightarrow repl$ 7 (L 5)		Err(55)	Correction	orig →repl	7 (L 5)
$Err(56)$ Correction orig $\rightarrow repl$ 7 (L 6)		Err(56)	Correction	$orig \rightarrow repl$	7 (L 6)
2.1.2.3Err(57) Deletion deleted 7 (L 9)	2.1.2.	3Err(57)	Deletion	deleted	7 (L 9)
Err(58) Deletion deleted 7 (L 10)		` /			` /

	Err(59)	Deletion	deleted	7 (L 11)
	Err(60)	Deletion	deleted	7 (L 12)
2.1.2	.4Err(61)	Note	note1	7 (L 15)
	Err(62)	Note	note2	7 (L 17)
	Err(63)	Note	note3	7 (L 19)
	Err(64)	Note	note4	7 (L 20)
3.1	Err(65)	Deletion	marg	8 (L 4)
	Err(66)	Addition	test linelabel in inner mode	8 (L 8)
	Err(67)	Deletion	the	8 (L 13)
	Err(68)	Addition	custom label example	9 (L ??)
	Err(69)	Addition	added	9 (L ??)
	Err(70)	Addition	added2	9 (L ??)
3.4	Err(71)	Addition	,	9 (L ??)
	Err(72)	Addition	,	9 (L ??)