BEFORE THE
STATE OF NEW YORK
PUBLIC SERVICE COMMISSION

Proceeding on Motion of the Commission as to the Rates, Charges, Rules and Regulations of Consolidated Edison Company of New York, Inc. for Electric and Gas Service.

Cases 25-E-0072, 25-G-0073

April 10, 2025

Prepared Testimony of:

Clean Energy Transition

Panel

Vicky Kuo
4 Irving Place
New York, New York 10003

Patrick McHugh
4 Irving Place
New York, New York 10003

Mary Kelly
4 Irving Place
New York, New York 10003

Christopher Raup
4 Irving Place
New York, New York 10003

Venetia Lannon
4 Irving Place
New York, New York 10003

Christina Ho
4 Irving Place
New York, New York 10003

Steven Parisi
4 Irving Place
New York, New York 10003

LaAsia Hundley
4 Irving Place
New York, New York 10003

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

CLEAN ENERGY TRANSITION PANEL
UPDATE/CORRECTION TESTIMONY

Q. Please state your names.

A. Vicky Kuo, Mary Kelly, Venetia Lannon, Steven Parisi, Patrick McHugh, Christopher Raup, Christina Ho and LaAsia Hundley.

Q. Have you previously submitted testimony in this proceeding?

A. Yes. We previously submitted direct testimony on behalf of Consolidated Edison Company of New York, Inc. ("Con Edison" or "Company") as the Clean Energy Transition Panel ("CETP" or the "Panel") as part of the Company's January 2025 filing.

Q. What is the purpose of the Panel's update and correction testimony?

A. The Panel is making corrections to Exhibit ___ (CETP-2), Schedule 2.

CORRECTIONS

Q. Please describe the Company's corrections to Exhibit ___ (CETP-2), Schedule 2.

A. The corrections include revising the Building Electrification ("BE") indirect emissions downward by approximately 423,000 tons of carbon dioxide

equivalent ("CO2e") over the three-year period (approximately 12% reduction from original). With no change to the EV-related indirect emissions, the total indirect emissions are also reduced by 423,000 tons of CO2e (approximately 6% reduction from the original).

Q. Please describe the reasons for these corrections.

A. The changes stem from applying more accurate appliance efficiency factors to non-space/water heating end uses, specifically for cooking and clothes drying. These corrections are reflected in the attached Exhibit ___ (CETP-2-UPD), Schedule 2.

Q. What are the results of these corrections on the Company's anticipated indirect greenhouse gas ("GHG") emissions reductions?

A. Anticipated indirect GHG emissions reductions are lowered from approximately 7 million MT CO2e in the original exhibit to approximately 6.6 million MT CO2e, as set forth in Exhibit ___ (CETP-2-UPD), Schedule 2.

Q. Does this conclude your update and correction testimony?

A. Yes, it does.