Idle power:	5,39	W
-------------	------	---

- 1					_
n	n	ha	1-1	ш	۰

	Measured power [W]					Estimated power [W]		delta P		
	Run 1	Run 2	Run 3	Average	verage StdDev PEWMS PEWMS			3		
930	8,727	8,758	8,728	8,738	0,014	8,398		0,339	4,04%	
1130	7,913	7,894	7,870	7,892	0,018	7,642		0,250	3,27%	
1330	7,390	7,424	7,414	7,410	0,014	7,198		0,211	2,94%	
1530	7,129	7,103	7,136	7,123	0,014	6,927		0,196	2,83%	
1730	6,882	6,875	6,910	6,889	0,015	6,720		0,169	2,52%	
1930	6,697	6,695	6,696	6,696	0,001	6,566		0,130	1,98%	

global-ILP - fixed 930ms solution

Run 1 Run 2 Run 3 Average StdDev PEWMS 930 8,724 8,875 8,784 0,062 8,398 0,396 4,72% 1130 8,162 8,192 8,143 8,166 0,020 7,866 0,300 3,82% 1330 7,838 7,804 7,800 7,814 0,017 7,494 0,320 4,28% 1530 7,488 7,528 7,496 0,017 7,219 0,286 3,96% 1730 7,276 7,307 7,287 7,290 0,013 7,007 0,283 4,03% 1930 7,094 7,151 7,098 7,114 0,026 6,840 0,075 4,02%	Measured power [W]						Estimated power [W]	delta P
1130 8,162 8,192 8,143 8,166 0,020 7,866 0,300 3,82% 1330 7,838 7,804 7,800 7,814 0,017 7,494 0,320 4,28% 1530 7,488 7,528 7,496 7,504 0,017 7,219 0,286 3,96% 1730 7,276 7,287 7,290 0,013 7,007 0,283 4,03%	Run 1	Run 2	Run 3	Average	StdDev	PEWMS		PEWMS
1330 7,838 7,804 7,800 7,814 0,017 7,494 0,320 4,28% 1530 7,488 7,528 7,496 7,504 0,017 7,219 0,286 3,96% 1730 7,276 7,307 7,287 7,290 0,013 7,007 0,283 4,03%	8,724	8,875	8,784	8,794	0,062	8,398		0,396 4,72%
1530 7,488 7,528 7,496 7,504 0,017 7,219 0,286 3,96% 1730 7,276 7,307 7,287 7,290 0,013 7,007 0,283 4,03%	8,162	8,192	8,143	8,166	0,020	7,866		0,300 3,82%
1730 7,276 7,307 7,287 7,290 0,013 7,007 0,283 4,03%	7,838	7,804	7,800	7,814	0,017	7,494		0,320 4,28%
	7,488	7,528	7,496	7,504	0,017	7,219		0,286 3,96%
1930 7,094 7,151 7,098 7,114 0,026 6,840 0,275 4,02%	7,276	7,307	7,287	7,290	0,013	7,007		0,283 4,03%
	7,094	7,151	7,098	7,114	0,026	6,840		0,275 4,02%
		8,724 8,162 7,838 7,488 7,276	Run 1 Run 2 8,724 8,875 8,162 8,192 7,838 7,804 7,488 7,528 7,276 7,307	Run 1 Run 2 Run 3 8,724 8,875 8,784 8,162 8,192 8,143 7,838 7,804 7,800 7,488 7,528 7,496 7,276 7,307 7,287	Run 1 Run 2 Run 3 Average 8,724 8,875 8,784 8,794 8,162 8,192 8,143 8,166 7,838 7,804 7,800 7,814 7,488 7,528 7,496 7,504 7,276 7,307 7,287 7,290	Run 1 Run 2 Run 3 Average StdDev 8,724 8,875 8,784 8,794 0,062 8,162 8,192 8,143 8,166 0,020 7,838 7,804 7,800 7,814 0,017 7,488 7,528 7,496 7,504 0,017 7,276 7,307 7,287 7,290 0,013	Run 1 Run 2 Run 3 Average StdDev PEWMS 8,724 8,875 8,784 8,794 0,062 8,398 8,162 8,192 8,143 8,166 0,020 7,866 7,838 7,804 7,800 7,814 0,017 7,494 7,488 7,528 7,496 7,504 0,017 7,219 7,276 7,307 7,287 7,290 0,013 7,007	Run 1 Run 2 Run 3 Average StdDev PEWMS 8,724 8,875 8,784 8,794 0,062 8,398 8,162 8,192 8,143 8,166 0,020 7,866 7,838 7,804 7,800 7,814 0,017 7,494 7,488 7,528 7,496 7,504 0,017 7,219 7,276 7,307 7,287 7,290 0,013 7,007

minutil+LTF

	Measured power [W]						Estimated power [W]	delt	a P
	Run 1	Run 2	Run 3	Average	StdDev	PEWMS		global-ILP	
930	8,956	8,986	8,911	8,951	0,031	8,613		0,338	3,93%
1130	8,785	8,811	8,776	8,791	0,015	8,486		0,304	3,59%
1330	8,476	8,479	8,490	8,482	0,006	8,199		0,283	3,45%
1530	8,128	8,125	8,121	8,125	0,003	7,861		0,264	3,35%
1730	7,823	7,855	7,823	7,834	0,015	7,570		0,263	3,48%
1930	7,605	7,595	7,586	7,595	0,008	7,344		0,251	3,42%