MOED / MESSAGEMONKEY

Comprehensive User Guide

Build your audience.
Create thoughtful messages.
Understand what happens next.

A PRACTICAL REFERENCE FOR THE WHOLE WORKSPACE

Connections / Campaigns / Email design

Automations / Forms and surveys / Inbox

Analytics / AI assistance / Troubleshooting

Version 2.8.2 | October 26, 2026

14 chapters | 56 illustrated walkthroughs

For reviewers, editors, and administrators

Open the contents >

Searchable text / Clickable chapters / Topic finder / Native high-resolution figures

Contents

Choose a chapter. Page numbers, headings, and footer controls are clickable.

01 Getting started	5
02 Roles and protected actions	11
03 Connections, imports, and exports	13
04 Tags, groups, fields, and segments	21
05 Campaigns and planning	26
06 Email templates and the editor	31
07 Content and Brand Kit	37
08 Delivery, sending, and scheduling	40
09 Automations	44
10 Forms, surveys, and preferences	49
11 Inbox conversations	59
12 Analytics and custom reports	65
13 Ask Analytics AI and Write with AI	70
14 Troubleshooting and common questions	74

How to use this guide / Quick reference / Topic finder

How to use this guide

Start with the task you need to complete. Read the chapter reference, then follow its illustrated walkthroughs.

Navigate without losing your place

Use the clickable contents, PDF bookmarks, or alphabetical Topic finder. Every interior page links to Contents and Topic finder; walkthroughs also link back to their chapter. Use your PDF viewer search to find a label or phrase.

Read screenshots as examples

All captured records, campaigns, messages, and report activity are fictional local examples. No external email was sent while producing this guide. Some screens intentionally show draft, empty, unverified, or blocked states. Those states illustrate what to inspect before proceeding.

Match the task to your access

Reviewer, Editor, and Administrator controls differ. Demo restrictions, role preview, security requirements, and Admin Unlock may further limit actions. The screenshots use an administrator in an isolated preview; your account may show fewer controls.

Distinguish save, publish, and send

Save preserves a draft. Publish makes a supported resource available to visitors. Sending or activating an automation can contact people. Read the final confirmation, recipients, timing, and result for the action you are taking.

Use the online guide for quick lookup

Open User Manual beneath Write with AI in the MessageMonkey sidebar. The online guide provides task search and role-aware links to the application. This PDF adds illustrated walkthroughs and offline navigation.

About this edition

This guide documents the MessageMonkey workspace in version 2.8.2 as captured on October 26, 2026. Screenshots are native 3x PNG captures embedded without lossy compression or resizing of their pixel data. Each displayed screenshot meets a minimum of 300 effective DPI. The PDF text and diagrams remain searchable or vector-based.

Quick reference

Three distinctions prevent many common mistakes.

Tags, groups, fields, and segments

Tags are internal labels. Groups collect related choices, which may be exposed to subscribers. Fields store structured profile values and provide merge tags. Segments save matching rules whose membership can change.

Consent and delivery status

Subscribed means email permission is recorded, but delivery is not guaranteed. Non-subscribed means permission is missing; unsubscribed records have opted out; cleaned addresses are invalid or undeliverable. Pending addresses await confirmation. Archived or otherwise suppressed records remain ineligible. Never change a status merely to bypass a sending block.

Observed results and actual outcomes

Queued work has not necessarily reached the provider. Provider acceptance and confirmed delivery are different stages. Opens and clicks are observations affected by privacy tools and automation; they do not prove that a person read the message.

Recognize the action controls

Edit Results Done Archive Protected

Hover or focus an icon to read its actual label. Ordinary action icons gain a background on hover or focus. Protected controls retain an orange outline until the required Admin Unlock is active. The outline is an access cue, not a completed action.

Before a send



Review the final recipient count, run the available tests, and inspect the queued or delivery result before retrying a submission.

CHAPTER 01

Getting started

Find your way around MessageMonkey and choose the right starting point.

1 **Connect**
Review your audience

→

2 **Create**
Prepare useful content

→

3 **Learn**
Read the results

Your MessageMonkey workspace

MessageMonkey is MOED's email and audience workspace. Use it to organize connections, create campaigns, collect signups and survey responses, run automations, and review results. Each account has one shared audience. Check the account banner before making changes.

A MessageMonkey connection is an audience record with an email status, tags, and profile fields. Do not assume that editing an audience record also updates an organization or contact elsewhere in MOED.

Start at **Home** for a snapshot of activity. For a first campaign, review your connections, prepare your content, and check delivery setup before sending.

Navigation, search, and display

The sidebar opens Campaigns, Automations, Forms, Audience, Content, Analytics, and the AI tools available to your role. Related pages appear beneath the active area. The sidebar control minimizes navigation; on a small screen, use the menu button to open it.

Use **Search MessageMonkey** in the top bar to find available pages, connections, campaigns, flows, and help. Use each page's search box for that list. Theme controls in the account tools switch between light and dark display.

Return here through **User Manual**. Search this guide with words such as "import", "unsubscribe", or "schedule". Press / to focus the manual search, Enter to open the first matching topic, and Escape in the search field to clear it.

Lists, selection, and action icons

Search, filters, sorting, and pagination work together. If an item seems missing, clear the filters and check the archived or removed view. The page arrows move through the current result set; the page-size control changes how many rows you see.

Before a bulk action, read the selection count and scope. Selected rows and all matching results are different scopes. Hover over an action icon, or focus it with the keyboard, to read its label. Forms, Surveys, and Automations show **Results** before **Edit**.

Action icons gain a background on hover or focus. An orange outline that remains visible indicates an action protected by **Admin Unlock**. The outline is a permission cue; it does not mean the action has already run.

CHAPTER 01 / WALKTHROUGH 01

Start with the Home overview



Figure 01. Start with the Home overview. Current workspace, shown with fictional example data.

01 Check the account identity and the selected reporting dates.

02 Use the sidebar to open the workspace you need. The Home tiles summarize the current scope.

03 Open a detailed report before drawing conclusions from a headline number.

CHAPTER 01 / WALKTHROUGH 02

Find guidance in the online manual



Figure 02. Find guidance in the online manual. Current workspace, shown with fictional example data.

01 Choose User Manual beneath Write with AI in the sidebar.

02 Enter a topic such as import, schedule, or unsubscribe in Search the manual.

03 Choose a matching topic or use the chapter navigation.

CHAPTER 01 / WALKTHROUGH 03

Work in dark mode



Figure 03. Work in dark mode. Dark mode.

01 Use the account theme control to switch display mode.

02 The same navigation, filters, and actions remain available in either theme.

03 Check icon labels and status text as well as color when identifying an action.

CHAPTER 01 / WALKTHROUGH 04

Use the workspace on a small screen



Figure 04. Use the workspace on a small screen. Small-screen view.

01 Open the navigation menu to move between workspaces.

02 Close the menu to work with the current page.

03 Use horizontal scrolling where a table contains more columns than the screen can show.

CHAPTER 01 / WALKTHROUGH 05

Read the online guide in dark mode



Figure 05. Read the online guide in dark mode. Dark mode.

01 Switch the account display to dark mode.

02 Use the same chapter links and search controls; the current role remains visible.

03 Open View Comprehensive User Guide to read or save the illustrated PDF.

CHAPTER 02

Roles and protected actions

Understand which tools are available and how confirmation protects important changes.

1 **Identify**
Check your role

→

2 **Unlock**
Authorize protected work

→

3 **Confirm**
Review the consequences

Reviewer, Editor, and Administrator

Role	What you can do
Reviewer	Browse permitted audience records, campaigns, forms, automations, and reports; use Ask Analytics AI and this manual. Editing, imports, exports, Inbox, and Write with AI require an editor or administrator.
Editor	Create and edit content, manage audience records, use imports and exports, and work in Inbox. Sending also requires unrestricted access and successful delivery checks.
Administrator	Use editor tools plus administrative delivery settings and protected deletion or cleanup actions. Some actions also require a recent Admin Unlock.

Demo restrictions, account security requirements, and role preview can further limit these capabilities. A role name alone does not guarantee that sending or account configuration is available.

Admin Unlock and confirmation

An orange outline marks a control that needs Admin Unlock. An administrator must complete the unlock prompt before the protected operation can proceed. If an unlock expires, complete it again when prompted.

Unlocking does not replace the action's confirmation. Read the item name, count, and consequences before confirming. If a dialog requests a particular word, type that word exactly. Do not use permanent deletion when archiving or removing an item from a list would meet your need.

Saving and concurrent edits

Use the page's Save or Save draft control and wait for the saved confirmation. A preview, AI suggestion, or open editor is not proof that a change has been saved.

If MessageMonkey says a record changed, another save may have happened since you opened it. Preserve your unsaved text, reload the current record, compare the changes, and apply what is still needed. Repeatedly submitting an old screen will not resolve a version conflict.

CHAPTER 02 / WALKTHROUGH 06

Read role permissions and protected-action cues



Figure 06. Read role permissions and protected-action cues. Current workspace, shown with fictional example data.

01 Reviewer access focuses on browsing and analysis. Editors can change content and audience data.

02 Administrators have additional controls; sensitive actions may also require Admin Unlock.

03 Read the action label and confirmation before proceeding. An orange outline marks a protected control.

CHAPTER 03

Connections, imports, and exports

Maintain accurate audience profiles and move data with the correct scope.



Add or update a connection

1. Open **Audience**. Choose **Add connections > Add a single connection**, or open an existing connection.
2. Enter or review the email address, name, profile fields, and email subscription status. Use the person's actual consent when choosing a status.
3. Add relevant tags and groups. Use notes for useful context that does not belong in a structured field.
4. Save, then review the profile and its activity. For multiple records, filter the list and check the selection before applying a bulk change.

Custom fields and merge tags are managed from the audience menu. Required fields and validation messages must be resolved before saving.

Subscription status, archive, and delete

A connection's email status describes its permission or ability to receive campaign email. Having an audience record, tag, or group membership does not by itself give permission to send.

Status	What it means	Email eligibility and next steps
Subscribed	Permission to receive campaign email has been recorded.	May receive campaigns and automation emails when active, selected, and otherwise eligible. This status does not guarantee delivery.
Unsubscribed	The person has opted out of campaign email, or the record was explicitly marked unsubscribed.	Excluded from campaign email. A public signup must complete a fresh email confirmation before this address can rejoin, even on a single opt-in form.
Non-subscribed	The audience record exists, but permission to receive campaign email has not been obtained or recorded. This is different from an opt-out.	Excluded from campaign email. Obtain and record permission, or have the person subscribe through a signup form, before treating them as subscribed.

Status	What it means	Email eligibility and next steps
Cleaned	The address has been identified as invalid or undeliverable, such as after a permanent bounce.	Excluded from campaign email. Supply a corrected address and fresh permission before subscribing it. Changing the status or repeating a signup cannot clear the block on the same address.

Pending is an additional confirmation state: a double opt-in signup is awaiting email confirmation and is not yet subscribed. Confirmation and delivery events control Pending and Cleaned; do not use a status change to bypass either safeguard.

Non-subscribed versus Unsubscribed: both are excluded from campaign email, but Non-subscribed means permission is missing, while Unsubscribed records an opt-out. Importing a record or adding a tag does not supply missing permission.

Archiving removes a connection from the active audience view while retaining its record and email status. Find it under **Archived connections** to review or restore it. Restoring a record does not create new consent or clear an email suppression.

Permanent deletion is different from unsubscribing and requires an administrator, a recent **Admin Unlock**, and the requested typed confirmation. Use **Unsubscribe** to honor an opt-out.

Import connections

1. Choose **Add connections > Import connections** and upload a file accepted by the import screen.
2. Map columns to email, names, custom fields, groups, or tags. Inspect the preview instead of relying only on column names.
3. Review subscription status, existing-record handling, and the target tags or groups. Confirm that the source supports the intended email permissions.
4. Start the import. Follow its progress in the job view or **Import history**.
5. Read the completion summary and row errors. Correct rejected data and verify a few imported profiles before using the audience in a campaign.

A queued or partially processed job is not a completed import. Use the available job controls to resume or cancel as appropriate. Import undo is a protected operation: read its stated scope before confirming, especially if records have since been edited.

Export connections and job history

Editors and administrators can export permitted data. Set the desired filters, choose the export scope, and confirm whether the export contains selected connections or the complete matching set. A single connection also has an Export action on its profile.

Open **Export history** from the audience menu to review progress and download completed jobs. Check the file contents and any included supporting files before sharing them. Keep exports only where the people receiving them are allowed to access the audience data.

CHAPTER 03 / WALKTHROUGH 07

Find and filter connections



Figure 07. Find and filter connections. Current workspace, shown with fictional example data.

01 Search for a connection or narrow the list with filters.

02 Check the active or archived scope and the number of matching records.

03 Open the email address or name to review a profile before making changes.

CHAPTER 03 / WALKTHROUGH 08

Review a connection profile



Figure 08. Review a connection profile. Current workspace, shown with fictional example data.

01 Confirm the email address and subscription status.

02 Review profile fields, tags, groups, and the available activity or notes tabs.

03 Save each edited section and wait for confirmation.

CHAPTER 03 / WALKTHROUGH 09

Begin a connection import



Figure 09. Begin a connection import. Current workspace, shown with fictional example data.

01 Choose Import connections from Add connections.

02 Use an accepted file type and include an email column.

03 Continue to mapping and review before starting the import. Uploading a file alone does not complete the job.

CHAPTER 03 / WALKTHROUGH 10

Match imported columns



Figure 10. Match imported columns. Current workspace, shown with fictional example data.

01 Inspect the example data beside each source column.

02 Map each column to the intended field and ignore columns that should not be imported.

03 Review consent, existing-record handling, and tags in the remaining steps before starting.

CHAPTER 03 / WALKTHROUGH 11

Check import results



Figure 11. Check import results. Current workspace, shown with fictional example data.

01 Wait for the final job state rather than assuming that queued means complete.

02 Read the processed and rejected row counts and any available error details.

03 Verify sample profiles. Undo has a limited scope and does not restore every later edit.

CHAPTER 03 / WALKTHROUGH 12

Find completed exports



Figure 12. Find completed exports. Current workspace, shown with fictional example data.

01 Start an export from the connection list or an individual profile.

02 Use Export history to review the job state and download a completed export.

03 Confirm the exported scope and keep audience data in an appropriate location.

CHAPTER 04

Tags, groups, fields, and segments

Choose the right way to organize connections and target a message.

1. **Label** — Tags and group choices
2. **Describe** — Fields and merge tags
3. **Target** — Reusable segment rules

Tags: internal labels

Tags are labels you apply to connections, such as a volunteer team or event interest. Open **Audience > Tags** to create or rename a tag. Click the tag's name to see its connections; a separate View connections action is unnecessary.

Apply tags from a profile, a selected audience list, the bulk-tag tool, or an import. Removing a tag from a connection changes that association. Deleting a tag definition removes the label and its associations while keeping the connections; protected deletion requires the access shown by the control.

Groups and profile fields

Groups organize choices within a category, such as areas of interest. Choose the group's display type and options to fit the question. When exposed in a signup or preferences form, these choices can be selected by the subscriber.

Fields hold structured values such as a name, date, address, or number. In **Fields and merge tags**, choose the correct field type, required setting, public visibility, and any default value. Treat removing a field or group option as a data change, not just a visual adjustment.

Use the field's merge tag to personalize content. Preview messages with representative records, including one with a blank optional field, so missing data does not produce an awkward greeting or broken link.

Segments: reusable audience rules

1. Open **Audience > Segments** and create a segment.

2. Add rules for the available profile, membership, activity, or engagement criteria.

3. Choose whether connections must match **all** rules or **any** rule. Review the resulting connections and count.

4. Save the segment with a name that explains its purpose, then use it when selecting a campaign audience.

A segment describes criteria, so membership can change as records and activity change. Recheck the campaign's recipient review near send time. A match is not a promise of delivery: unsubscribes, suppressions, and other sending checks still apply.

CHAPTER 04 / WALKTHROUGH 13

Use tag names to view their connections



Figure 13. Use tag names to view their connections. Current workspace, shown with fictional example data.

01 Create or locate an internal label with a clear purpose.

02 Click a tag name to open the associated connections.

03 Use the action labels to rename or delete a tag. Deleting the label keeps the connections.

CHAPTER 04 / WALKTHROUGH 14

Manage subscriber interest groups



Figure 14. Manage subscriber interest groups. Current workspace, shown with fictional example data.

01 Open an existing group or create a category for related choices.

02 Choose the display type and options that fit the question.

03 Check which choices appear in signup and preferences forms.

CHAPTER 04 / WALKTHROUGH 15

Review fields and merge tags



Figure 15. Review fields and merge tags. Current workspace, shown with fictional example data.

01 Review each field type, merge tag, required setting, and public visibility.

02 Use merge tags in content only after checking sample and missing values.

03 Removing a field can remove stored information; read the protected confirmation.

CHAPTER 04 / WALKTHROUGH 16

Choose a reusable segment



Figure 16. Choose a reusable segment. Current workspace, shown with fictional example data.

01 Open a segment to inspect its rules.

02 Review whether all rules or any rule must match and check the resulting connections.

03 Recheck recipient eligibility at send time; segment membership can change.

CHAPTER 05

Campaigns and planning

Move from an idea to a complete email draft and an organized campaign plan.



Create an email draft

1. Choose **Create Campaign** and select the available email type. Give the draft an internal name you can recognize later.

2. Complete the recipient selection, sender details, subject, and preview text. Review any exclusions.

3. Choose or create the email content. Save your edits before returning to the campaign checklist.

4. Review settings and tracking, preview the email, and send an appropriate test when delivery access allows it.

5. Use **Finish later** to return to the campaign list, or continue to the separate send review when the draft is ready.

Saving a campaign does not send it. The final sending or scheduling step is separate and performs its own readiness checks.

Find, duplicate, and archive campaigns

Use the Campaigns search, filters, folders, and status views to find the right email. Open its name to review it. A duplicate is a starting point for a new message; recheck recipients, dates, sender information, links, and subject before sending.

Archive campaigns you want out of the active list while retaining their history. Review archived items before restoring or permanently deleting anything. If an email has already been sent, changing a new draft cannot change the copy in recipients' inboxes.

Campaign Manager and touchpoints

Campaign Manager groups planned work around a campaign. Create a campaign plan, then add touchpoints for the messages and activities that belong to it. Use the available calendar and list views to review timing and open a touchpoint to adjust its details.

A planning date helps coordinate work. Confirm the linked email's actual send or schedule status separately. Before an event date changes, review all affected touchpoints and scheduled emails instead of assuming one edit updates every message.

CHAPTER 05 / WALKTHROUGH 17

Manage email drafts and previous campaigns



Figure 17. Manage email drafts and previous campaigns. Current workspace, shown with fictional example data.

01 Search or filter the list by the scope you need.

02 Open a draft to continue its checklist, or create a new campaign.

03 After duplicating a campaign, recheck recipients, sender, dates, and links.

CHAPTER 05 / WALKTHROUGH 18

Complete the campaign checklist



Figure 18. Complete the campaign checklist. Current workspace, shown with fictional example data.

01 Complete To, From, Subject, and Content using the available edit controls.

02 Review settings and tracking before finishing the draft.

03 Save and preview the content, then continue to the separate sending review when ready.

CHAPTER 05 / WALKTHROUGH 19

Prepare a plain-text campaign



Figure 19. Prepare a plain-text campaign. Current workspace, shown with fictional example data.

01 Use the plain-text campaign type when a simple text message fits the task.

02 Review personalization, readable links, and the final subject.

03 Save the draft and run the same recipient and delivery checks used for other campaigns.

CHAPTER 05 / WALKTHROUGH 20

Coordinate work in Campaign Manager



Figure 20. Coordinate work in Campaign Manager. Current workspace, shown with fictional example data.

01 Open a campaign plan to review its date range and touchpoints.

02 Add email, task, or event touchpoints to coordinate related work.

03 Check the linked email separately: a planning date is not proof that the email is scheduled.

CHAPTER 06

Email templates and the editor

Build reusable emails and check how the final message will read.

1. **Choose** — Start from a template
2. **Edit** — Text, blocks, and design
3. **Preview** — Desktop, mobile, and test

Choose or save a template

Open **Campaigns > Email templates** to browse saved designs or start a new one. Choose a starter that fits the message, then replace example text, links, and images. Organize reusable designs with clear names and folders.

Saving a template makes it available for future work; it does not send an email. A campaign using a template still needs its own content review and recipient settings. After changing a reusable template, check an existing campaign directly rather than assuming its draft has changed too.

Edit content and design

1. Select a content block to edit its text, image, button, or other supported content.

2. Use the block and style controls for spacing, alignment, colors, and typography. Keep button labels short and descriptive.

3. Insert approved files and logos from Content. Add useful image descriptions and check every destination URL.

4. Use Undo and Redo to correct recent edits, then Save. Review the saved state before leaving the editor.

Keep essential information in text as well as images. Include a meaningful link label, such as "View the event details", so the message remains understandable when images are blocked.

Preview, personalization, and test email

Review desktop and mobile previews, the plain-text content where available, and the final subject and preview text. Check merge tags with realistic connection values and missing optional values. Confirm dates, names, amounts, contact information, and unsubscribe or preferences links.

Send a test through the provided test-email control when allowed, then inspect the actual received email and click its links. A visual preview does not prove that sender setup or delivery is working. Resolve any test or preflight error before attempting the real send.

CHAPTER 06 / WALKTHROUGH 21

Choose a reusable email template



Figure 21. Choose a reusable email template. Current workspace, shown with fictional example data.

01 Open a saved design or choose an available starter.

02 Replace example text, links, and images before use.

03 Save reusable designs with names that describe their purpose.

CHAPTER 06 / WALKTHROUGH 22

Build the email in the visual editor



Figure 22. Build the email in the visual editor. Current workspace, shown with fictional example data.

01 Select a block in the email preview to open its content controls.

02 Use block and design settings for typography, spacing, images, and buttons.

03 Use Undo or Redo when needed, then Save and review the saved state.

CHAPTER 06 / WALKTHROUGH 23

Review the email with your team



Figure 23. Review the email with your team. Current workspace, shown with fictional example data.

01 Check the message content, subject, and preview text.

02 Use comments for specific corrections or questions.

03 Resolve the edits in the draft and verify them before the final sending review.

CHAPTER 06 / WALKTHROUGH 24

Check the email preview before testing



Figure 24. Check the email preview before testing. Current workspace, shown with fictional example data.

01 Open Preview and choose Enter preview mode.

02 Review the message with the available connection and device controls.

03 Check dates, links, personalization, and missing optional values before sending a test.

CHAPTER 06 / WALKTHROUGH 25

Inspect the mobile email preview



Figure 25. Inspect the mobile email preview. Current workspace, shown with fictional example data.

01 Choose Mobile in the preview toolbar.

02 Check text size, image proportions, button labels, and reading order.

03 Use Simulate dark mode as an additional check; inspect a real test message because email clients differ.

CHAPTER 07

Content and Brand Kit

Keep images, files, and brand choices ready for consistent messages.

1. **Collect** — Organize approved assets
2. **Style** — Set your brand choices
3. **Inspect** — Preview each destination

Upload and organize files

Open **Content > My files** to upload supported assets and organize them into folders. Choose a descriptive filename and inspect the uploaded result. Search or filter the library when selecting content for an email or form.

When an image-editing control is available, check the crop and dimensions in the destination layout. Avoid embedding important text only inside an image. Before removing a file, consider where it is already used: recipients may open older messages long after they were sent.

Set up the Brand Kit

Use **Content > Brand Kit** to manage the logos, colors, and font choices offered by MessageMonkey. Review a logo against both light and dark backgrounds and choose colors with enough contrast for readable text and controls.

Save the brand choices, then inspect them in the email or form you are building. Brand settings help you stay consistent, but each design still needs a preview. Verify the final appearance instead of assuming a brand update has revised every previously saved item.

CHAPTER 07 / WALKTHROUGH 26

Manage files for your campaigns



Figure 26. Manage files for your campaigns. Current workspace, shown with fictional example data.

01 Find or upload the image or document required for your message.

02 Use descriptive names and folders so the file is easy to find again.

03 Check image descriptions, link destinations, and how the asset appears in the final email.

CHAPTER 07 / WALKTHROUGH 27

Set the Brand Kit



Figure 27. Set the Brand Kit. Current workspace, shown with fictional example data.

01 Review the organization identity, logo, colors, and typography.

02 Use approved brand details as the starting point for new content.

03 Inspect existing drafts directly after a brand change; do not assume every saved design has changed.

CHAPTER 08

Delivery, sending, and scheduling

Check readiness, approve the final audience, and follow delivery outcomes.



Prepare Email delivery

An unrestricted administrator configures **Campaigns > Email delivery**. Follow the setup screen for the Amazon SES sending identity, domain authentication, event notifications, and public email links. Complete the displayed verification steps and review readiness results.

Use an address and domain the account is authorized to send from. If verification is pending or a delivery requirement fails, fix that requirement before sending. Inbox receiving sources have their own setup; a working outgoing sender does not by itself establish an inbound route.

Send or schedule a campaign

1. Open the saved campaign and complete its checklist. Recheck the recipients and exclusions, sender, reply address, subject, and content.
2. Run the available review and test tools. Resolve blockers and understand any warnings.
3. Choose **Send** or the scheduling option. Review the final recipient count and the date, time, and time zone displayed by the scheduling screen.
4. Complete the final confirmation. Wait for the success or queued result before leaving the page.
5. Open the delivery view to confirm the campaign's actual state and progress.

Sending requires an unrestricted editor or administrator, suitable account security access, and successful readiness checks. A saved draft or planning touchpoint is not a scheduled send.

Understand delivery and suppression

Queued means work is waiting to be processed. Provider acceptance is different from confirmed delivery. Delivery events can include delivered messages, bounces, complaints, and other failures. Read the campaign's delivery details to understand which stage has been reached.

Unsubscribed, cleaned, archived, or suppressed connections may be excluded from a send. Do not change status simply to force delivery. Investigate the reason, correct bad data when appropriate, and obtain valid permission where needed.

If sending appears stalled, check the current delivery state and error details before retrying. A repeat confirmation or a duplicate campaign can create a second send; first establish what the original operation actually did.

CHAPTER 08 / WALKTHROUGH 28

Read the send-readiness checks



Figure 28. Read the send-readiness checks. Current workspace, shown with fictional example data.

01 Confirm the intended campaign and recipients.

02 Read the sending review and resolve any blocked or incomplete item. Choose the send time in the campaign checklist before confirming.

03 Only continue to sending or scheduling when the required access and checks allow it. No example email was sent for this guide.

CHAPTER 08 / WALKTHROUGH 29

Review administrative delivery setup



Figure 29. Review administrative delivery setup. Current workspace, shown with fictional example data.

01 An unrestricted administrator reviews the configured sender identity and delivery readiness.

02 Follow the on-screen checks for identity, configuration, and any required verification.

03 A saved draft or successful preview does not prove that an email can be delivered.

CHAPTER 08 / WALKTHROUGH 30

Set the campaign delivery time



Figure 30. Set the campaign delivery time. Current workspace, shown with fictional example data.

01 Open Send time in the campaign checklist and choose Schedule or Send now.

02 For a schedule, review the delivery date, time, and time zone together, then save the choice.

03 Return to the final send review and confirm separately. Selecting a time in this form does not submit the campaign.

CHAPTER 09

Automations

Build a flow, review its rules, and monitor what happens to enrolled connections.



Create and review a flow

1. Open **Automations** and choose a flow template or **Build from scratch**.

2. Configure the entry trigger and the available conditions, delays, and actions. Read each step's description; a template still needs your account's choices.

3. Review every email and recipient condition. Check for missing values, unintended branches, and delays that do not fit the intended timing.

4. Save the flow, choose **Continue**, and resolve the validation issues before turning it on.

Keep a new flow in draft while reviewing it. Activating an email automation can lead to real sends when its trigger and conditions are met.

Pause, edit, and resume

An active flow offers **Pause & Edit**. Pausing keeps connections' positions while you review the flow. Save the changes, review them, and use **Turn back on** when ready.

Inspect the flow's history and affected steps before changing timing or branching. Do not assume that a saved edit has already resumed a paused flow, or that it rewrites messages that have already been sent.

Results and flow lifecycle

In the automation list, **Results** appears before **Edit**. Use Results to review the flow's reported activity and execution outcomes. Investigate failed or waiting steps in context rather than treating every enrolled connection as a delivered email.

Archive a flow when it is no longer needed in the active list. Restoring an archived flow returns it as a draft so it can be reviewed before activation. Permanent deletion is a separate protected action. A duplicate also needs its own review before use.

CHAPTER 09 / WALKTHROUGH 31

Find an automation and its results



Figure 31. Find an automation and its results. Current workspace, shown with fictional example data.

01 Open a flow name to review its status and purpose.

02 Results appears before Edit in the row actions. Hover or focus an icon to read its label.

03 Keep a flow in draft while reviewing its trigger, conditions, and linked email content.

CHAPTER 09 / WALKTHROUGH 32

Start from a flow template



Figure 32. Start from a flow template. Current workspace, shown with fictional example data.

01 Choose a template whose trigger and sequence fit the intended audience journey.

02 Review its steps before creating or changing a flow.

03 Replace linked content and review eligibility rules before activation.

CHAPTER 09 / WALKTHROUGH 33

Inspect a flow before activation



Figure 33. Inspect a flow before activation. Current workspace, shown with fictional example data.

01 Review the entry trigger and the order of the steps.

02 Open each step to check its content, conditions, and timing.

03 Validate the flow and linked email drafts before activating it. Activation can affect future eligible connections.

CHAPTER 09 / WALKTHROUGH 34

Read automation results



Figure 34. Read automation results. Current workspace, shown with fictional example data.

01 Confirm the flow and reporting scope.

02 Review enrollment and step or delivery outcomes where available.

03 An empty report may simply mean that the flow has not run; inspect its status and trigger before changing it.

CHAPTER 10

Forms, surveys, and preferences

Collect signups, gather feedback, and let connections manage their choices.



Build and publish a signup form

1. Open **Forms** and choose the supported form type, such as hosted, embedded, or popup. Landing pages are available under Campaigns.
2. Edit the fields, wording, styling, success message, and settings. Request only information you need and make the subscription purpose clear.
3. Preview the form on desktop and mobile. Test required fields, validation, and the completion experience.
4. Publish when ready, then use the public link or supplied embed instructions. Check the published version from the place where visitors will find it.

Saving a draft does not publish it. If confirmation or double opt-in is enabled, test the confirmation email and follow-up step too. A submission awaiting confirmation is not the same as a confirmed subscription.

Create surveys and review results

Open **Audience > Surveys**, choose a starting point, and edit the questions and answer choices. Preview the complete survey before publishing and sharing its public link. Check whether the questions collect the information you actually need.

Forms and Surveys place the **Results** action before **Edit**. Open Results to inspect the available submissions, counts, and charts. Apply the report filters and date range before interpreting totals. Export controls require the appropriate role.

A form visit, a submission, and a confirmed signup are different events. Use the metric label and the resource's settings to understand what a result represents.

Subscriber preferences and unsubscribe

Audience > Subscriber preferences controls the experience for updating the choices exposed to connections. Review the fields and groups presented there, then test the experience using a representative connection.

Changing preferences is different from unsubscribing. Keep the unsubscribe path available and understandable. Use the supported personalized links in messages rather than copying one person's private preferences URL into a campaign for everyone.

Archive an unused form or survey to remove it from active work while preserving its results. Restoring a resource as a draft lets you review its content and settings before publishing again.

CHAPTER 10 / WALKTHROUGH 35

Choose the right form type



Figure 35. Choose the right form type. Current workspace, shown with fictional example data.

01 Use a hosted, embedded, popup, or landing-page form to fit the placement.

02 Open Results to review performance or Edit to change a draft.

03 Check the draft or published state before sharing a link or installing code.

CHAPTER 10 / WALKTHROUGH 36

Edit a signup form



Figure 36. Edit a signup form. Current workspace, shown with fictional example data.

01 Review the form fields, labels, and subscription choices.

02 Adjust the design and inspect the preview.

03 Save and complete the publishing checks before sharing the live form.

CHAPTER 10 / WALKTHROUGH 37

Prepare an embedded form



Figure 37. Prepare an embedded form. Current workspace, shown with fictional example data.

01 Configure the fields and appearance for the website placement.

02 Check consent and required fields before publishing.

03 Use the provided integration instructions, then test the published form on the target website.

CHAPTER 10 / WALKTHROUGH 38

Configure a popup form



Figure 38. Configure a popup form. Current workspace, shown with fictional example data.

01 Review the popup content and display controls.

02 Check both small-screen and desktop previews.

03 Save, publish when ready, and test the installed behavior on the intended website.

CHAPTER 10 / WALKTHROUGH 39

Build a landing page



Figure 39. Build a landing page. Current workspace, shown with fictional example data.

01 Use a focused headline and a clear signup purpose.

02 Review images, fields, links, and the mobile layout.

03 Publish the completed version and test its public link before distributing it.

CHAPTER 10 / WALKTHROUGH 40

Manage surveys and review results first



Figure 40. Manage surveys and review results first. Current workspace, shown with fictional example data.

01 Choose a starter or open an existing survey.

02 Use Results, the first row action, to review responses; use Edit to change the draft.

03 Read the resource status before sharing or changing a published survey.

CHAPTER 10 / WALKTHROUGH 41

Review survey questions



Figure 41. Review survey questions. Current workspace, shown with fictional example data.

01 Use clear questions and appropriate response types.

02 Inspect answer choices, required settings, and the respondent preview.

03 Save and publish only after checking the complete respondent experience.

CHAPTER 10 / WALKTHROUGH 42

Manage subscriber preferences



Figure 42. Manage subscriber preferences. Current workspace, shown with fictional example data.

01 Open the preferences resource for the audience.

02 Review the fields and groups subscribers may change.

03 Test the published experience and distinguish preference changes from unsubscribing.

CHAPTER 10 / WALKTHROUGH 43

Interpret form and survey results



Figure 43. Interpret form and survey results. Current workspace, shown with fictional example data.

01 Confirm the selected resource and date range.

02 Review available views, submissions, and response details.

03 Zero responses can be expected for an unpublished or unused form; verify the public link and filters.

CHAPTER 11

Inbox conversations

Manage replies, drafts, and follow-up with individual connections.



Access and receiving sources

Editors and administrators open **Audience > Inbox**. Use its navigation to review To do, Done, all conversations, Trash, drafts, and the available source or label filters.

An unrestricted administrator manages receiving sources. Follow the Sources setup and routing verification instructions, including an external test message when requested. Preparing a receiving address does not itself send that test. If replies are missing, verify the receiving route and filters before assuming the conversation was deleted.

Reply, save a draft, or add a note

1. Open the conversation and read the latest messages. Verify the connection and the intended recipient.

2. Write a reply, optionally starting from a saved message template. Personalize its text and inspect links and attachments.

3. Use **Save draft** to keep unfinished work, or **Send reply** after reviewing it. Sending requires unrestricted access and the necessary delivery readiness.

4. Check the queued message and its delivery status in the conversation.

An internal note records context for your team; it is different from a reply to the connection. Check which composer mode you are using before saving or sending. Respect opt-outs and any send restrictions shown for the recipient.

Mark done, label, and organize

Use labels to organize conversations and **Mark done** when follow-up is complete. Done is a workflow state, not deletion; find completed conversations through the Done or all-conversations view.

Use Trash only when you intend to remove a conversation from ordinary work. Check the available restore controls before considering permanent cleanup. Reusable message templates can be managed separately from the conversation drafts that use them.

CHAPTER 11 / WALKTHROUGH 44

Triage incoming conversations



Figure 44. Triage incoming conversations. Current workspace, shown with fictional example data.

01 Choose the conversation scope and use search or labels to find a thread.

02 Open a conversation and read its history before responding.

03 Use labels and Mark done to keep work organized.

CHAPTER 11 / WALKTHROUGH 45

Review a conversation before replying



Figure 45. Review a conversation before replying. Current workspace, shown with fictional example data.

01 Confirm the sender, subject, and conversation history.

02 Check the linked connection and any eligibility warning before composing a reply.

03 Save draft preserves work. Send reply is separate and checks eligibility and delivery readiness; this example shows the blocked state.

CHAPTER 11 / WALKTHROUGH 46

Write a direct message



Figure 46. Write a direct message. Current workspace, shown with fictional example data.

01 Check the selected connection and permitted sending address.

02 Enter a clear subject and message, then review links and any template content.

03 Save the draft before leaving; only send when the recipient and delivery checks allow it.

CHAPTER 11 / WALKTHROUGH 47

Reuse an Inbox message template



Figure 47. Reuse an Inbox message template. Current workspace, shown with fictional example data.

01 Create a template for a recurring reply or open an existing one.

02 Personalize the inserted text for the current conversation.

03 Archive an obsolete template to remove it from active use while keeping history.

CHAPTER 11 / WALKTHROUGH 48

Check Inbox receiving setup



Figure 48. Check Inbox receiving setup. Current workspace, shown with fictional example data.

01 An administrator reviews the inbound source and routing status.

02 Complete the instructed external test when configuring a real account.

03 Keep receiving and outgoing delivery checks separate; this guide uses fictional local messages.

CHAPTER 12

Analytics and custom reports

Read performance in context and save useful report definitions.



Choose the reporting context

Start in **Analytics** and select the relevant dashboard or report. Set the date range, comparison period, message scope, and other available filters. Check the bot-activity setting when interpreting opens or clicks.

Email reports focus on message performance; Audience reports describe the audience; Conversion insights report the supported form or conversion activity. Recipient activity, link performance, locations and clients, and timing views answer more specific questions.

Read each metric's label and denominator. A sent count differs from delivered messages, and a rate may use a different base from a nearby total. Mail privacy tools and automated link checks can affect engagement signals. An open or click is evidence of a recorded event, not proof that a person read the message.

Create and find custom reports

1. Open **Analytics > Custom reports** and start a report if your role allows it.

2. Choose the available dataset, metrics, grouping, and filters. Preview the resulting table or chart.

3. Give the report a useful name and select the available visibility setting. Confirm whether it is private or shared.

4. Save it and return to the report list. Use Search reports and Favorites only to find reports you use often.

Removed reports changes the list to removed entries; **Clear all** clears the search/filter controls. Check that view when a saved report seems missing. Removing a report definition is different from deleting the underlying campaign or connection records.

Compare, export, and explain results

Use the same date range and filters when comparing reports. If two totals differ, first check message selection, dataset, bot filtering, and whether one result counts unique recipients while another counts events.

Editors and administrators can use available export controls. Include the report name, date range, filters, and metric definitions when sharing results so someone else can understand the numbers. Re-run the report when fresh delivery or engagement events may have arrived.

CHAPTER 12 / WALKTHROUGH 49

Read email performance in context



Figure 49. Read email performance in context. Current workspace, shown with fictional example data.

01 Confirm the reporting period, comparison, and message selection.

02 Read the definition and denominator of each metric.

03 Treat opens and clicks as observed signals; privacy proxies and automated scanners can affect them.

CHAPTER 12 / WALKTHROUGH 50

Find and manage custom reports



Figure 50. Find and manage custom reports. Current workspace, shown with fictional example data.

01 Search reports or use Favorites only and Removed reports to narrow the list.

02 Open a saved report and review its dataset, filters, and ownership or sharing.

03 Use Clear all to reset list filters when an expected report is missing.

CHAPTER 12 / WALKTHROUGH 51

Review and share a saved custom report



Figure 51. Review and share a saved custom report. Current workspace, shown with fictional example data.

01 Review the dataset, grouping, metrics, and exact saved date range.

02 Change the scope and update the report to inspect a different question.

03 Check the private or shared setting before distributing a signed-in report link.

CHAPTER 12 / WALKTHROUGH 52

Review audience growth



Figure 52. Review audience growth. Current workspace, shown with fictional example data.

01 Check the date window and the population represented.

02 Compare growth and subscription changes with the underlying activity.

03 Avoid adding overlapping categories or assuming that total connections equals eligible recipients.

CHAPTER 13

Ask Analytics AI and Write with AI

Use AI for evidence-based questions and editable writing suggestions.



Ask a question about your data

Open **Ask Analytics AI** from the sidebar or the relevant analytics context. Set the period and scope, then ask a specific question, such as which selected messages had the strongest click performance.

Read the answer alongside its supplied evidence and reporting context. Check unexpected figures in Analytics. If data is unavailable or too limited, narrow the question or choose a period with activity. An AI explanation does not establish causation or replace the underlying report.

Generate and review writing suggestions

1. Open **Write with AI**, available to editors and administrators.
2. Choose the writing task and provide the text, purpose, audience, and tone that will help shape the result. A starter button can supply an initial prompt.
3. Select **Generate suggestions**. Read the suggestions and choose the text you want to use.
4. Use **Check content** when you want feedback, then make any needed changes in the actual draft.
5. Review facts, dates, names, promises, links, and merge tags before saving or sending the final email.

The text you provide and basic brand context go to MOED's configured AI service. Include only information appropriate for that task. Generated suggestions do not automatically send a campaign.

History, stopping, and errors

Use request history to revisit available earlier work. Give a new request enough context to stand on its own, especially when changing tasks or reporting scope.

If a request is taking too long, use Stop where offered and check its resulting state before retrying. If the AI service is unavailable, preserve your text and continue editing manually. A failed or interrupted response is not a completed content check.

CHAPTER 13 / WALKTHROUGH 53

Prepare a writing request



Figure 53. Prepare a writing request. Current workspace, shown with fictional example data.

01 Choose a starter or describe the message and desired tone.

02 Provide the source text and only the context needed for the task.

03 Generate suggestions when the AI service is available, review the result, then deliberately copy or apply what you want to keep.

CHAPTER 13 / WALKTHROUGH 54

Ask a question about analytics



Figure 54. Ask a question about analytics. Current workspace, shown with fictional example data.

01 Start with a specific question about the current reporting scope.

02 Check the date range, filters, and evidence used in the answer.

03 Verify important conclusions against the underlying report before acting.

CHAPTER 13 / WALKTHROUGH 55

Generate suggestions or check existing content



Figure 55. Generate suggestions or check existing content. Current workspace, shown with fictional example data.

01 Provide the source text and the specific change you need.

02 Choose Generate suggestions for writing alternatives, or Check content for a review.

03 Check every factual detail in the result and save your chosen text in the actual draft. The example request shown has not been submitted.

CHAPTER 14

Troubleshooting and common questions

Resolve the most common problems without losing work or repeating a send.

1 **Locate**
Account, role, and scope

→

2 **Diagnose**
Read the exact state

→

3 **Resolve**
Preserve work and verify

An item or action is missing

Confirm the account banner, search text, filters, page number, and selected status view. Look in Archived, Removed reports, or Trash as appropriate. If a control is missing, check your role and any role-preview or demo restrictions.

For a visible orange-outlined control, complete Admin Unlock using an administrator account. If access is still denied, report the exact action and error rather than trying a bookmarked administrative URL.

An email will not send or a reply is missing

Read the readiness or delivery error first. Check the sender identity, recipient eligibility, required content, public links, and account security restrictions. Ask an administrator to resolve delivery configuration issues.

For a campaign already submitted, inspect its delivery view before retrying. For an Inbox reply, inspect the conversation's queued message and delivery state. For missing incoming mail, check Inbox sources and routing verification as well as conversation filters.

A save failed or the page changed

Copy valuable unsaved text before refreshing. Resolve any field validation message. If another user changed the record, reopen the latest version and reconcile your edits with it. If your session expired, sign in again before continuing.

When a long-running import or export appears stuck, review its job status and errors. Use the supported job controls instead of starting the same operation again without checking its progress.

A layout looks wrong or you need more help

Preview the affected email or form at both desktop and mobile sizes. Check image dimensions, long links, oversized text, and contrast in the chosen theme. For an email, compare the preview with an actual test message because email clients render designs differently.

When requesting help, provide the page or item name, the steps you took, the expected result, the exact error, and the time of the problem. Include your role and whether you were using a preview or demo session. A screenshot can help, but omit passwords, private tokens, and unnecessary connection data.

CHAPTER 14 / WALKTHROUGH 56

Find an answer when you are stuck



Figure 56. Find an answer when you are stuck. Current workspace, shown with fictional example data.

01 Search for the task or symptom rather than an entire error message.

02 Open the relevant topic and follow its checks in order.

03 If the issue persists, record the page, action, and exact error for an administrator.

Topic finder

Look up a task or screen. Each entry links directly to its reference topic or illustrated walkthrough.

A layout looks wrong or you need more help	74
A save failed or the page changed	74
Access and receiving sources	59
Add or update a connection	13
Admin Unlock and confirmation	11
An email will not send or a reply is missing	74
An item or action is missing	74
Ask a question about analytics	72
Ask a question about your data	70
Begin a connection import	17
Build a landing page	54
Build and publish a signup form	49
Build the email in the visual editor	33
Campaign Manager and touchpoints	26
Check import results	19
Check Inbox receiving setup	64
Check the email preview before testing	35
Choose a reusable email template	32
Choose a reusable segment	25
Choose or save a template	31
Choose the reporting context	65
Choose the right form type	50
Compare, export, and explain results	65
Complete the campaign checklist	28
Configure a popup form	53

Topic finder / continued

Coordinate work in Campaign Manager	30
Create an email draft	26
Create and find custom reports	65
Create and review a flow	44
Create surveys and review results	49
Edit a signup form	51
Edit content and design	31
Export connections and job history	14
Find an answer when you are stuck	75
Find an automation and its results	45
Find and filter connections	15
Find and manage custom reports	67
Find completed exports	20
Find guidance in the online manual	7
Find, duplicate, and archive campaigns	26
Generate and review writing suggestions	70
Generate suggestions or check existing content	73
Groups and profile fields	21
History, stopping, and errors	70
Import connections	14
Inspect a flow before activation	47
Inspect the mobile email preview	36
Interpret form and survey results	58
Lists, selection, and action icons	5
Manage email drafts and previous campaigns	27

Topic finder / continued

Manage files for your campaigns	38
Manage subscriber interest groups	23
Manage subscriber preferences	57
Manage surveys and review results first	55
Mark done, label, and organize	59
Match imported columns	18
Navigation, search, and display	5
Pause, edit, and resume	44
Prepare a plain-text campaign	29
Prepare a writing request	71
Prepare an embedded form	52
Prepare Email delivery	40
Preview, personalization, and test email	31
Read automation results	48
Read email performance in context	66
Read role permissions and protected-action cues	12
Read the online guide in dark mode	10
Read the send-readiness checks	41
Reply, save a draft, or add a note	59
Results and flow lifecycle	44
Reuse an Inbox message template	63
Review a connection profile	16
Review a conversation before replying	61
Review administrative delivery setup	42
Review and share a saved custom report	68

Topic finder / continued

Review audience growth	69
Review fields and merge tags	24
Review survey questions	56
Review the email with your team	34
Reviewer, Editor, and Administrator	11
Saving and concurrent edits	11
Segments: reusable audience rules	21
Send or schedule a campaign	40
Set the Brand Kit	39
Set the campaign delivery time	43
Set up the Brand Kit	37
Start from a flow template	46
Start with the Home overview	6
Subscriber preferences and unsubscribe	49
Subscription status, archive, and delete	13
Tags: internal labels	21
Triage incoming conversations	60
Understand delivery and suppression	40
Upload and organize files	37
Use tag names to view their connections	22
Use the workspace on a small screen	9
Work in dark mode	8
Write a direct message	62
Your MessageMonkey workspace	5