

AZD-AZD-AZDMUC1112-N55 AZD-AZD-AZDMUC1112-N55 - Cylinder head with cylinder head cover - V.3, VIN: 5D80797

ISTA system version	4.32.15.24911	Data version	R4.32.15	Programming data	-
VIN	5D80797	Vehicle	1'/F20/SHAM135i/N55,-/AUTO/ECE/RL/2015/12		
Int.lev.works	-	Int.lev.(cur.)	-	Int.lev.(tar.)	-
Mileage	-				

11 12 Cylinder head with cylinder head cover

	Type	Thread	Tightening specification	Measure
1AZ Cylinder head bolt	N55	M11 x 173	Replace screws. Jointing torque 1. Angle of rotation 2. Angle of rotation	30 Nm 90 ° 180 °
2AZ Cylinder head bolt	N55	M9 x 170	Replace screws. Jointing torque 1. Angle of rotation 2. Angle of rotation	30 Nm 90 ° 180 °
3AZ Cylinder head bolt	N55	M9 x 30 M9 x 70		22 Nm
4AZ Cylinder head cover to cylinder head.	N55	M6		8.5 Nm
5AZ Towing lug to cylinder head	N55			30 Nm
6AZ Ignition coil cover to cylinder head cover.	N55	M6 x 30		4 Nm
7AZ Metal bracket for ignition coil cover to cylinder head cover.	N55	M6 x 16		8 Nm
8AZ Ignition coils and injector slot to cylinder head	N55	M6 x 30		8.5 Nm
9AZ EMC plate to ignition coils and injector slot (EMC = electromagnetic compatibility)	N55	M6 x 20		8.0 Nm
10AZ EMC plate to ignition coils and injector slot (EMC = electromagnetic compatibility)	N55	M6 x 18.5	Earth connection	8.5 Nm
11AZ Screw plug in oil chamber	N55	M16 x 1.5	Replace screw with sealing ring	27 Nm