

AZD-AZD-AZDMUC1128-N55 AZD-AZD-AZDMUC1128-N55 - V-ribbed belt with Tension and Deflection Element - V.3, VIN: 5D80797

ISTA system version	4.32.15.24911	Data version	R4.32.15	Programming data	-
VIN	5D80797	Vehicle	1'/F20/SHA/M135i/N55,-/AUTO/ECE/RL/2015/12		
Int.lev.works	-	Int.lev.(cur.)	-	Int.lev.(tar.)	-
Mileage	-				

11 28 V-ribbed belt with Tension and Deflection Element

	Type	Thread	Tightening specification	Measure
Standard belt drive				
1AZ Belt tensioner with deflection pulley to engine block.	N55	M10 x 90		38 Nm
AZ Belt tensioner with deflection pulley to engine block.	N55	M10 x 103		38 Nm
2AZ Deflection pulley 65 x 32	N55	M10 x 55		60 Nm
3AZ Deflection pulley 75 x 32	N55	M10 x 55		60 Nm
4AZ Holder for deflecting element to oil sump	N55	M10 x 37		38 Nm
5AZ Holder for deflecting element to oil sump	N55	M10 x 30		38 Nm
6AZ Deflecting element 75	N55	M10 x 55		56 Nm
7AZ Deflecting element 90	N55	M10 x 55		56 Nm
SGR belt (start alternator belt)				
8AZ Belt tensioner to crankcase (operating tensioner)	N55	M10 x 90		38 Nm
9AZ Belt tensioner to crankcase (start tensioner)	N55	M10 x 55		38 Nm
10AZ Deflecting element 75	N55	M10 x 55		56 Nm
11AZ Holder for deflecting element to oil sump	N55	M10 x 37	ASA screw (exterior star handle)	38 Nm
12AZ Holder for deflecting element to oil sump	N55	M10 x 30	ISA countersunk screw (interior star handle)	38 Nm