



ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

Table of Contents

- Introduction 2
- Get a List of Product Threads 6
- Get a Product Thread by ID..... 10
- Upgrading to the Latest Version..... 10
- API Quick Reference 28
- Best Practices 29
- Troubleshooting 30
- Terms of Service 32
- Contacting the Team..... 33
- Glossary..... 33
- Document Change Log 33
- Related Links..... 33

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

Last Updated: 01/18/2019

Use the [Product Feeds API \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) to show relevant Nike product-related content, including details about the products with images, videos, and more.

TIP: Before using this guide, you should have completed [Using NDe APIs \(https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html \)](https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html) and [Product Feeds Overview \(https://developer.niketech.com/nde-docs/doc/commerce/product/overview-product-feeds.html \)](https://developer.niketech.com/nde-docs/doc/commerce/product/overview-product-feeds.html).

Introduction

The [Product Feeds API \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) provides product data and content in the form of Cards, Threads, and Feeds.

What are Cards, Threads, and Feeds?



- **Cards** contain Nike product information or content such as notifications about upcoming Nike events.
- Related Cards are organized into **Threads** that tell a Nike story.
- Multiple Threads can be displayed in **Feeds**, customized for your users based on their chosen preferences in a Nike experience.

For more on Cards, Threads, and Feeds, see the [Product Feeds Confluence Space \(](#)

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

<https://confluence.nike.com/display/DEN/Product+And+Feeds+API>).

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE



What Product Data and Content are Available?

The [Product Feeds API \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) combines data from many Nike Cloud APIs. To understand the variety of data available, and the sources of data, use the following table:

Cloud API	Data Type	Examples	Data Source
Merchandised Product Information	Product attributes per style-color, country	styleCode, colorCode, status, genders, sportTags	Prodigy & Product Information Services
Merchandised Product Price	Pricing per style-color, country	msrp, currentPrice, discounted, currency	Prodigy & Product Information Services
Merchandised Product SKU	SKU-related attributes per style-color-size, country	gtin, nikeSize, localizedSize, commodityCode	Prodigy & Product Information Services
Merchandised Product Content	Display-oriented content by style, country	colorDescription, fullTitle, colors, bestFor, athletes, widths	Prodigy & Product Information Services
Product Inventory Availability	Inventory availability by style-color	true/false	Sterling
SKU Inventory Availability	Inventory availability by style-color-size	true/false	Sterling
Published Content	Authored cards and threads	title, seo slug, image URL, video URL, text	Nike CMS (Content Management System)
Launch Views	Launch attributes	method,	Launch Admin Tool

Cloud API	Data Type	Examples	Data Source
	by style-color (SNKRS, Bootroom only)	startEntryDate, stopEntryDate	
Customized PreBuilds	Customized prebuild (e.g. suggested NikeID shoe design)	designId, status, merchGroup	Consumer experiences, Prodigy

TIP: Another great way to evaluate the types of data returned is to analyze a [sample API response \(https://bitbucket.nike.com/projects/PFA/repos/productfeedv2/browse/API/response/thread/multiple.json \)](https://bitbucket.nike.com/projects/PFA/repos/productfeedv2/browse/API/response/thread/multiple.json).

What are Channels and Why Do I Need One?

A channel is a distinct experience where Nike products are showcased and made available for purchase, e.g. SNKRS, Nike.com. Each channel has a unique **channelId** (channel identifier), which along with **language** and **marketplace**, allows you to get the appropriate data for your experience.

TIP: A Feed can be associated with one or more channels, opening up the personalized Feed to many Nike experiences.

Get a List of Product Threads

✓ List all Product Threads for a channel, language, marketplace, feed ID, SEO slug, style-color, gender, keywords, and more

Now you know what Cards, Threads, and Feeds are, but how do you get them and use them?

To get a list of Threads, execute a request to the [Threads List \(https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-threads-list-get \)](https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-threads-list-get) endpoint, including at minimum the required filter query parameters for **channelId**, **language**, and **marketplace**.

Sample [Threads List \(https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-threads-list-get \)](https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-threads-list-get) request URI:

```
https://api.nike.com/product_feed/threads/  
v2?filter=channelId(d9a5bc42-4b9c-4976-858a-  
f159cf99c647)&filter=language(en)&filter=marketplace(US)
```

TIPS:

- For a list of supported locales, see the [Language/Locale Mapping JSON \(https://bitbucket.nike.com/projects/MOON/repos/language-tunnel-json/browse/localization.json \)](https://bitbucket.nike.com/projects/MOON/repos/language-tunnel-json/browse/localization.json) and the [Language/Locale Mapping README \(https://bitbucket.nike.com/projects/MOON/repos/language-tunnel-json/browse/README.md \)](https://bitbucket.nike.com/projects/MOON/repos/language-tunnel-json/browse/README.md).
- For a sample Threads List response, see [here \(https://bitbucket.nike.com/projects/PFA/repos/productfeedv2/browse/API/response/thread/multiple.json \)](https://bitbucket.nike.com/projects/PFA/repos/productfeedv2/browse/API/response/thread/multiple.json).

How to Get Only the Threads You Need

If there are more threads in the API response than you want, add more specific identifiers to the request as follows.

1. Filters

Use any of the [supported filter query parameters \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) to get more specific results in the response. For example, to only get content for a specific Nike style-color code, append a query parameter like `filter=publishedContent.properties.products.styleColor(942198-700)` to the request URI.

2. **Sorting**

Sort the results using any of the [supported sort query parameters \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api). For example, to sort by the current price in ascending order, append query parameter `sort=productInfo.merchPrice.currentPriceAsc` to the request URI.

3. **Fields**

Request only the fields that you want in the response by using the **fields** query parameter. For example, to return fields `threadId`, `styleColor`, and `MSRP`, append query parameter `fields=id,channelId,productInfo.merchProduct.styleColor,productInfo.merchPrice.msrp` to the request URI.

TIP: The [Product Feeds API Reference \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) is the source of truth for all supported query parameters.

Can I Use Product Feeds to Search for Products?

You can use the Product Feeds API for basic product search by including the **searchTerms** query parameter. The API attempts to match the string sent in `searchTerms` to a fixed set of fields in the product data (see [Product Feeds API Reference \(](#)

[https://developer.niketech.com/docs/projects/](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)

[Product%20Feed%20Service%20API%20V2?tab=api](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)) for the list of fields).

However, for a more accurate search, or if you are merchandising a product wall, it's strongly recommended that you use the [Rollup Threads API](https://developer.niketech.com/docs/projects/Product%20Feed%20Rollup%20Threads%20Service%20API%20V2?tab=api) (

[https://developer.niketech.com/docs/projects/](https://developer.niketech.com/docs/projects/Product%20Feed%20Rollup%20Threads%20Service%20API%20V2?tab=api)

[Product%20Feed%20Rollup%20Threads%20Service%20API%20V2?tab=api](https://developer.niketech.com/docs/projects/Product%20Feed%20Rollup%20Threads%20Service%20API%20V2?tab=api)). Rollup

Threads can be used in conjunction with Smart Search rules to influence the search results based on your specific use case.

See [Adding Rollup Threads to Your Experience](https://developer.niketech.com/nde-docs/doc/commerce/product/use-rollup-threads.html#using-rollup-threads) (<https://developer.niketech.com/nde-docs/doc/commerce/product/use-rollup-threads.html#using-rollup-threads>) and

[Understanding Search Results](https://developer.niketech.com/nde-docs/doc/commerce/search/use-search.html) (<https://developer.niketech.com/nde-docs/doc/commerce/search/use-search.html>) for more.

Terminology Differences Between CMS and Product Feeds

The [Product Feeds API](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api) ([https://developer.niketech.com/docs/projects/](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)

[Product%20Feed%20Service%20API%20V2?tab=api](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)) includes product content from Nike

CMS in responses. Nike CMS sometimes uses different names for the same field than

Product Feeds. For example, the CMS **collectionGroupId** that you will see in responses is the same as the **channelId** query parameter you might send to Product Feeds.

Here is a terminology guide between Nike CMS and Product Feeds:

CMS Term	Product Feeds Term
Collection Group	Channel
Collection	Feed
Content/Thread	Thread
Node	Card

What is the Customized PreBuild Section of the

Response?

If you are getting data in the **objects.productInfo.customizedPreBuild** section of the response, then one of the threads that you've requested contains a customizable prebuild product.

A prebuild is a design for a customizable (e.g., NIKEiD) product invented by merchandisers/designers to demonstrate how customers can personalize the product. These “inspiration” designs are merchandised within specific experiences and can be found on product walls, product display pages and in marketing materials.

You will be able to identify the presence of prebuilds when **objects.publishedContent.properties.threadType** field contains the value **nikeid_soldier**.

Get a Product Thread by ID

✓ Get a Specific Product Thread by its ID

Get a single product thread by its unique identifier by executing a request to the [Thread by ID \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-thread-by-id-get-1 \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-thread-by-id-get-1) endpoint.

Sample [Thread by ID \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-thread-by-id-get-1 \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api#threads-thread-by-id-get-1) request URI:

```
https://api.nike.com/product_feed/threads/v2/
bcbeae50-28a5-404d-9941-fbbdff0c7860
```

Upgrading to the Latest Version

Ready to upgrade to the latest version of the Product Feeds API?

First, some considerations:

- By design, not all v1.x endpoints have a direct v2 equivalent. For example, there are no v2 endpoints which return a list of product channels.

- All endpoints of Product Feeds exclusively feature the GET method, which has no request body, so the focus of each section will be on the differences in the response body only.
- For the 4 endpoints that have both a v1 and a v1.5 (see [Product Feeds v1 API Reference \(https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API?tab=api \)](https://developer.niketech.com/docs/projects/Product%20Feed%20Service%20API?tab=api) for details), the response schemas are the same between v1 and v1.5 so the upgrade process to v2 is the same for both.

TIP: Upgrading from CAPI (Commerce API)? See the [CAPI Migration Guide \(https://developer.niketech.com/nde-docs/doc/commerce/product/capi-migration.html \)](https://developer.niketech.com/nde-docs/doc/commerce/product/capi-migration.html) for detailed instructions.

V1.x to V2 Endpoint Mapping

The following table lists the v1 endpoints along with the equivalent v2 endpoint for each:

V1 Endpoint Name	Equivalent V2 Endpoint Name	
—	—	s
All Product Channels	None	
Product Channel by Name	None	
Product Feed by Feed ID	None	
All Product Threads	Product Threads List	
Product Thread by ID	Product Thread by ID	
Product Thread by Thread ID	None	
Product Thread by Style-Color	Product Threads List	

Product Thread by SEO Slug	Product Threads List	
All Admin Threads	None	
Product Card by ID	None	

All Product Threads & Product Thread by ID v1 to v2 Field Mapping

The response structure of the v1 All Product Threads and Product Thread by ID endpoints is the same, with a few minor exceptions, so for the purposes of upgrading to v2 they can be discussed together.

The following table describes how the response body fields map from the v1 to the v2 endpoints.

V1 Field Name	Description	V2 Field Name	Description	Notes
country	Country in which the thread exists	marketplace	ISO 3166 two-letter country code for the user's current location	
locale	Locale of the thread content	language	BCP-47 language code	
channel	Channel in which the thread exists	channelId	UUID for the channel (collectionGroupId)	
totalRecords	Total number of threads that match the criteria	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
threads	Array containing one or more threads that match the criteria	objects	Array containing one or more threads	
id	Unique identifier for a particular thread	id	Unique identifier for the thread	v1 and v2 IDs are not the same, also v2 is in UUID format
threadId	Unique ID coming from the relative path of the object in AEM/Authoring tool	N/A	No equivalent	Deprecated
interestId	Unique ID coming from the Social interests	N/A	No equivalent	Deprecated
name	Name of the thread describing the campaign	publishedContent.properties.title	Thread title	
createdDate	Time when the object was created in AEM/Authoring tool	N/A	No equivalent	Deprecated
lastUpdatedD	Last time this	lastFetchTime	date-time the	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
ate	object was updated		data was aggregated, in this ISO-8601 compliant format: yyyy-MM-ddTHH:mm:ss.SSSZ	
publishedDate	The first time any card in this thread should be visible	publishedContent.publishStartDate	Date time string of when the publishing schedule is set to start	
product	Object containing product info	productInfo	Array of product info	
product.id	Unique ID coming from Merchandised Products API	productInfo.merchProduct.id	Unique identifier for the product object	
product.interestId	Unique ID coming from the Social interests	N/A	No equivalent	Deprecated
product.style	Style identifier for the style of the product	productInfo.merchProduct.styleCode	Style code of the product	
product.colorCode	Three-digit color code identifier	productInfo.merchProduct.colorCode	Color code of the product	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
product. globalPid	Global identifier of the product	productInfo.merchProduct. pid	Product identifier for the product	
product. fullTitle	Full title of the product	productInfo.productContent. fullTitle	Full title of the product	
product. title	Title of the product	productInfo.productContent. title	Title of the product	
product. subtitle	Subtitle of the product	productInfo.productContent. subtitle	Subtitle of the product	
product. description	Description of the product	productInfo.productContent. description	Description of the product	
product. imageUrl	URL for product images	productInfo.imageURLs. productImageUrl	URL for product images	
product. genders	Array of relevant genders for the product	productInfo.merchProduct. genders	Genders that the product is for	
product. price	Object containing product price info	productInfo.merchPrice	Object containing product price info	
product. price.onSale	Indicates if the product is on clearance or not	productInfo.merchPrice. discounted	Indication if the product is on sale	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
product.price. msrp	Maximum stated retail price of the product	productInfo.merchPrice. msrp	Maximum stated retail price of the product	
product.price. fullRetailPrice	Full retail price of the product	productInfo.merchPrice. fullPrice	Full price of the product	
product.price. currentRetailPrice	Current retail price of the product. For discounted products it will be different from fullRetailPrice	productInfo.merchPrice. currentPrice	Current price of the product	
product.price. formattedFullRetailPrice	Formatted full retail price	N/A	No equivalent	Deprecated
product.price. formattedCurrentRetailPrice	Formatted current retail price	N/A	No equivalent	Deprecated
product. estimatedLaunchDate	Deprecated, do not use	N/A		
product. publishedDate	Date when a product was published in launch admin tool			
product. quantity	Quantity limit	productInfo.me	Quantity limit	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
tyLimit	of the product	rchProduct. quantityLimit	of the product	
product. status	Status of the product	productInfo.merchProduct. status	Status of the product	
product. selectionEngine	Selection engine of the product	N/A	No equivalent	Deprecated
product. colorDescription	Description of the color of the product	N/A	No equivalent	Deprecated
product. productType	Type of product	productInfo.merchProduct. productType	Type of product	
product. salesChannel	Sales channel of product	productInfo.merchProduct. channels	Sales channel of product	
product. accessCode	Boolean indicator for whether access code is required or not	productInfo.merchProduct. exclusiveAccess	Boolean indicator for whether access code is required or not	
product. startSellDate	Date when a product is estimated to launch	productInfo.launchView. startEntryDate OR product.Info.merchProduct. commerceStartDate	Date when launch entries will start being accepted	
product. timeT	Number of	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
oStartSelectionSeconds	seconds until the product drawing is started			
product. timeToStartSellSeconds	Number of seconds until the product drawing ends and the product is available to sell	N/A	No equivalent	Deprecated
product. endTimeDrawingDate	Date that the drawing ends	productInfo.launchView. endTimeEntryDate	Date when launch entries will stop being accepted	
product. waitlineEnabled	Boolean for whether wait line for the product was enabled or not	N/A	No equivalent	Deprecated
product. available	Boolean for whether any size of the product is available or not	productInfo.availability. available	Boolean for whether any size of the product is available or not	
product. sportTags	Array of sport tags	productInfo.merchProduct. sportTags	Array of sport tags	
product. skus	Array of SKU info	productInfo. skus	Array of SKU info	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
product.skus. id	UUID for the SKU	productInfo.skus. id	UUID for the SKU	
product.skus. localizedSize	Localized size for this SKU	productInfo.skus.countrySpecifications. localizedSize	Localized size for the SKU	
product.skus. nikeSize	Nike size for this SKU	productInfo.skus. nikeSize	Nike size for the SKU	
product.skus. available	Boolean for whether SKU is available for purchase or not	productInfo.availableSkus. available	Boolean for whether SKU is available for purchase or not	
restricted	Boolean for whether an access code is tied the thread or not	N/A	No equivalent	
feed	Feeds this thread belongs to	publishedContent.properties. publish.collections		Not a true equivalent, but has similar info
title	Title of the thread	publishedContent. title	Title of the thread	
subtitle	Subtitle of the thread	publishedContent. subtitle	Subtitle of the thread	
imageUrl	URL where the image exists	publishedContent.properties.coverCard.properties. landsc	URL where cover card image exists	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
		apeURL		
altText	Alt text for the image	publishedContent.properties.coverCard.properties. altText	Alt text for the cover card	
tabletImageUrl	URL where the image for the tablet exists	N/A	No equivalent	Deprecated
tabletAltText	Alt text for the tablet image	N/A	No equivalent	Deprecated
desktopImageUrl	URL where the image for desktop exists	N/A	No equivalent	Deprecated
desktopAltText	Alt text for desktop image	N/A	No equivalent	Deprecated
tags	Array of tags that can be applied to content to relate them	N/A	No equivalent	Deprecated
cards	Array of card info	publishedContent. nodes	Array of card info	
cards.country	Country of the card	N/A	No equivalent	Deprecated
cards.locale	Locale of the card	N/A	No equivalent	Deprecated
cards.channel	Channel of the card	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
cards.id	Unique identifier for a particular card	publishedContent.nodes.id	Unique identifier for the card	
cards.cardId	Unique ID coming from the relative path of the object in AEM/ Authoring tool	N/A	No equivalent	Deprecated
cards.sortOrder	Order in which the card should appear in the thread	N/A	No equivalent	Deprecated
cards.interestId	Unique ID coming from the social interests	N/A	No equivalent	Deprecated
cards.type	Type of card (photo, photo-carousel, video or text)	publishedContent.nodes.subType	Type of card	
cards.title	Title of the card	publishedContent.nodes.properties.title	Title of the card	
cards.subtitle	Subtitle of the card	publishedContent.nodes.properties.subtitle	Subtitle of the card	
cards.description	Description of the card	publishedContent.nodes.properties.body	Description of the card	

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
cards.images	Array of image info related to the card	publishedContent.nodes. properties		No distinct section for images, instead evaluate subType field
cards.images.type	Type of image (card, thread or alternate)	N/A	No equivalent	Deprecated
cards.images.imageUrl	URL where the image exists	publishedContent.nodes.properties. portraitURL		Also available are landscapeURL, squarishURL fields
cards.images.alt	Alt text for the image	publishedContent.nodes.properties. altText	Alt text for the card	
cards.images.sortOrder	Sort order in which images should be displayed	N/A	No equivalent	Deprecated
cards.images.desktopImageUrl	URL where the image for desktop exists	N/A	No equivalent	Deprecated
cards.images.desktopAltText	Alt text for desktop image	N/A	No equivalent	Deprecated
cards.images.tabletImageUrl	URL where the image for the tablet exists	N/A	No equivalent	Deprecated
cards.images.tabletAltText	Alt text for the	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
tabletAltText	tablet image			
cards.videos	Array of video info for the card	publishedContent.nodes.properties		No distinct section for videos, instead evaluate subType field
cards.videos.type	Type of video object (nikeserver, brightcove or youtube)	publishedContent.nodes.properties.providerId	Name of video provider	
cards.videos.startImageURL	URL of still image to be shown as placeholder for the video	publishedContent.nodes.properties.startImageURL	Still image to be shown as placeholder for the video	
cards.videos.videoUrl	Video URL that can be retrieved to display on the card	publishedContent.nodes.properties.videoId	Identifier for the video	
cards.videos.alt	Text string that verbally describes the video for accessibility	publishedContent.nodes.properties.altText	Alt text for the card	
cards.videos.sortOrder	Order in which the multiple videos on the card need to be presented	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
cards.videos.desktopImageUrl	URL of still image to be shown as placeholder for the video on a desktop	N/A	No equivalent	Deprecated
cards.videos.desktopAltText	Text string that verbally describes the video on a desktop	N/A	No equivalent	Deprecated
cards.videos.tabletImageUrl	URL of still image to be shown as placeholder for the video on a tablet	N/A	No equivalent	Deprecated
cards.videos.tabletAltText	Text string that verbally describes the video on a tablet	N/A	No equivalent	Deprecated
cards.createdDate	Time when the object was created in AEM/Authoring tool	N/A	No equivalent	Deprecated
cards.lastUpdatedDate	Last time this object was updated	N/A	No equivalent	Deprecated
cards.colorHint	Object	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
t	containing color hint info			
cards.colorHint .text	RGB hex color code ranging from 000000 for black to FFFFFFFF for white	N/A	No equivalent	Deprecated
cards.colorHint .active	RGB hex color code ranging from 000000 for black to FFFFFFFF for white	N/A	No equivalent	Deprecated
cards.colorHint .inactive	RGB hex color code ranging from 000000 for black to FFFFFFFF for white	N/A	No equivalent	Deprecated
cards.colorHint .pressed	RGB hex color code ranging from 000000 for black to FFFFFFFF for white	N/A	No equivalent	Deprecated
cards. cta	Object containing call-to-action info	publishedContent.nodes.properties.title.actions. actionType	Type of call-to-action info	
cards.cta. text	Custom call to	N/A	No equivalent	Deprecated

ADDING PRODUCT FEEDS TO YOUR EXPERIENCE

V1 Field Name	Description	V2 Field Name	Description	Notes
	action text that can be presented on a content card, when there is no product object associated with it			
cards.cta.buyingTools	Boolean indicating the need to present buying tools on the card	N/A	No equivalent	Deprecated
cards.iOSOnly	Flag to indicate if the card is only for IOS	N/A	No equivalent	Deprecated
relations	Array of related threads data	N/A	No equivalent	Deprecated
relations.name	Name (RELATED)	N/A	No equivalent	Deprecated
relations.threads	Identifier (threadId) of related threads	N/A	No equivalent	Deprecated
locations		N/A	No equivalent	Deprecated
active	Boolean for whether the thread is active or not	active	Boolean for whether the thread is active or not	

V1 Field Name	Description	V2 Field Name	Description	Notes
seoSlug	The SEO slug of the thread	publishedContent.seo. slug	The SEO slug of the thread	
seoTitle	Title tag for SEO	publishedContent.seo. title	Title tag for SEO	
seoDescription	Meta description for SEO	publishedContent.seo. description	Meta description for SEO	
relationId		publishedContent. relationId	The ID of the parent thread. Ties various language threads to the source version	
socialPattern		N/A	No equivalent	Deprecated

TIP: For the v2 URI format and available parameters, see the [Product Thread by ID](#) and [Product Threads List](#) sections of this document.

URL Patterns By Version

The URL pattern used by the Product Feeds API's varies depending on the version, as described here:

v1

<https://api.nike.com/commerce/productfeed/products> (Note: no version number indicated in path)

v1.5

<https://api.nike.com/commerce/productfeed/products/v1.5>

v2

None

TIP: Always check the specific API you are integrating with to confirm the correct URL format. Also, see the URL Patterns section of the [Using NDe APIs \(https://developer.nike.com/nde-docs/doc/getting-started/using-nike-apis.html#url-patterns \)](https://developer.nike.com/nde-docs/doc/getting-started/using-nike-apis.html#url-patterns) guide for info on Nike standards.

API Quick Reference

Product Feeds v2 Endpoints

HTTP Verb	Endpoint Name	Endpoint Description	URI Format
GET	Product Threads List	Get all threads for a channel, marketplace, language combination (https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)	/product_feed/threads/v2{?filter,fields,anchor,count,sort,searchTerms}
GET	Product Thread by ID	Get a specific thread by its identifier (https://developer.nike.com/docs/projects/Product%20Feed%20Service%20API%20V2?tab=api)	/product_feed/threads/v2/{id}{?channel,marketplace,language,field}


HTTP Verb	Endpoint Name	Endpoint Description	URI Format
		projects/Product%20Feed%20Service%20API%20V2?tab=api	ds,preview}

Best Practices

Listed below are some best practices for working with Product Feeds.

Example Implementation Diagram

Here is an example of a sequence of API calls to get content from Product Feeds v2:



Test Environment

Product Feeds v2 has a test environment available at host

<https://experience.test.commerce.nikecloud.com>.

Apart from the host, you can use the same URL, for example:

https://experience.test.commerce.nikecloud.com/product_feed/threads/

v2?filter=marketplace(US)&filter=language(en)&filter=channelId(d9a5bc42-4b9c-4976-858a-f159cf99c647).

Some considerations about using the test environment:

- The functionality of the API is the same in test vs. production, with the exception of new features that are not yet deployed to production.
- Test has a different set of product data than production, but the test data set is similar. For example, many of the constants are the same in test, i.e. the marketplace, language, and channelId, as they are in production.
- Inventory availability data is scarce in the test environment. At the product level, i.e. the values in **productInfo.availability.available**, might show as 'false' in test most of the time. Availability data at the SKU/size level, i.e. in **productInfo.availableSkus**, is not present in test.
- All performance testing activities should be done in test and not in production.

Troubleshooting

Listed below are ways to troubleshoot unexpected responses using this API.

Use Troubleshooting Tools

- Use the general troubleshooting tips in the [Using NDe APIs \(https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html#troubleshooting \)](https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html#troubleshooting) guide.
- Use a Splunk query (requires access) such as [this \(https://nike.splunkcloud.com/en-US/app/nike_search/search/search?q=search%20index%3Dweb%20environment%3Dprod%20application%3Dproductfeedv2%20source%3D%2Fvar%2Flog%2Fnike%2Fproductfeedv2%2Faccess.log&display.page.search.mode=smart&dispatch.sample_ratio=1&earliest=-1h%40h&latest=now&sid=1518466951.667397_002B2083-7782-48F4-ADBB-A22C4546544D \)](https://nike.splunkcloud.com/en-US/app/nike_search/search/search?q=search%20index%3Dweb%20environment%3Dprod%20application%3Dproductfeedv2%20source%3D%2Fvar%2Flog%2Fnike%2Fproductfeedv2%2Faccess.log&display.page.search.mode=smart&dispatch.sample_ratio=1&earliest=-1h%40h&latest=now&sid=1518466951.667397_002B2083-7782-48F4-ADBB-A22C4546544D) to check for issues with your request.
- Use the [Product Feeds v2 Overview \(https://insights.newrelic.com/apps/accounts/714737/product-feed-service/dashboards/483419 \)](https://insights.newrelic.com/apps/accounts/714737/product-feed-service/dashboards/483419) dashboard in Insights (requires

access) to see if the service is up and healthy.

- Contact the Product Feeds Team on the [#nde-product-feeds](https://nikedigital.slack.com/messages/CAPF62A66) (<https://nikedigital.slack.com/messages/CAPF62A66>) Slack channel for assistance.

Common Questions

Who do I contact with questions about what I'm seeing in the **productInfo or **publishedContent** sections of the response?**

- The data in **productInfo** and **publishedContent** is not owned by the Product Feeds team. Refer to [Thread Response Ownership Breakdown](https://confluence.nike.com/display/DEN/Thread+Response+Ownership+Breakdown) (<https://confluence.nike.com/display/DEN/Thread+Response+Ownership+Breakdown>) to find the Slack channel of the team responsible for that data.

How do I know what product attributes are available for me to use to request Threads?

- Unless you are doing a keyword search using the **searchTerms** query parameter, you need to know in advance which product attributes to include in your requests. The source of product attributes (e.g. slugs, 'best for', and other attributes) is Nike's Prodigy system.

Why isn't my feed showing up?

- The feed may have failed validation and was marked inactive. Only active threads with a valid publish date will be returned by this API. Contact the Product Feeds Team on the [#nde-product-feeds](https://nikedigital.slack.com/messages/CAPF62A66) (<https://nikedigital.slack.com/messages/CAPF62A66>) Slack channel to check if the feed failed validation and why.
- The feed might not yet be published. It can take up to 15 minutes to publish a change from AEM and have it be reflected in the Feeds API.

Why am I getting an empty 200 response from Threads List?

- There might not be any threads that meet the criteria that you specified, particularly when using optional filters. For example, if you send a request with `filter=productInfo.merchProduct.styleCode(999999)` and there are no threads for style code 999999, you will get an empty 200 response.
- The **publishStartDate** for the requested threads might be in the future, or conversely the **publishEndDate** might be in the past. In other words, if today's date is not within the publish start/end range for the thread, the thread will not be returned in the

response.

- The **softLaunchDate** on the product is in the future. The **softLaunchDate**, when present, overrides the **publishStartDate**, and thus can affect whether the thread is returned or not.

Why am I getting a 404 error from Thread by ID when I know that the thread ID is valid?

- Today's date might be outside the publish start/end range for the thread.
- The **catalogId** on the product might be blank. To troubleshoot, send a request to the Merchandised Products API with the affected product ID (e.g. <https://api.nike.com/merch/products/v2/c98f12d7-7dee-5775-b4a6-c83d0d2dcb9a>) to see if a catalog ID is present or not. If not, that is the reason that the thread is not being returned.

TIP: Be careful not to confuse **legacyCatalogId**, which like **catalogId** is also present in the threads response under **productInfo.merchProduct**, but does not affect thread visibility.

Terms of Service

It is highly recommended that you send a caller ID header in every request to this API to help troubleshoot unexpected responses. See the Registration section of the [Using NDe APIs \(https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html#registration \)](https://developer.niketech.com/nde-docs/doc/getting-started/using-nike-apis.html#registration) guide on how to create and register your caller ID.

Authentication

There are no authentication requirements for Product Feeds except when using the **preview** query parameter to preview a Feed or Thread, which is not common. See the [Using Product Feeds v2](#) section for more details.

Contacting the Team

Need to contact the Product Feeds team?

Slack	#nde-product-feeds (https://nikedigital.slack.com/messages/CAPF62A66)
Confluence Space	Product and Feeds API (https://confluence.nike.com/display/DEN/Product+And+Feeds+API)
Team Contacts	Andy Sun

Glossary

See the [Glossary \(https://developer.niketech.com/nde-docs/doc/commerce/reference/glossary.html \)](https://developer.niketech.com/nde-docs/doc/commerce/reference/glossary.html).

Document Change Log

Summary	Date	Description
Initial draft	01/23/2018	Initial Draft

Related Links

[NDe Docs Home](#)

[Get Started \(https://developer.niketech.com/nde-docs/doc/getting-started/get-started.html \)](https://developer.niketech.com/nde-docs/doc/getting-started/get-started.html)