




TAXONOMY TAGGING FOR ASSETS AND CONTENT

Learn how [Taxonomy Tagging for Assets and Content \(https://developer.niketech.com/docs/projects/attributions?tab=api\)](https://developer.niketech.com/docs/projects/attributions?tab=api) (TTAC) manages complex taxonomical relationships that can be used by front-end Nike experiences to display personalized assets and content to Nike customers.

Taxonomy Tagging for Assets and Content increases conversion by driving personalized assets and content across Nike experiences.

Nike experiences can use these TTAC-managed relationships to dynamically show customized navigation, content, and images to customers in their preferred language that reflects their personal style, interests, and preferences. A personalized experience promotes engagement, often strengthening the commitment to purchase.



How does it work? CMS, Asset Management, and other internal Nike tools supply the content and assets. Taxonomy definitions including navigation, categories, and consumer preference are supplied by Semaphore via the

Merch Taxonomy Attributes (

<https://developer.niketech.com/docs/projects/>

[Merch%20Taxonomy%20Attributes%20V1?tab=api](https://developer.niketech.com/docs/projects/Merch%20Taxonomy%20Attributes%20V1?tab=api))

service. TTAC connects these tools to front-end web experiences through TTAC components and the TTAC metadata (Attributions) service. TTAC components enable Nike experiences to tag content threads and assets with taxonomy attributes through a user interface. The TTAC metadata service stores and retrieves those taxonomical relationships in the form of UUIDs.

Contacting the Team

Slack	#asset-delivery (https://nikedigital.slack.com/messages/C20935610)
Confluence	CiC Asset Delivery (https://confluence.nike.com/display/CICAD/CiC+Asset+Delivery)
Product Director	Chris Sparhawk

About TTAC

The project is in development in PI-26 and is scheduled for release February 2019.

API	TTAC Metadata Service (https://developer.niketech.com/docs/projects/attributionstabsapi)
COMPONENTS	to be published 2/5/19

The TTAC Service and Components are inner-sourced within Nike and open to contributions from all development teams to submit design suggestions and code PRs.

Governance will be provided by the following team:

- Architecture: Aaron Hall
- Engineering: Edmund Adjei

- Taxonomy: Rebecca Roberts

Use Cases

Step through the TTAC use cases below.

✓ Tag images so you can determine which image qualities and sizes motivate customers.

✓ Improve engagement by displaying product images most relevant to the customer's navigational path to a product wall. e.g. if a customer navigates to unisex products via a women's navigational path, she prefers to see images of female models instead of male.

✓ Boost conversion by using taxonomy tagging to display images to customers that resonate with their interests and preferences.

✓ Tag content to allow your app to select the most relevant threads to display to the customer.

Related Information

- [Working with Circuit Breakers: \(](#)

APIs

- [TTAC Metadata Service \(https://developer.nike.tech.com/docs/projects/attributions?tab=api \)](https://developer.nike.tech.com/docs/projects/attributions?tab=api)
- [TTAC Component Design \(https://nike.invisionapp.com/share/XVIYZS8S8YZ#/screens/297921090 \)](https://nike.invisionapp.com/share/XVIYZS8S8YZ#/screens/297921090)
- [Merch Taxonomy Attributes \(https://developer.nike.tech.com/docs/](https://developer.nike.tech.com/docs/)

[projects/
Merch%20Taxonomy
%20Attributes%20V1
?tab=api \)](#)

- [Recommend
Concepts API \(
\[\\[https://developer.niketech.com/nde-docs/doc/commerce/reference/caller-best-practices.html \\\)\\]\\(https://developer.niketech.com/nde-docs/doc/commerce/reference/caller-best-practices.html \\)\\)\]\(https://developer.nike
tech.com/docs/
projects/
recommendconcepts
v1?tab=api \)</div><div data-bbox=\)](#)

Learn how to be a good client by following these best practices.

- [Glossary: \(\[https://developer.niketech.com/nde-docs/doc/commerce/reference/glossary.html \\)\]\(https://developer.niketech.com/nde-docs/doc/commerce/reference/glossary.html \)\)](#)
- [Product Life Cycle: \(\[https://developer.niketech.com/nde-docs/doc/commerce/reference/product-lifecycle.html \\)\]\(https://developer.niketech.com/nde-docs/doc/commerce/reference/product-lifecycle.html \)\)](#)

Discover how Nike products become available for purchase in an experience.

Connect

We're here to help. [#Slack \(\[\\[✉ Email\\]\\(#\\)\]\(https://nikedigital.slack.com/messages/C9Q1MNJ1J \)</p></div><div data-bbox=\)](#)

[🔔 FIND AN ISSUE? SLACK US!](#)

[🏠 Documentation Home](#)

[⚙️ Overviews](#)

[Product Feeds \(<https://develo...>](#)

[Rollup Threads \(<https://develo...>](#)

[Customization \(<https://develo...>](#)

[Cart & Checkout \(<https://devel...>](#)

[Taxonomy Tagging for Assets ...](#)

[Payment \(<https://developer.ni...>](#)

[Order \(<https://developer.niket...>](#)

[UX Foundation \(<https://develo...>](#)

[Events \(<https://developer.nike...>](#)

[Admin Client Library \(<https://d...>](#)

[📖 Developer's Guides](#)

[▶ Get Started](#)

[📖 Reference](#)

[💬 Community](#)