



# ADDING ORDER HISTORY TO YOUR EXPERIENCE

---

**Last Updated: 10/25/2018**

Retrieve a complete order history for your consumers.

**TIP:** Before using this guide you should have already completed [Adding Checkout to Your Experience](#).

Adding order history to your app is a two-step process.

- 1 Your application makes a BFF (backend-for-frontend) Order Summary API request to retrieve all or a filtered [list of a member's orders](#).
- 2 Using an order ID returned in the BFF Order Summary response, your application makes a BFF Order Details API request to [list order details for a member or guest](#).

## What is an Order?

An order consists of all data related to:

- Consumer's purchased items/services
- Consumer's payment method(s) and billing address(es)
- Consumer's shipping method(s) and shipping address(es)
- Pricing
- Taxes
- Promotions
- Status

An order is created in the last step of [Checkout](#) when the consumer has provided all of the necessary checkout information and submits it for fulfillment. After an order is created, it is

stamped with a unique order number, the date and time the order was submitted, and a status of `CREATED`. The order is assigned different statuses as it progresses through the order lifecycle. See [Understanding Order Status](#) for more detail.

## Step 1: List a member's orders

Use the [BFF Order Summary API](#) to get all or a filtered list of orders for a Nike member. By making their past orders available to members as a self-service in your app, they can view their product and payment history without having to contact Consumer Services.

This API returns limited information about each order. If you need a more in-depth picture of an order that contains pricing, tax information, shipping information, and detailed product information, or if you want to list the details of a guest's order, see [List order details for a member or guest](#).

The BFF Order Summary API requires that you pass certain request headers. For more information, see [Required Request Headers](#).

## Customizing Your Results

You control what is returned in your result set and how it is sorted through URL parameters.

### Filtering

The table below lists the fields by which you can filter your BFF Order Summary results. If no filter is applied, all of a member's orders are returned. While some filters only allow one value, you can send multiple filters in the same request. For instance, even though only one `orderSubmitDateAfter` filter value is allowed, you can request a BFF Order Summary filtered by `orderSubmitDateAfter` and `status`. Note that filter parameter names and values are case sensitive.

| Order Field Name | Description                                             | Sample Value |
|------------------|---------------------------------------------------------|--------------|
| <b>status</b>    | List orders with this status.                           | Cancelled    |
| <b>orderType</b> | List orders of this type.<br>You can only filter by one | SALES_ORDER  |

| Order Field Name            | Description                                                                     | Sample Value                     |
|-----------------------------|---------------------------------------------------------------------------------|----------------------------------|
|                             | orderType at a time.                                                            |                                  |
| <b>storeId</b>              | List orders placed in this store. You can only filter by one storeId at a time. | 28382                            |
| <b>orderSubmitDateAfter</b> | List orders placed after this date. You can only filter by one date at a time.  | Format is yyyy-MM-dd'T'HH:mm:ssZ |

## Sorting

You can sort a member's orders in several ways using the `sort` query parameter. You can sort by one or more order fields, separated by a comma. If the field name you want to sort by is nested, refer to it with dot notation. For sort parameter syntax, see the [Query Parameters](#) section of [Using NDe APIs](#).

TIP: It is recommended that your app pass the sort query parameter in the request to ensure that the results are sorted appropriately for your experience.

## Other Query Parameters

The BFF Order Summary API also supports the `fields`, `count` and `anchor` query parameters to restrict the results to certain fields, restrict the number of results, and control pagination. For more information on syntax, see the [Query Parameters](#) section of [Using NDe APIs](#).

Let's take a look at some BFF Order Summary scenarios.

| I want to list for a member | Sample Query                       |
|-----------------------------|------------------------------------|
| orderTypes of RESERVE_ORDER | <code>https://api.nike.com/</code> |

| I want to list for a member                                       | Sample Query                                                                                                                   |
|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| submitted after 2018-01-24 purchased at store 12345               | order_mgmt/user_order_summary/v1?filter=storeId(12345)&filter=orderSubmitDateAfter(2018-01-24)&filter=orderType(RESERVE_ORDER) |
| orders with a status of Shipped or Delivered                      | https://api.nike.com/order_mgmt/user_order_summary/v1?filter=status(Shipped,Delivered)                                         |
| all orders sorted in ascending modificationDate                   | https://api.nike.com/order_mgmt/user_order_summary/v1?sort=modificationDateAsc                                                 |
| just the order ID, status and submitted date fields of all orders | https://api.nike.com/order_mgmt/user_order_summary/v1?fields=id,status,orderSubmitDate                                         |
| two most recently submitted orders                                | https://api.nike.com/order_mgmt/user_order_summary/v1?count=2                                                                  |

## Executing the Request

Sample CURL for BFF Order Summary for a Member/Employee

```
curl -X GET \
  https://api.nike.com/order_mgmt/user_order_summary/v1 \
  -H 'Authorization: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6Ijc2YWU1NTlkLWMwZTMtNGVhYi05MTljLTJkYjA3YjFjN2NhMHNPZyJ9.eyJpYXQiOiJlMzQxOTMyOTcsImV4cCI6MTUzNDE5Njg5NywiaXNzIjoib2FldGgyYWNjIiwianRpIjoib2IyOGE4OGItYWU4ZC00NW1LWE2NmMjN
```

```
DRkMmY0NWQwZDZjIiwibGF0IjoxNTM0MTkzMjk3LCJhdWQiOiJjb20ubmlrZS5kaWd  
pdGFsIiwic3ViIjoIY29tLm5pa2UuY29tbWVyY2UubmlrZWRvdGNvbS53ZWiiLCJzY  
nQiOiJuaWtlOmFwcCI6WyJuaWtlLmRpZ2l0YWwiXSwicHJuIjoIMTYxODI  
2OTIwMTIiLCJwcnQiOiJuaWtlOnN3b29zaCJ9.Nt-Irlborb2gmz6e-  
CwUmvPlm80m5lEMHR18AEftE5qqVmlm-  
HbFHNPPA6AWj8gscQRs02ft_CQtkvHZa7EivQ64RajD-  
sj0FTTaPBmXUSwQL1JtlfFv61cYmbrErOsEBcV_NWbgOVQ_NNF3aL9FCLi12OgrVi1  
pa7ManTLlOP_nmI_SaMN3USawECzKbYlOW58DaHBQjezkpeejyv4AQXm99HL1qWYb5  
fARnpuBrwlcN7GyUepOwImfNf8xZZrcJKTx4HBXmYVFg8gMskoqzSEjJijfxYNxSy  
507Y4fUyRq2glISPMnrQnAF5NAw19SCQm8wZxKxPaxc590EhMLA'
```

## Parsing the Response

The BFF Order Summary JSON response contains several fields relating to status. See [Understanding Order Status](#) for more detail about how status is determined and the suggested order statuses to display in your experience. See the [BFF Order Summary API](#) for a full list of fields returned in the response.

## Step 2: List order details for a member or guest

Use the [BFF Order Details API](#) to get order details for a member or guest. This API returns a complete picture of an order including product detail, tax information and line item details. If you are looking for higher level order information or you want information on more than one order for either a member or employee, see [List a member's orders](#).

TIP: The BFF Order Details API does not return image URL but you can call the [Merchandised Product API](#) using

the style-color returned from the BFF Order Details API to get a list of images for a styleColor and country.

The BFF Order Details API requires that you pass certain headers in the request depending upon whether the consumer is a member, guest, or employee. For more information, see [Required Request Headers](#).

## Required Request Parameters

For members and employees, the orderNumber path parameter is required. For validation purposes for guest consumers, the orderNumber path parameter and email address filter parameter are required.

TIPS: To avoid a 404 response, the authentication header for a member request must match the member who created the order.

For guests, the email address must match the shipTo email address on the order.

## Customizing Your Results

You control what is returned in your result set through URL parameters. The BFF Order Details API supports the `fields` query parameter to restrict the fields returned in the response. Since the BFF Order Details API only returns one consumer order, the `anchor`, `sort`, `filter` and `count` query parameters are not supported. For more information on the `fields` query parameter syntax, see the [Query Parameters](#) section of [Using NDe APIs](#).

Let's take a look at some BFF Order Details scenarios.

| I want to                                                                               | Sample Query                                                                                                                                     |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| list the details for order ID C00011554850 for a member                                 | https://api.nike.com/order_mgmt/user_order_detail/v1/C00011554850                                                                                |
| list the ID, status and shipping method fields for orderNumber C00011554850 for a guest | https://api.nike.com/order_mgmt/user_order_details/v1/C00011554850?filter=email(my.email@address.com)&fields=id,status,orderLines.shippingMethod |

## Executing the Request

Sample CURL for BFF Order Details C00011554850 for a member/employee:

```
curl -X GET \
  https://api.nike.com/order_mgmt/user_order_detail/v1/
C00011554850 \
  -H 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsImtpZCI6Ijc2YWU1NTlkLWwzMtNGVhYi05MTljLTJkYjA3YjFjN2NhMHNpZyJ9.eyJpYXQiOiJlMzQxOTMyOTcsImV4cCI6MTUzNDE5Njg5NywiaXNzIjoib2FldGgyYWNjIiwianRpIjoiyY2IyOGE4OGItYWU4ZC00NWw1LWE2NjMtNDRkMmY0NWQwZDZjIiwibGF0IjoxNTM0MTkzMjk3LCJhdWQiOiJjb20ubmlrZS5kaWdpdGFsIiwic3ViIjoiyY29tLm5pa2UuY29tbWVYy2UubmlrZWVvdGNvbS53ZWl1LCJzYnQiOiJuaWtlOmFwcCI6WyJuaWtlLmRpZ2l0YWwixSwicHJuIjoimTYxODI2OTIwMTIiLCJwcnQiOiJuaWtlOnN3b29zaCJ9.Nt-Irlborb2gmz6e-CwUmvPlm80m51EMHR18AEftE5qqVmlm-HbFHNPPA6Awj8gscQRs02ft_CQTkvHZA7EivQ64RajD-sj0FTTaPBmXUsWqL1JtlfFv61cYmbrErOsEBcV_NWbgOVQ_NNF3aL9FCLi12OgrVi1pa7ManTL1OP_nmI_SaMN3USawECzKbYlOW58DaHBQjezkpeejyv4AQXm99HL1qWYb5fARnpuBrwlcN7GyUepOwImfNf8xZZrcJKTx4HBXmYVFg8gMskoqzSEjJijfxYNxSy
```

507Y4fUyRq2glISPMnrQnAF5NAw19SCQm8wZxKxPaxc59OEhMLA'

Sample CURL for BFF Order Details C00011554850 for a guest:

```
curl -X GET \
  'https://api.nike.com/order_mgmt/user_order_details/v1/
  C00011554850?filter=email%28my.email@address.com%29' \
  -H 'X-Nike-Visitorid: 2c83877b-10fa-44da-a92d-2451efef8671' \
  -H 'appid: com.nike.sport.running.ios' \
  -H 'x-nike-visitid: 2'
```

## Parsing the Response

The BFF Order Details JSON response contains several fields relating to status. See [Understanding Order Status](#) for more detail about how status is determined and the suggested order statuses to display in your experience. See the [BFF Order Details API](#) for a full list of fields returned in the response.

## Understanding Order Status

An order contains three types of statuses:

- order
- order line
- payment

An order line is a Nike service or product associated with a quantity, e.g. Nike Air VaporMax quantity 1. Orders have at least one order line and may have several. Each order line has one or more statuses that map(s) to a numeric status code. Behind the scenes, the status of the order is calculated by evaluating which order line has a rolledUpStatus with the highest status code.

The table below describes each status associated with an order.

| Status Field Name                 | Description                                                                                                                                                                                                                                                 | API                                    |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| status                            | Status of the order.<br>Matches the<br>orderLines.rolledUpStatus<br>with the highest status<br>code on the order.                                                                                                                                           | BFF Order Summary<br>BFF Order Details |
| orderLines.rolledUpStatus         | Status of an order line.<br>Computed by “Partially” +<br>orderLines.maxOrderLineS<br>tatus. e.g. “Partially<br>Shipped”.                                                                                                                                    | BFF Order Summary<br>BFF Order Details |
| orderLines.maxOrderLineS<br>tatus | Status of the highest<br>status code on this order<br>line e.g “Shipped”.<br>Matches<br>orderLines.rolledUpStatus.<br>This status is included in<br>orderLines.statuses.                                                                                    | BFF Order Details                      |
| orderLines.minOrderLineSt<br>atus | Status of the lowest status<br>code on this order line e.g.<br>“Factory Delayed”. This<br>status is included in<br>orderLines.statuses.                                                                                                                     | BFF Order Details                      |
| orderLines.statuses               | An array of statuses for<br>each status code on this<br>order line. The description<br>with the highest status<br>code matches<br>orderLines.maxOrderLineS<br>tatus. The description with<br>the lowest status code<br>matches<br>orderLines.minOrderLineSt | BFF Order Details                      |

| Status Field Name | Description        | API               |
|-------------------|--------------------|-------------------|
|                   | atus.              |                   |
| paymentStatus     | Status of payment. | BFF Order Summary |

In the scenario illustrated by the BFF Order Details response below, a consumer has purchased two order lines. One order line has shipped and has a rolledUpStatus of “Shipped” and the other has been delayed at the factory and has a rolledUpStatus of “Factory Delayed”. Because the “Shipped” status has a higher status code than the “Factory Delayed” status code, the order status is “Partially Shipped”, calculated by “Partially” + the order line with the highest rolledUpStatus on the order.

```
{
  "status": "Partially Shipped",
  ...
  "orderLines": [
    {
      ...

      "statuses": [
        {
          "description": "Shipped",
          "quantity": 1,
          "date": "2018-01-30T12:16:51Z"
        }
      ],
      "rolledUpStatus": "Shipped",
      ...
      "maxOrderLineStatus": "Shipped",
      ...
    }
  ]
}
```

```

        "minOrderLineStatus": "Shipped",
        ...
    },
    {
        ...

        "statuses": [
            {
                "description": "Factory Delayed",
                "quantity": 1,
                "date": "2018-01-30T12:16:51Z"
            }
        ],
        "rolledUpStatus": "Factory Delayed",
        ...
        "maxOrderLineStatus": "Factory Delayed",
        ...
        "minOrderLineStatus": "Factory Delayed",
        ...
    }
]
}

```

Let's look at a slightly more complex example. As illustrated by the BFF Order Details response below, a consumer purchased three identical shorts. One short was delivered and has a status of "Delivered", another short was delivered and returned and has a status of "Return Processed", and one short was shipped and has a status of "Shipped". Because the "Delivered" status has the highest status code of the order line, the rolledUpStatus of the order line is "Delivered". The highest rolledUpStatus of the order is "Delivered", so the order status is "Partially Delivered".

```
{
  "status": "Partially Delivered",
  ...
  "orderLines": [
    {
      ...

      "statuses": [
        {
          "description": "Delivered",
          "quantity": 1,
          "date": "2018-01-30T12:16:51Z"
        },
        {
          "description": "Shipped",
          "quantity": 1,
          "date": "2018-01-30T12:16:51Z"
        }
        {
          "description": "Return Processed",
          "quantity": 1,
          "date": "2018-01-30T12:16:51Z"
        }
      ],
      "rolledUpStatus": "Partially Delivered",
      ...
      "maxOrderLineStatus": "Partially Delivered",
      ...
      "minOrderLineStatus": "Shipped",
      ...
    }
  ]
}
```

```

    }
  ]
}

```

Listed below are the order line statuses, status codes, and simple status.

**STATUS:** The order line status is returned by both the BFF Order Summary and BFF Order Details APIs.

**STATUS CODE:** Behind the scenes, status code is used by both APIs to calculate status ranking. However, the status code is not returned by either the BFF Order Summary or BFF Order Details API.

**SIMPLE STATUS:** The simple status is not returned by either the BFF Order Summary or BFF Order Details API but is provided as a sample, consumer-friendly status. Your experience could perform a similar status-to-simple-status mapping to display status to the consumer.

| STATUS                                      | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|---------------------------------------------|---------------------------------------------|-----------------------------------------------|
| Draft Order Created                         | 1000                                        | CREATED                                       |
| Draft Order Reserved<br>Awaiting Acceptance | 1040                                        | CREATED                                       |
| Draft Order Reserved                        | 1050                                        | CREATED                                       |
| Created or CREATED                          | 1100                                        | CREATED                                       |
| Authorized                                  | 1100.01                                     | CREATED                                       |
| Not Authorized                              | 1100.02                                     | CREATED                                       |
| Pending Completion                          | 1100.03                                     | CREATED                                       |
| Origin Scan                                 | 1100.050                                    | CREATED                                       |
| In Transit                                  | 1100.100                                    | CREATED                                       |

| <b>STATUS</b>                                | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|----------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Acknowledged                                 | 1100.110                                                  | IN PROCESS                                                  |
| Work Order Cancelled                         | 1100.1600                                                 | IN PROCESS                                                  |
| Factory Processing                           | 1100.600                                                  | IN PROCESS                                                  |
| Factory Completed                            | 1100.700                                                  | IN PROCESS                                                  |
| Factory Delayed                              | 1100.800                                                  | IN PROCESS                                                  |
| Reserved Awaiting Acceptance                 | 1140                                                      | IN PROCESS                                                  |
| Reserved                                     | 1200                                                      | IN PROCESS                                                  |
| Being Negotiated                             | 1230                                                      | IN PROCESS                                                  |
| Accepted                                     | 1260                                                      | IN PROCESS                                                  |
| Rescheduling                                 | 1300                                                      | IN PROCESS                                                  |
| BOReview                                     | 1300                                                      | IN PROCESS                                                  |
| Unscheduled                                  | 1310                                                      | IN PROCESS                                                  |
| Scheduled                                    | 1500                                                      | IN PROCESS                                                  |
| Awaiting Chained Order Creation              | 1600                                                      | IN PROCESS                                                  |
| Awaiting Procurement Purchase Order Creation | 2030                                                      | IN PROCESS                                                  |
| Awaiting Procurement Transfer Order Creation | 2060                                                      | IN PROCESS                                                  |
| Chained Order Created                        | 2100                                                      | IN PROCESS                                                  |
| PO Released                                  | 2100.100                                                  | IN PROCESS                                                  |

| <b>STATUS</b>             | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|---------------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Released For SO Create    | 2100.1000                                                 | IN PROCESS                                                  |
| DSV Acknowledged          | 2100.1100                                                 | IN PROCESS                                                  |
| Released To Third Party   | 2100.1200                                                 | IN PROCESS                                                  |
| Received By Partner       | 2100.1210                                                 | IN PROCESS                                                  |
| Confirmed By Partner      | 2100.1220                                                 | IN PROCESS                                                  |
| Order Processing          | 2100.1230                                                 | IN PROCESS                                                  |
| Order Delayed             | 2100.1250                                                 | IN PROCESS                                                  |
| PO Acknowledged           | 2100.200                                                  | IN PROCESS                                                  |
| Released To FC            | 2100.30                                                   | IN PROCESS                                                  |
| PO Sent To Warehouse      | 2100.300                                                  | IN PROCESS                                                  |
| PO Warehouse Acknowledged | 2100.350                                                  | IN PROCESS                                                  |
| PO Scheduled For Pick     | 2100.40                                                   | IN PROCESS                                                  |
| Order Received            | 2100.400                                                  | IN PROCESS                                                  |
| PO Awaiting Shipment      | 2100.50                                                   | IN PROCESS                                                  |
| Order Processed           | 2100.500                                                  | IN PROCESS                                                  |
| DSV Acknowledged          | 2100.550                                                  | IN PROCESS                                                  |
| Factory Processing        | 2100.600                                                  | IN PROCESS                                                  |
| Sent For SO Create        | 2100.620                                                  | IN PROCESS                                                  |
| DSV Acknowledged          | 2100.650                                                  | IN PROCESS                                                  |
| Factory Completed         | 2100.700                                                  | IN PROCESS                                                  |

| <b>STATUS</b>                      | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Factory Delayed                    | 2100.800                                                  | IN PROCESS                                                  |
| Procurement Purchase Order Created | 2130                                                      | IN PROCESS                                                  |
| Procurement Purchase Order Shipped | 2130.01                                                   | IN PROCESS                                                  |
| Work Order Created                 | 2140                                                      | IN PROCESS                                                  |
| Work Order Completed               | 2141                                                      | IN PROCESS                                                  |
| Procurement Transfer Order Created | 2160                                                      | IN PROCESS                                                  |
| Procurement Transfer Order Shipped | 2160.01                                                   | IN PROCESS                                                  |
| Released                           | 3200                                                      | IN PROCESS                                                  |
| Awaiting Shipment Consolidation    | 3200.01                                                   | IN PROCESS                                                  |
| Awaiting WMS Interface             | 3200.02                                                   | IN PROCESS                                                  |
| Published To WMS                   | 3200.03                                                   | IN PROCESS                                                  |
| Acknowledged                       | 3200.100                                                  | IN PROCESS                                                  |
| Sent To Warehouse                  | 3200.1000                                                 | IN PROCESS                                                  |
| Released To Third Party            | 3200.1200                                                 | IN PROCESS                                                  |
| Received By Partner                | 3200.1210                                                 | IN PROCESS                                                  |
| Confirmed By Partner               | 3200.1220                                                 | IN PROCESS                                                  |
| Order Processing                   | 3200.1230                                                 | IN PROCESS                                                  |
| Pending Release To SAP             | 3200.150                                                  | IN PROCESS                                                  |

| <b>STATUS</b>         | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|-----------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Scheduled For Pick    | 3200.200                                                  | IN PROCESS                                                  |
| Awaiting Shipment     | 3200.300                                                  | IN PROCESS                                                  |
| Order Received        | 3200.400                                                  | IN PROCESS                                                  |
| Order Processed       | 3200.500                                                  | IN PROCESS                                                  |
| Factory Processing    | 3200.600                                                  | IN PROCESS                                                  |
| Factory Completed     | 3200.700                                                  | IN PROCESS                                                  |
| DSV Acknowledged      | 3200.900                                                  | IN PROCESS                                                  |
| Sent To Node          | 3300                                                      | IN PROCESS                                                  |
| Included In Shipment  | 3350                                                      | IN PROCESS                                                  |
| Awaiting Invoice      | 3700.0101                                                 | IN PROCESS                                                  |
| Invoiced              | 3700.999                                                  | IN PROCESS                                                  |
| Held                  | 8000                                                      | IN PROCESS                                                  |
| Carried               | 1100.7777                                                 | COMPLETE                                                    |
| Order Completed       | 2100.1240                                                 | COMPLETED                                                   |
| Order Completed       | 3200.1240                                                 | COMPLETED                                                   |
| Completed             | 3700.12                                                   | COMPLETED                                                   |
| Order Completed       | 3700.777710                                               | COMPLETED                                                   |
| Order Completed       | 3700.7777.10                                              | COMPLETED                                                   |
| Backordered From Node | 1400                                                      | BACKORDER                                                   |
| Order Delayed         | 3200.1250                                                 | DELAYED                                                     |
| Factory Delayed       | 3200.800                                                  | DELAYED                                                     |

| <b>STATUS</b>        | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|----------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Shipped              | 3700                                                      | SHIPPED                                                     |
| Origin Scan          | 3700.10                                                   | SHIPPED                                                     |
| Customs Cleared      | 3700.100                                                  | SHIPPED                                                     |
| Manifest Scan        | 3700.200                                                  | SHIPPED                                                     |
| In Transit           | 3700.30                                                   | SHIPPED                                                     |
| Delivered To Store   | 3700.105                                                  | DELIVERED                                                   |
| Notionally Delivered | 3700.69                                                   | DELIVERED                                                   |
| Delivered            | 3700.70                                                   | DELIVERED                                                   |
| Order Delivered      | 3700.7777                                                 | DELIVERED                                                   |
| Ready For Pickup     | 3700.110                                                  | READY FOR PICKUP                                            |
| Customer Picked Up   | 3700.120                                                  | PICKED UP                                                   |
| Picked Up            | 3700.20                                                   | PICKED UP                                                   |
| Shipment Delayed     | 3700.130                                                  | SHIPMENT DELAYED                                            |
| Shipment Delayed     | 8500                                                      | SHIPMENT DELAYED                                            |
| Abandoned            | 3700.210                                                  | ABANDONED                                                   |
| Delivery Attempt 1   | 3700.40                                                   | DELIVERY ATTEMPT 1                                          |
| Delivery Attempt 2   | 3700.50                                                   | DELIVERY ATTEMPT 2                                          |
| Delivery Attempt 3   | 3700.60                                                   | DELIVERY ATTEMPT 3                                          |
| Unable To Deliver    | 3700.80                                                   | UNABLE TO DELIVER                                           |
| Refused Shipment     | 3700.90                                                   | REFUSED SHIPMENT                                            |
| Pending Cancel       | 1300.9000                                                 | CANCEL IN PROCESS                                           |

| <b>STATUS</b>              | <b>STATUS CODE</b><br><b>* not returned by either API</b> | <b>SIMPLE STATUS</b><br><b>* not returned by either API</b> |
|----------------------------|-----------------------------------------------------------|-------------------------------------------------------------|
| Pending Cancel             | 3200.9000                                                 | CANCEL IN PROCESS                                           |
| Cancelled                  | 9000                                                      | CANCELLED                                                   |
| Void                       | 9000.100                                                  | CANCELLED                                                   |
| Post Voided                | 9000.200                                                  | POST VOIDED                                                 |
| Delivered to Return Center | 1100.200                                                  | RETURN CREATED                                              |
| Early Refund               | 1100.300                                                  | RETURN CREATED                                              |
| Return Created             | 3700.01                                                   | RETURN CREATED                                              |
| Return Request Created     | 3700.011                                                  | RETURN CREATED                                              |
| Return Received            | 3700.02                                                   | RETURN CREATED                                              |
| Returned At Store          | 1100.400                                                  | RETURN COMPLETED                                            |
| Returned At Store          | 3700.04                                                   | RETURN COMPLETED                                            |
| Returned to DC             | 3700.85                                                   | RETURN COMPLETED                                            |
| Returned To Carrier        | 3700.95                                                   | RETURN COMPLETED                                            |
| Delivered to Return Center | 1100.200100                                               | RETURN IN PROCESS                                           |
| Inspection Escalate        | 1100.500                                                  | RETURN IN PROCESS                                           |
| Return In Progress         | 3700.03                                                   | RETURN IN PROCESS                                           |
| Return Processed           | 3700.05                                                   | RETURN IN PROCESS                                           |
| Return Invoiced            | 3950.01                                                   | RETURN IN PROCESS                                           |
| Received at Return Center  | 3950.100                                                  | RETURN IN PROCESS                                           |
| Inspection Passed          | 3950.200                                                  | RETURN IN PROCESS                                           |
| Inspection Escalate        | 3950.300                                                  | RETURN IN PROCESS                                           |

| STATUS                           | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|----------------------------------|---------------------------------------------|-----------------------------------------------|
| Inspection Denied                | 3950.400                                    | RETURN IN PROCESS                             |
| Inspected And Invoiced           | 3950.01.100                                 | RETURN IN PROCESS                             |
| Return Denied                    | 3700.06                                     | RETURN DENIED                                 |
| CSR Refund                       | 3950.700                                    | CSR REFUND                                    |
| Inspected And Invoiced           | 3950.01100                                  | RETURN PROCESSED                              |
| Exchange Order Created           | 3950.02.01                                  | EXCHANGE CREATED                              |
| Awaiting Exchange Order Creation | 3950.02                                     | EXCHANGE IN PROCESS                           |
| CREATED                          |                                             | Created (Only for Reserve Orders)             |
| UNRESERVED                       |                                             | UnReserved(Only for Reserve Orders)           |

## API Endpoint Quick Reference

| Endpoint Name     | Path                                                   | HTTP Method |
|-------------------|--------------------------------------------------------|-------------|
| BFF ORDER SUMMARY | /order_mgmt/<br>user_order_summary/v1                  | GET         |
| BFF ORDER DETAIL  | /order_mgmt/<br>user_order_detail/<br>v1/{orderNumber} | GET         |

# Best Practices

Listed below are some best practices for working with BFF Order Summary and BFF Order Details.

## Conditions for Retries

For all Nike Cloud APIs, the general rule is that HTTP 4XX error codes (except for 429) should not be retried but HTTP 5XX errors can be retried. For general information on Nike error retry practices, see [API Error Patterns](#) on Confluence.

## Test Environment

It is recommended to test all Order endpoints in the production environment as opposed to the test environment. Using the test environment can have unpredictable results due to the many downstream services which these endpoints are reliant upon in order to provide typical 'production-like' responses.

There are boundaries for testing in production:

- Performance tests at high volumes should never be done in production. All performance tests should be done in test.

## Caching Data

None of the endpoints described in this document support caching.

## Troubleshooting

- Use the general troubleshooting tips in the [Using NDe APIs](#) guide.
- Use a Splunk query (requires access) to check for issues with your request.
- Contact the Orders team on the [#mp-athena](#) Slack channel for assistance.

# Terms of Service

## Authorization

### Access Tokens

Most calls through the Nike API gateway (api.nike.com) require an access token be sent in the request header. This allows Nike to verify that your app is authorized to perform the action on behalf of the user.

Access tokens are obtained by calling Nike Unite services prior to calling the API which you ultimately want to reach.

To find out more on how to call Unite services to obtain access tokens, see the Authorization section of the [Using NDe APIs](#) guide.

### JSON Web Token

Neither the BFF Order Summary nor BFF Order Details endpoints require the additional authorization of a JSON Web Token (JWT). For more, see the JWT section of [Using NDe APIs](#).

## Sample Requests

Sample requests included throughout this guide contain unique IDs and access tokens that are spent/expired in the Production environment, so you will not be able use them as-is for testing purposes. Reuse what you can and replace with valid IDs/access tokens when necessary.

## User Types

The BFF Order APIs support 3 distinct user types:

- Member: user has logged in with their Nike+ account credentials
- Guest: user has not logged in (anonymous user)

- Employee: user is an employee of Nike or a subsidiary and has logged in with swoosh.com credentials (also known as Swoosh user type)

## Required Request Headers

Listed below are the required request headers based on user type. Since most BFF Order Summary and BFF Order Details requests come through the Nike Edge router, these header values will be set automatically, provided your app experience calls the Unite services first to get an access token and passes that token in the request.

| Header Name          | Description                                                                      | Member | Guest<br>* guest consumers are supported in the BFF Order Details API only | Employee |
|----------------------|----------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------|----------|
| <b>Accept</b>        | Content type you will accept in response, application/json is only value allowed | X      | X                                                                          | X        |
| <b>Content-Type</b>  | Content type of the request, application/json is only value allowed              | X      | X                                                                          | X        |
| <b>Authorization</b> | Your access token in the format of Bearer {token} indicating the                 | X      | X                                                                          | X        |

| Header Name             | Description                                                                                                                             | Member | Guest<br>* guest<br>consumers<br>are supported<br>in the BFF<br>Order Details<br>API only | Employee |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|----------|
|                         | consumer is<br>logged in                                                                                                                |        |                                                                                           |          |
| <b>x-nike-visitorid</b> | Unique identifier for the guest, validated by the Edge router and passed through to the service. Applies only to BFF Order Details API. |        | X                                                                                         |          |
| <b>x-nike-visitid</b>   | Integer identifying the guest's session. Applies only to BFF Order Details API.                                                         |        | X                                                                                         |          |
| <b>appld</b>            | Application making the API request e.g. com.nike.sport.running.ios                                                                      | X      | X                                                                                         | X        |

**TIP:** For the Authorization header, use the token for the consumer's login session that you obtained from Nike Unite/Identity, prefixed by **\*\*Bearer \*\*** (note the single space after Bearer). This is necessary for Nike to verify that your app is authorized to perform the requested operation on behalf of the consumer.

See the User Types section of the [Using NDe APIs](#) guide for more information.

## Common Questions

### Is it okay to call Order APIs if my app is hosted in an Amazon Web Services VPC?

Yes. The APIs are exposed publicly so it does not matter where you are calling from. If you are calling repeatedly from a small set of IP addresses, it might be possible that Nike's bot-mitigation tools could interfere with your ability to make calls. If you are having issues, reach out to Slack channel [#mp-athena](#) for help.

## Contacting the Team

Need to contact the Orders team?

|                  |                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Slack            | <a href="#">#mp-athena</a>                                                                                                                                                                                                                                                                                                                                                              |
| Confluence Space | <a href="#">Order Management</a>                                                                                                                                                                                                                                                                                                                                                        |
| Team Contacts    | <b>Intake, new requirements, onboarding</b><br>Betty Ashok <a href="mailto:Betty.Ashok@nike.com">Betty.Ashok@nike.com</a><br>Lindsey Kiken <a href="mailto:Lindsey.Kiken@nike.com">Lindsey.Kiken@nike.com</a><br>Krishnamurthy Ramakrishnan<br><a href="mailto:Krishnamurthy.Ramakrishnan@nike.com">Krishnamurthy.Ramakrishnan@nike.com</a><br><br><b>API or service-related issues</b> |

|        |                                                                                                                                                                       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | Vishibha Anand<br><a href="mailto:Vishibha.Anand@nike.com">Vishibha.Anand@nike.com</a>                                                                                |
| Intake | Please fill out an <a href="#">intake form</a> to initiate a requirement request. For more information, see the <a href="#">Marketplace Platform Intake Process</a> . |

## Glossary

See the [Glossary](#) for related terms.

## Document Change Log

| Summary                  | Date          | Description |
|--------------------------|---------------|-------------|
| Initial draft 10/25/2018 | Initial Draft |             |

## Next Steps

You've learned how to add Order History to your experience. Here are some next steps.

- [Capturing User Events](#)
- [Using NDe APIs](#)