



PRODUCT LIFE CYCLE

Table of Contents


Where Product Data Comes From 2

How Product Data Gets to the Customer 3

Related Links..... 3

PRODUCT LIFE CYCLE

Last Updated: 04/19/2018



Where Product Data Comes From

- **1a** The Product Depot Tool provides raw product data from various upstream Nike systems to Prodigy. The Prodigy Tool provides merchandised product, sku, pricing, value-added services and localized content to the Merchandised Product Service.
- **1b** The Taxonomy Service provides taxonomy (product attribute) IDs to the Merchandised Product Service used by the Search Service.
- **1c** The Catalog Service provides catalog IDs to the Merchandised Product Service.
- **2** Merchandised Product Service provides video and image URLs, catalog IDs, taxonomy IDs, merchandised products, prices, skus, value-added services and localized content to the Content Management Service (CMS).
- **3a** The Sterling Tool provides raw inventory data to the Availability Service. The Availability Service provides inventory information on a sku basis to the Product Feed Composer Service.
- **3b** The Launch Service provides launch dates to the Product Feed Composer Service

(for launch products only).

- **3c** CMS provides Thread, Feed, and Card data to the Product Feed Composer Service.
- **4** Product Feed Composer Service assembles Launch, Feed, Thread, Card and Inventory data and pushes it to the Search Service.

How Product Data Gets to the Customer

- **a** Nike experiences call the Product Feed service to get Feed and Thread data. Experience calls Scene 7/Cloudinary repository to get image and video media.
- **b** The Product Feed service gathers and returns Feed data. The Product Feed service calls the Search Service for Thread data. Scene 7/Cloudinary serve image and video media.
- **c** The Search Service gathers and returns Thread data to the Product Feed service based on the search criteria.

Related Links

[NDe Docs Home](#)

[Get Started \(https://developer.niketech.com/nde-docs/doc/getting-started/get-started.html \)](https://developer.niketech.com/nde-docs/doc/getting-started/get-started.html)