

connects these tools to front-end web experiences through TTAC components and the TTAC metadata (Attributions) service. TTAC components enable Nike experiences to tag content threads and assets with taxonomy attributes through a user interface. The TTAC metadata service stores and retrieves those taxonomical relationships in the form of UUIDs.

Contacting the Team

Slack	#asset-delivery
Confluence	CiC Asset Delivery
Product Director	Chris Sparhawk

About TTAC

The project is in development in PI-26 and is scheduled for release February 2019.

API	TTAC Metadata Service
COMPONENTS	to be published 2/5/19

The TTAC Service and Components are inner-sourced within Nike and open to contributions from all development teams to submit design suggestions and code PRs.

Governance will be provided by the following team:

- Architecture: Aaron Hall
- Engineering: Edmund Adjei
- Taxonomy: Rebecca Roberts

Use Cases

Step through the TTAC use cases below.

- ✓ Tag images so you can determine which image qualities and sizes motivate customers.

- ✓ Improve engagement by displaying product images most relevant to the customer's navigational path to a product wall. e.g. if a customer navigates to unisex products via a women's navigational path, she prefers to see images of female models instead of male.
- ✓ Boost conversion by using taxonomy tagging to display images to customers that resonate with their interests and preferences.
- ✓ Tag content to allow your app to select the most relevant threads to display to the customer.

Related Information

- [Working with Circuit Breakers](#): Learn how to be a good client by following these best practices.
- [Glossary](#): Common terms explained.
- [Product Life Cycle](#): Discover how Nike products become available for purchase in an experience.

APIs

- [TTAC Metadata Service](#)
- [TTAC Component Design](#)
- [Merch Taxonomy Attributes](#)
- [Recommend Concepts API](#)

Connect

We're here to help. [#Slack](#) [Email](#)