



Glossary

Last Updated: 02/04/2020

Key Terms

This guide provides a glossary of Nike terms.

Table 1: Key Terms

Term	Definition
A/B Test	Test comparing two UI versions of the same web page or app to measure a certain outcome e.g. better performance, higher rate of conversion, more frequent usage etc.
API.md	The 'contract' document of an API that lists each endpoint, sample request and response data, and request and response schemas
Public API (Open)	API that supports external, third party applications and experiences. There is general control of access, but is more often self-service driven. For example, a publicly accessible developer documentation portal with self-service API user registration
Private API (Closed)	API that is not shared with the outside world. This may be on the worldwide web, but does not permit non-proprietary applications to use them. For example, an API powering a proprietary, branded mobile app
Partner API (Hybrid)	API that is open on the web, but has more controlled access. It may require more stringent evaluation of the partner, more rigorous terms of service, and/or more granular control of access (potentially per user)
CORS	Cross-Origin Resource Sharing allows a resource in one domain to access a resource in a different domain e.g. web page, script, image etc.
cURL	Third party client-side library used to execute HTTP

Term	Definition
	requests from the command line
Idempotent	Having the property of making multiple, identical requests has the same effect as making a single request
JWT	JSON Web Tokens are credentials passed in the header of an API request that can be used to grant access to one or more of the API's resources
SEO	Search Engine Optimization used to maximize site traffic by increasing the site's visibility across search engines
SLA	Service Level Agreement detailing the response time and requests per second guarantees made by an API
Splunk (https://www.splunk.com/)	Third party logging and monitoring tool used by Nike Cloud APIs for troubleshooting
Trace ID	A unique identifier passed from API to API to track the path of a request and response
URI	Uniform Resource Identifier, a URL or resource name
URL	Uniform Resource Locator, an address to an internet resource e.g. http://nike.com and is a subset of URIs
UUID	Universal Unique Identifier, a 128-bit number uniquely identifying an object or entity e.g. dfb7eb64-de7b-4901-a0c4-be3164f7cee4

Related Links

- [Using Nike APIs \(https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html)