

ADDING MERCHANDISED PRODUCTS TO YOUR EXPERIENCE



Table of Contents

- Introduction..... 2
- Key Terms 3
- Terms of Service 4
- Use Cases 4
- API Quick Reference 5
- Gathering a Product Data Set..... 7
- Understanding Nike Product Data 8
- Merchandised Products Concepts 9
- International Considerations..... 13
- Using Merchandised Products..... 14
- Using Merchandised SKU..... 15
- Using Merchandised Product Prices..... 16
- Using Merchandised VAS..... 17
- Using Product Content 19
- Troubleshooting 22
- Contacting the Team 23
- Document Change Log 23
- Related Links 23

Adding Merchandised Products to Your Experience

Last Updated: 4/6/2021

Use the **Merchandised Products API** to get global product, sku, price, content, and value-added service (VAS) information, tailored to the needs of Nike consumers.

TIPS:

- Before using this guide, read [Using Nike APIs \(https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html).
- Use this Developer's Guide as a supplement to the API Reference for detailed use cases. See [API Quick Reference](#) for links to all the API Reference docs discussed in this guide.

Introduction

The **Merchandised Products API** gives you detailed product information in any Nike-supported language for display in your app or experience.

Scope/Limitations:

- NIKEiD is not supported. Although NIKEiD Master products are available in the Merchandised Products API, NIKEiD Prebuild products and paths are not supported. These are required to properly render the NIKEiD experience.
- Retail data product is available, but not supported. Contact the [Product Owner](#) for details.
- Bulk download of all product data is not supported.
- Nike Outfits are not supported.
- No product data metrics are currently sent to Analytics (Business Intelligence).
- The **Merchandised SKU** API does not determine if a SKU is in stock. Call the [Availability API \(https://developer.niketech.com/docs/projects/Availability%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Availability%20V2?tab=api) to determine if a SKU is available for purchase.

Consider Using Product Feeds Instead

The **Product Feeds API** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/use-product-feeds.html>) aggregates product information, inventory data, and brand content from various sources including the **Merchandised Products API**. It organizes the data into Cards (product data or events), Threads (groups of related cards) and Feeds (groups of related Threads).

The **Product Feeds API** offers these advantages:

- Remains in sync with multiple data providers (including **Merchandised Products**), which reduces the number of service contracts you need to keep track of.
- Since it is an aggregation service, you only need to make one endpoint call. In contrast, you need to make 4-5

Merchandised Product endpoint calls to get the complete portrait of a single product.

- Enforces business-critical rules around product visibility in experiences. For example, Nike restricts the sale and presentation of some products in certain countries. **Product Feeds** eliminates the logic required to comply with these rules.

There are a few caveats when calling **Product Feeds**:

- Responses are larger, so response times may be slightly slower than the **Merchandised Product API** - but still within SLAs.
- Does not provide all data available from the services it aggregates.

See **Product Feeds** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/use-product-feeds.html>) for use-cases and detailed API information.

Key Terms

Term	Definition
Image Base	Full path to a product image in an image set in Scene 7. Does not include resizing parameters.
Image Set	Set of product images stored in Scene 7 representing different views of the product. Build the URL to the product image using domain + company + view from the Product Base Image URL by Style Color results call.
GTIN	Global Trade Item Number. Nike leases a block of GTINs and recycles them seasonally. GTIN is commonly called UPC code, although the technical specification is slightly different for the two.
Master Product	A Nike iD product that has SKUs and is purchasable.
Merch Group	Merchandising Group representing a Nike geographical region. See a list of supported Merchandising Groups in the Enumerations section of the Merchandised Product List (https://developer.niketech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-merchandised-product-list) service.
Prebuild Product	A non-purchasable Nike iD product that has no SKUs. Each Prebuild product is associated to one Master product that is purchasable.

Term	Definition
Prodigy	System of record for all product data. All products are merchandised in this system and flow into the Merchandised Product database when they are published in Prodigy.
SLA	Service Level Agreement. A commitment from the service to the caller regarding service response times and service availability.
SKU	Stock Keeping Unit. Has unique ID associated with a SKU in the ATG legacy system. A product has one or more SKUs. A SKU represents one size and has inventory.
VAS	Value-added Service associated with a product such as gift wrap and product customization.

Terms of Service

To use the Merchandised Products API, you must send a caller ID header in every API request to help troubleshoot unexpected responses. See the Registration section of the [Using Nike APIs \(https://ndc-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#registration \)](https://ndc-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#registration) guide on how to create your caller ID.

Authentication Requirements

If you are retrieving products that are publicly available, no authentication or authorization is required. If you need product data that is not available to the public and you are an internal Nike team, you can contact the [Product Owner](#) for details on setting up authentication.

Use Cases

I want to...	API(s) to use
List merchandised product information such as product status, gender, merchandising tags, product type, and launch dates for a list of style-colors.	Merchandised Products API
List the prices of a style-color in a certain country. Includes retail price, employee price, sale price, current price, and MSRP.	Merchandised Products API Price API
List all products that can be gift-wrapped. Returns all value-added services of products that can	Merchandised Value-Added Services API

I want to...	API(s) to use
be gift-wrapped.	
List the sizes and SKU detail such as Nike size, localized size description, value-added tax (VAT) and Commodity Code for a style-color.	Merchandised Products API Merchandised SKU API
List the available images and localized product information such as title, subtitle, and description for a product. Lists all images in the Scene7 or Cloudinary image set.	Product Content API

API Quick Reference

Merchandised Product V3

- **Merchandised Product by productId** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-v3-merchandised-product-by-productid>)
- **Merchandised Product by merchGroup and styleColor** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-v3-merchandised-product-by-merchgroup-and-stylecolor>)
- **Merchandised Product List by merchGroup and style** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-v3-merchandised-product-list-by-merchgroup-and-style>)

Merchandised Product V2

- **Merchandised Product List - DEPRECATED use V3** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-merchandised-product-list>)
- **Merchandised Product by Id - DEPRECATED use V3** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-merchandised-product-by-id>)
- **Merchandised Product Create** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-merchandised-product-create>)
- **Merchandised Product Delete** (<https://developer.nike.tech.com/docs/projects/Merchandised%20Products%20Service%20API?tab=api#merchandised-product-merchandised-product-delete>)

Merchandised Sku V2

- **Merchandised Sku List** (<https://developer.nike.tech.com/docs/projects/>)

[Merchandised%20SKUs%20Service%20API?tab=api#sku-merchandised-sku-list](#))

- [Merchandised Sku by Id \(https://developer.niketech.com/docs/projects/Merchandised%20SKUs%20Service%20API?tab=api#sku-merchandised-sku-by-id \)](#)
- [Merchandised Sku Create \(https://developer.niketech.com/docs/projects/Merchandised%20SKUs%20Service%20API?tab=api#sku-merchandised-sku-create \)](#)
- [Merchandised Sku Delete \(https://developer.niketech.com/docs/projects/Merchandised%20SKUs%20Service%20API?tab=api#sku-merchandised-sku-delete \)](#)
- [Merchandised Sku Batch Delete \(https://developer.niketech.com/docs/projects/Merchandised%20SKUs%20Service%20API?tab=api#sku-merchandised-sku-batch-delete \)](#)

Merchandised Product Price V2

- [Merchandised Prices List \(https://developer.niketech.com/docs/projects/Merchandised%20Prices%20Service%20API?tab=api#prices-merchandised-prices-list \)](#)
- [Merchandised Prices by Id \(https://developer.niketech.com/docs/projects/Merchandised%20Prices%20Service%20API?tab=api#prices-merchandised-prices-by-id \)](#)
- [Merchandised Prices Create \(https://developer.niketech.com/docs/projects/Merchandised%20Prices%20Service%20API?tab=api#prices-merchandised-prices-create \)](#)
- [Merchandised Prices Delete \(https://developer.niketech.com/docs/projects/Merchandised%20Prices%20Service%20API?tab=api#prices-merchandised-prices-delete \)](#)

Merchandised Value Added Services V1

- [Merchandised Value Added Services List \(https://developer.niketech.com/docs/projects/Merchandised%20Value%20Added%20Services%20Service%20API?tab=api#value-added-services-merchandised-value-added-services-list \)](#)
- [Merchandised Value Added Services by Id \(https://developer.niketech.com/docs/projects/Merchandised%20Value%20Added%20Services%20Service%20API?tab=api#value-added-services-merchandised-value-added-services-by-id \)](#)
- [Merchandised Value Added Services Create \(https://developer.niketech.com/docs/projects/Merchandised%20Value%20Added%20Services%20Service%20API?tab=api#value-added-services-merchandised-value-added-services-create \)](#)
- [Merchandised Value Added Services Delete \(https://developer.niketech.com/docs/projects/Merchandised%20Value%20Added%20Services%20Service%20API?tab=api#value-added-services-merchandised-value-added-services-delete \)](#)

Product Content V1

- [Product Content by Style Color \(https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-content-product-content-by-style-color \)](#)
- [Product Content Item by Style Color \(https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-content-product-content-item-by-style-color \)](#)
- [Product Content By Style Color List \(https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-content-product-content-by-stylecolor-list \)](#)

)

- **Product Content Field By Style Color List** (<https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-content-product-content-field-by-stylecolor-list>)
- **Product Image Set by Style Color** (<https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-images-product-image-set-by-style-color>)
- **Product Image Set By Style Color List** (<https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-images-product-image-set-by-stylecolor-list>)
- **Product Base Image URL by Style Color List** (<https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-images-product-base-image-url-by-style-color-list>)
- **Product Base Image URL by Style Color** (<https://developer.niketech.com/docs/projects/Product%20Content%20Service%20API?tab=api#public-product-images-product-base-image-url-by-style-color>)

Gathering a Product Data Set

Follow the steps below to assemble a complete set of product data for a style-color.

Note: The style-color in this example is not a current, active product. Product availability changes constantly, so visit Nike.com to get an available product before trying this out.

1 Using sample style-color 526628-009, get the Product ID and a subset of product details from the Merchandised Product endpoint for the US Merch Group:

`https://api.nike.com/merch/products/v3/merchGroup/US/styleColor/526628-009`

2 Using the product ID from the Merchandised Product response, get prices from the Merchandised Price endpoint (filtered by product ID and country US): `https://api.nike.com/merch/prices/v2?filter=productid(22d2ea87-d7ce-50e7-a5ca-884788e1d958)&filter=country(US)`

3 Using the same product ID, get the SKU data from the Merchandised SKU endpoint (filtered by country US): `https://api.nike.com/merch/skus/v2?filter=productId(22d2ea87-d7ce-50e7-a5ca-884788e1d958)&filter=country(US)`

4 Using style-color 526628-009 (not product ID), get product images from the Product Content service:

`https://api.nike.com/merch/contents/v1/526628-009/images?country=US`

Note: Images are returned from the Product Content service without a URL, but the necessary information is returned to build it. The experience is responsible for assembling the image URL.

5 Using style-color 526628-009 (not product ID), get the localized content for the product from the Product Content service: `https://api.nike.com/merch/contents/v1/526628-009/content?country=US&locale=en_US`


Understanding Nike Product Data

Nike product data is a complex set of information that flows from multiple origin systems and processes.

Where Does Product Data Come From?

Product data originates from two primary upstream systems: **Prodigy** (via **eMerch**), and the cloud-based **Catalog** service. Prodigy and the Catalog service are the systems of record for product data, and are not managed within the Merchandised Products domain.

The following diagram illustrates the most common patterns for data flow.



How Does Product Data Get Published?

New Products

Prodigy sends **Merchandised Products** cloud services a new product notification. **Merchandised Products** cloud services creates several objects using the data from the new product notification and decorates the data with domain-specific elements such as UUIDs for each service. Generally, **Merchandised Products** does not modify data provided by the systems of record. For more information on **Merchandised Product** IDs, see [Understanding IDs](#).

TIPS:

When a Merchandised Products object is created or updated, the object remains in the application cache for 30 seconds.

Because Prodigy is the source of data, product data that is served through the **Merchandised Products API** is subject to change at any time.

Product Updates

Prodigy sends a product update notification to **Merchandised Products** cloud services. This initiates the creation of a fresh snapshot of all product data.

Prodigy uses a first-in-first-out queue. However, an individual product update is pushed to the top of the queue and takes precedence over larger bulk updates. For example, the queue may contain 100,000 updates when a global product attribute has been applied. Since a producer who manually updates and publishes a single product likely wants that change to take place as quickly as possible, Prodigy gives preference to the manual update.

Where Do I Get Inventory Information?

Call the **Availability API** (<https://developer.niketech.com/docs/projects/Availability%20V2?tab=api>) to check if a product is saleable.

How To Find a Current Product

The easiest way to find a current product is to go to Nike.com and find a style-color that is offered on the site. With the exception of NIKEiD products, if the style-color is available on Nike.com, the data is available in our services.

Merchandised Products Concepts


How Product Data is Organized in the Merchandised Products API

Depending upon the information you are looking for, you may need to chain together several service calls, using the output of one service call as input to another.

Every Nike product has:

- One or more SKUs
- One set of prices
- One or more associated value-added services
- A body of content
- A set of product images

These items are divided into a set of microservices. The relationship between the Merchandised Products objects is illustrated below.



Finding the Data Points You Need

Use these guidelines to find the endpoints to call to get the product data you need:

- If the data can be localized, use the [Content API](#).
- If you are looking for size information, use the [Merchandised SKU API](#).
- If you are looking for launch-related information or dates associated with a product, use the [Merchandised Products API](#).

Understanding IDs

The resources provided by the **Merchandised Products API** include a wide range of IDs that are used for various current and historical purposes. The following table describes the concepts and common uses for each of these IDs.

ID	Services	Description
id	Merchandised Products, Price, SKU, and VAS	UUID for an object (and any nested object). Each value in the object's id field is generated within the Merchandised Products domain, and is not used by legacy systems. Each ID is unique to the Merch Group that was specified in the request, but is not globally unique. For a globally unique ID, use the value in the catalogId field.
productId	Merchandised Price, SKU, and VAS	UUID of the parent product to which the data is tied. Each product returned in the Merchandised Products service is the parent for the data returned by the other APIs in the domain. For example if you want to retrieve the SKUs for a specific product, you need the parent product UUID of those SKUs.
parentId	Merchandised Price, SKU, and VAS	UUID of the parent product to which the data is tied. NOTE: The parent ID is identical to the product UUID.

ID	Services	Description
snapshotId	Merchandised Products, Price, SKU, and VAS	UUID representing a snapshot of a product at a point in time. Snapshot IDs are used for historical lookup purposes as product data changes frequently. For example, Checkout (https://nde-devportal-docs.niketech.com/doc/commerce/checkout/use-checkout.html) stores a record of every transaction that occurs on Nike.com. The Snapshot ID is stored in that record so the details of the transaction can be retrieved when the product data was requested. NOTE: Merchandised Products cloud services does not provide a way to lookup a Snapshot ID. Your app or experience should store the Snapshot ID returned in the response.
styleCode, colorCode, and styleColor	All	Consumer-facing style and color of a product. NOTE: Style-colors are not globally unique. Occasionally a style-color ID is identical in two different Merch Groups, but that identical ID represents two distinct, physical products. Collisions are rare, but can occur.
catalogId	Merchandised Products	Globally unique product UUID that is generated by the Catalog domain.
pid	Merchandised Products	Deprecated Product ID (PID) that is used by various internal systems

ID	Services	Description
		at Nike, as well as in legacy URLs on Nike.com. PIDs are generally included for historical mapping purposes for legacy systems that are not completely cloud-enabled.
productGroupId	Merchandised Products	Deprecated Product Group ID (PGID) that is used by various internal systems at Nike, as well as in legacy URLs on Nike.com. PGIDs were used to group products together in a merchandised experience. PGIDs are included generally for historical mapping purposes for legacy systems that are not completely cloud-enabled.
legacyCatalogIds	Merchandised Products	Deprecated IDs that are returned for use by legacy systems.
stockKeepingUnitId	Merchandised Price	Deprecated SKU ID that is used for historical purposes by legacy systems.
gtin	Merchandised SKU	Globally unique 14-digit number that used to identify retail SKUs. These are commonly called UPC codes, though the technical specification for the two is slightly different.
catalogSkuld	Merchandised SKU	Deprecated IDs that are returned for use by legacy systems.

Caching Data

The Merchandised Products API caching strategy includes three layers: application, Akamai and experience.

The first cache layer is at the application level where each instance of the Merchandised Products application has its own cache. There is no distributed caching, so the service instances do not share cache information with one another. Application cache times vary between services.

The second cache layer is Akamai caching, utilized when the client calls the services through the public router.

There is no caching performed when an application calls the application directly.

The third cache layer should occur within the client experience, depending on the client's architectural patterns. Caching client-side is recommended to reduce network calls and unnecessary load on the system.

Create, Update, and Delete Capabilities of the API

In addition to listing product data, the API creates, modifies and deletes product data that flows into the system from Prodigy, which is the primary system of record. Every update call made to the Merchandised Products services from Prodigy (including deletion) is versioned, creating an audit trail. In this way, no Merchandised product data is physically deleted from the data store. A timestamped deletion record is inserted instead. Each version has a unique **snapshotId** representing a snapshot of the object in time. The create, update and delete endpoints are restricted to certain applications.

International Considerations

The rules and behaviors for products are generally the same regardless of geography. However, there are a few key concepts and exceptions.

Working with Merch Groups, Countries, and Languages

A Merch Group is a collection of countries defined in Prodigy. Merch Groups are used to manage product information and inventory at a group level. The Merchandised Products API uses the Merch Group as a foundational element in how the data is organized and presented.

Within each Merch Group, each country may include translations and size conversions for more than one language-dialect.

For most API calls, Merch Group and Country are required. For the current list of supported Merch Groups, countries, and languages see [Merchandised Products Field Reference \(https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products \)](https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products) guide.

Excluding Countries Where a Specific Product Should Not Be Offered

In some cases, Nike does not offer a product in a certain country, even if it is offered in other countries within the same Merch Group. This may be for a variety of reasons, including legal implications of selling a product that is not within the trade guidelines for a given country. If you are building a public or consumer-facing experience, it is essential that you do not show that product in an excluded country.

The Merchandised Products API includes two fields that are used for this purpose:

- **commerceCountryInclusions**
- **commerceCountryExclusions**

The two data points reflect two views of the same data. You should use **commerceCountryExclusions** to exclude a product from display in the specified country. The **commerceCountryInclusions** field is an inverse view that is primarily used for legacy systems.

Using Merchandised Products

- [Merchandised Products Overview](#)
- [Merchandised Product List by merchGroup and style](#)
- [Merchandised Product by merchGroup and styleColor](#)
- [Merchandised Product by productId](#)

Merchandised Products Overview

Use the Merchandised Products service to list product information. Unlike the V2 version of these endpoints, V3 endpoints only take path parameters. They do not accept filter query parameters such as fields.

None of the Merchandised Product endpoints are **JWT-restricted** (<https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#jwt-json-web-token>) but results differ based on whether or not this header is sent in the request. If no JWT header is supplied, the response contains products with an ACTIVE status. If a valid JWT header is supplied, the response contains products matching the criteria regardless of status.

This is a synchronous service.

Merchandised Product List by MerchGroup and Style

Call this endpoint to get product information for all colorways in a **merchGroup** matching the **style** code path parameter.

Sample request URI to list product information for style code 849560 in merchGroup EU:

```
https://api.nike.com/merch/products/v3/merchGroup/EU/style/849560
```

Merchandised Product by merchGroup and styleColor

Call this endpoint to get product information in a **merchGroup** matching the **styleColor** code path parameter.

Sample request URI to list product information style 849560, color 100 and merchGroup EU:

```
https://api.nike.com/merch/products/v3/merchGroup/EU/styleColor/849560-100
```

Merchandised Product By productId

Call this endpoint to get product information matching the **id** path parameter.

TIP: If you know the product ID, this endpoint yields faster results than the [Merchandised Product by merchGroup and styleColor](#) endpoint does because it locates the product record directly by ID rather than searching by styleColor.

Sample request URI to list product information for ID 58aaa694-5889-5965-a781-6abcc3e4ff68:

```
https://api.nike.com/merch/products/v3/productId/58aaa694-5889-5965-a781-6abcc3e4ff68
```

Using Merchandised SKU

- [Merchandised Sku List](#)
- [Merchandised Sku by ID](#)

Merchandised SKU Overview

Use this service to list, add, update and delete merchandised SKU information.

- Search for a specific version of the object by ID and Snapshot ID. Searching by a filter other than **snapshotId** returns the most recent version.
- Filter field names are case-insensitive.
- One product's SKU data is returned if searching by SKU ID.
- If country is not specified, all countries are returned.
- This is a synchronous service.

Merchandised SKU List

Use this service to search for multiple SKUs by filter. Search results are sorted in ascending order by the **displayOrder** field and then **stockKeepingUnitId**. Note that the **displayOrder** field is not returned in the results.

Let's take a look at some sample *Merchandised SKU* scenarios.

I Want to List SKUs for filter	Sample Query
Product ID 2c4282cc-9fd1-5250-94a5-0c74735443dc	<code>https://api.nike.com/merch/skus/v2?filter=productid(2c4282cc-9fd1-5250-94a5-0c74735443dc)</code>
GTIN 00887225865153	<code>https://api.nike.com/merch/skus/v2/?filter=gtin(00887225865153)</code>
Legacy SKU (stockkeepingunitid) 18925450	<code>https://api.nike.com/merch/skus/v2/?filter=stockkeepingunitid(18925450)</code>

Merchandised SKU by ID

Use this service to search for SKU information by SKU ID. This service returns the same data as the [Merchandised SKU List](#) endpoint returns except for the pages object because the endpoint only returns one result. In order to get a SKU ID, you can query the *Merchandised SKU List* endpoint filtering by **productid**.

TIP: If you know the SKU ID, this endpoint yields faster results than the [Merchandised SKU List](#) endpoint does because it locates the SKU record directly by ID rather than filtering the results.

Merchandised SKU by ID Details

I Want to List SKU UUID	Sample Query
036006d4-fdb7-55f6-9430-9eaf239ce22f	<code>https://api.nike.com/merch/skus/v2/036006d4-fdb7-55f6-9430-9eaf239ce22f</code>
036006d4-fdb7-55f6-9430-9eaf239ce22f in Finland	<code>https://api.nike.com/merch/skus/v2/036006d4-fdb7-55f6-9430-9eaf239ce22f?country=FI</code>

Using Merchandised Product Prices

- [Merchandised Prices List](#)
- [Merchandised Prices by ID](#)

Merchandised Product Prices Overview

Use this API to list product prices.

- Search for a specific version of the object by ID and Snapshot ID. Searching by a filter other than **snapshotId** returns the most recent version.
- Filter field names are case-insensitive.
- One product's price data is returned if searching by price ID.
- All endpoints are synchronous.

The following sections describe each endpoint of the Merchandised Product Price API in detail.

Merchandised Prices List

Use this endpoint to list price data by price **id** or by **productId** and **country** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>).

Because price values and currency are localized, both **country** and **productId** are required parameters when searching by **productId**. **country** is not required when searching by price **id** because the price record is for a specific country. To get the price **id** in the results, first search by **productId** and **country**. If you do not know the **productId**, use the [Merchandised Product List](#) endpoint to search by style-color or style. **productId** is returned in the results.

No special headers are required to use this endpoint so it can be executed in any browser, and the consumer does not have to be logged in.

I Want to List Prices for	Sample Query
Product UUID and a specific location (e.g. Ireland)	<code>https://api.nike.com/merch/prices/v2/?filter=productId(58aaa694-5889-5965-a781-6abcc3e4ff68)&filter=country(IE)</code>

I Want to List Prices for	Sample Query
Price UUID 486d098c-a403-5fb7-8305-243d71625d4c and snapshotId 678408f9-0eea-4560-b537-e85c131e9495	<code>https://api.nike.com/merch/prices/v2/?filter=id(486d098c-a403-5fb7-8305-243d71625d4c)&filter=snapshotId(85ebb452-f61c-46a2-b0ce-14a89a542816)</code>

Merchandised Prices by ID

Use this endpoint to list price data by price **id**. To get the price **id**, search by **productid** and **country** (<https://ndevportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) using the **Merchandised Prices List** endpoint and Price ID is returned in the results. If you do not know the product id, use the **Merchandised Product List** endpoint to search by style-color or style. Product ID is returned in the results.

Results from this endpoint are almost identical to those returned from the **Merchandised Product List** endpoint. The difference is no pagination data is returned and you can only search by one price **id** at a time.

No special headers are required to use this endpoint so it can be executed in any browser, and the consumer does not have to be logged in.

TIP: If you know the price **id**, this endpoint yields faster results than the **Merchandised Prices List** endpoint does because it locates the price record directly by **id** rather than filtering the results.

I Want to List Merchandised Price for	Sample Query
price ID 486d098c-a403-5fb7-8305-243d71625d4c	<code>https://api.nike.com/merch/prices/v2/486d098c-a403-5fb7-8305-243d71625d4c</code>
price ID 486d098c-a403-5fb7-8305-243d71625d4c and snapshotId 85ebb452-f61c-46a2-b0ce-14a89a542816	<code>https://api.nike.com/merch/prices/v2/486d098c-a403-5fb7-8305-243d71625d4c?filter=snapshotId(85ebb452-f61c-46a2-b0ce-14a89a542816)</code>

Using Merchandised VAS

- **Merchandised Value-added Services List**
- **Merchandised Value-added Services by ID**

Merchandised Value Added Services Overview

Products can be merchandised with one or more Value Added Services (VAS) such as gift wrap or personalization. Digital and physical gift cards are another example of VAS as consumers can personalize the gift message and configure the amount. A VAS can be merchandised to an unlimited number of products. Use this service to list, add, and delete VAS.

- Search for a specific version of the object by ID and Snapshot ID. Searching by a filter other than **snapshotId**

returns the most recent version.

- Filter field names are case-insensitive.
- One VAS is returned if searching by VAS ID.
- All endpoints are synchronous.

Note that the VAS services return a field named `pid`. Even though this field implies a one-to-one relationship between product and VAS, this field is a legacy ID used for reporting purposes in Prodigy. Products can have several Value-Added Service objects associated with them.

The following sections describe each endpoint of the Merchandised Value Added Services API in detail.

Merchandised Value Added Services List

Use this endpoint to list VAS by type or by VAS ID. Listing by multiple IDs is supported.

If you want to search by VAS ID but do not know it, call the [Merchandised Product List](#) endpoint first. The `value_added_service` ID will be returned in the search results for each product that has one or more value-added service attributes.

The consumer does not have to be logged in to call this endpoint.

This endpoint requires no special headers so you can execute test calls in any browser.

I Want to List VAS Details for	Sample Query
VAS type DIGITAL_GIFT_CARD	<code>https://api.nike.com/merch/value_added_services/v1?filter=type(DIGITAL_GIFT_CARD)</code>
VAS ID 47bc9091-2965-5231-b5f1-a7216e249894	<code>https://api.nike.com/merch/value_added_services/v1?filter=id(47bc9091-2965-5231-b5f1-a7216e249894)</code>
VAS ID 124ae4cb-0506-5b52-98c0-06eaf7b7ea67 and VAS ID 47bc9091-2965-5231-b5f1-a7216e249894	<code>https://api.nike.com/merch/value_added_services/v1?filter=id(124ae4cb-0506-5b52-98c0-06eaf7b7ea67,47bc9091-2965-5231-b5f1-a7216e249894)</code>
VAS ID 47bc9091-2965-5231-b5f1-a7216e249894 and Snapshot ID 52ca6f5b-fde9-4daf-af65-3993ef7eb428	<code>https://api.nike.com/merch/value_added_services/v1?filter=id(afd90c5b-230f-5fd3-b3a4-af36c5dbd55d)&filter=snapshotId(e0861083-f3a3-4120-bc30-29888113e940)</code>
all available VAS	<code>https://api.nike.com/merch/value_added_services/v1</code>

Merchandised Value Added Services by ID

Use this endpoint when you want to list the fields for one VAS ID. This endpoint returns almost identical results as the [Merchandised Value Added Services List](#) endpoint returns except that it does not return pagination information because it returns only one VAS object. This endpoint returns a quicker response than the

Merchandised Value Added Services List endpoint because it does not filter or paginate the results.

If you do not know the VAS ID, call the **Merchandised Product List** endpoint first. The value_added_service ID will be returned in the search results for each product that has one or more VAS attributes.

The consumer does not have to be logged in to call this endpoint.

This endpoint requires no special headers so you can execute test calls in any browser.

I Want to List VAS Details for	Sample Query
ID 56e48cf5-050f-51a7-b6ce-1ca5ab9d415b	<code>https://api.nike.com/merch/value_added_services/v1?filter=id(47bc9091-2965-5231-b5f1-a7216e249894)</code>
ID 56e48cf5-050f-51a7-b6ce-1ca5ab9d415b and Snapshot ID 52ca6f5b-fde9-4daf-af65-3993ef7eb428	<code>https://api.nike.com/merch/value_added_services/v1/56e48cf5-050f-51a7-b6ce-1ca5ab9d415b?snapshotId=566ba45b-898b-4f19-a743-c12e8a753945</code>
ID 56e48cf5-050f-51a7-b6ce-1ca5ab9d415b and only return pid and type fields	<code>https://api.nike.com/merch/value_added_services/v1/56e48cf5-050f-51a7-b6ce-1ca5ab9d415b?fields=(status,pid,type)</code>

Using Product Content

- **Product Content by Style Color**
- **Product Content by Style Color List**
- **Product Content Item by Style Color**
- **Product Content Field by Style Color List**
- **Product Image Set by Style Color**
- **Product Base Image URL by Style Color List**
- **Product Base Image URL by Style Color**
- **Product Image Set by Style Color List**

Product Content Overview

Use these services to list product content such as title, subtitle, description, and images by **country** (<https://ndevportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) and locale.

There are two sets of Product Content services, internal and external.

External services go through the public router (api.nike.com and snkrs.prod.commerce.nikecloud.com) and return product information for products in the ACTIVE and CLOSEOUT status.

Internal services go through the frame router (frame.prod.commerce.nikecloud.com). These services return identical fields to the external services but they return all products regardless of status. When making service-to-service calls, use the internal Product Content endpoints.

All endpoints are synchronous.

Product Content by Style Color

Use this endpoint to list localized product content for a style-color, **country** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) and locale.

I Want to List Product Content for	Sample Query
Style-color code 919704-006 in Spain for locale es_ES	https://api.nike.com/merch/contents/v1/919704-006/content?country=ES&locale=es_ES

Product Content by Style Color List

Use this endpoint to list localized product content for a list of style-colors, **country** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) and locale. Only one country and locale is supported.

I Want to List Product Content for	Sample Query
Style-color codes 852395-601 and 919704-006, country Spain and locale es_ES	https://api.nike.com/merch/contents/v1/content?stylecolors=852395-601,919704-006&country=ES&locale=es_ES

Product Content Item by Style Color

Use this endpoint to list one item (field) of product content for a style-color, **country** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) and locale. Only one style-color, itemName, country and locale is supported. You can use any valid itemName in the path parameter.

I Want to List Product Content for	Sample Query
Title information for style-color code 919704-006, country Spain and locale es_ES	https://api.nike.com/merch/contents/v1/919704-006/content/title?country=ES&locale=es_ES

Product Content Field by Style Color List

Use this endpoint to list one item (field) of product content for a list of style-colors, **country** (<https://nde-devportal-docs.niketech.com/doc/commerce/product/merchandised-product-field-reference.html#using-merchandised-products>) and locale. Only one itemName, country and locale is supported. You can use any valid itemName in the path parameter.

I Want to List Product Content for	Sample Query
Title information for style-color codes 852395-601 and	https://api.nike.com/merch/contents/v1/content/

I Want to List Product Content for	Sample Query
919704-006, country Spain and locale es_ES	<code>descriptionHeading?country=ES&locale=es_ES&stylecolors=852395-601,919704-006</code>

Product Image Set by Style Color

Use this endpoint to list the images associated with a style-color and country.

Product images are stored in Scene 7. A Nike product often has multiple images associated with it, each displaying the product from a different angle. This group of images is called an image set in Scene 7.

I Want to List Product Image Set for	Sample Query
Style-color code 919704-006 and country Spain	<code>https://api.nike.com//merch/contents/v1/919704-006/images?country=ES</code>

Product Base Image URL by Style Color

Use this endpoint to list the first image in the image set for a style-color. This is also known as the base image.

I Want to List the Base Product Image for	Sample Query
Style-color code 919704-006 and country Spain	<code>https://api.nike.com/merch/contents/v1/919704-006/images/base?country=ES</code>

Product Image Set by Style Color List

Use this endpoint to list the image set for a list of style-color codes and country. Only one country is supported.

I Want to List the Image Set for	Sample Query
Style-color codes 919704-006 and 852395-601 and country Spain	<code>https://api.nike.com/merch/contents/v1/images/%3Fcountry=ES&stylecolors=919704-006,852395-601</code>

Product Base Image URL by Style Color List

Use this endpoint to list the base image for a list of style-color codes and country. Only one country is supported.

I Want to List the Base Product Image URL for	Sample Query
Style-color codes 919704-006 and 852395-601 and country Spain	<code>https://api.nike.com/merch/contents/v1/images/base?country=ES&stylecolors=919704-006,852395-601</code>

Troubleshooting

Listed below are ways to troubleshoot unexpected responses using this API.

Tools

Use the general troubleshooting tips in the [Using Nike APIs \(https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting) guide.

Use a Splunk query (requires access) to check for issues with your request.

Contact the Merchandised team on the [#pdm-merch-catalog \(https://nikedigital.slack.com/archives/CANEN2FH9 \)](https://nikedigital.slack.com/archives/CANEN2FH9) Slack channel for assistance.

Common Questions

Why isn't the change I published in Prodigy returned in my call to Merchandised Product API?

It takes approximately 30 seconds for an add/update/delete record to flow to the Merchandised Products Database once it is published in Prodigy. If a change does not appear after 30 seconds by Merchandised Products API, it may be in the Prodigy queue behind other jobs with higher priority. Republish the change in Prodigy to push it again. Note that Prodigy gives a higher queue priority to an individual project change than to a change made to several products at once in a bulk update.

Why aren't some fields returned in my call to Merchandised Product API?

There could be several reasons why the product data you expect is not listed.

1. You may not be calling the correct service. Depending upon the product data you are looking for, you may need to chain together services to get the input to the service that returns the data you need. See the [Gathering a Product Data Set](#) section for the chain of calls you need to make to get all details for a product.
2. The data you are looking for is not set up in the upstream system. Check the product in Prodigy to verify that it is merchandised as you expect.
3. The product data may be queued or in transit from Prodigy to the Merchandised Products database. Wait 30 seconds and call the API again.

If none of these scenarios apply, [contact the Product Data Management team](#) for help. Supply as much of the information below to the Team as possible to help them troubleshoot the issue:

- Date/time of request
- URI, headers and body (if POST request)
- Context in which your request was executed (service-to-service, app, web)
- Environment in which your request was executed (test, prod, performance)
- Splunk [Traceld \(https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting)

Contacting the Team

Need to contact the Product Data Management team?

Slack	#pdm-merch-product (https://nikedigital.slack.com/archives/CANEN2FH9)
Confluence Space	Product Data Management - Consumer Product Services (https://confluence.nike.com/display/PDM/Product+Data+Management+Home)
<i>Product Owner</i>	Debbie Meier Saudamini Baru

Document Change Log

Summary	Date
Initial publish	12/01/2017
Added detail on internationalization and product flow	12/7/2017
Clarified count description	02/12/2018
Updated contact info, restructured sections, updated links	06/09/2020
Added Merchandised Product V3 endpoint	04/06/2021

Related Links

- [Using Nike APIs \(https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html)
- [Glossary \(https://nde-devportal-docs.niketech.com/doc/commerce/reference/glossary.html \)](https://nde-devportal-docs.niketech.com/doc/commerce/reference/glossary.html)
- [Merchandised Product Field Reference Guide \(https://nde-devportal-docs.niketech.com/doc/commerce/product/merch-product-field-reference.html#using-merchandised-products \)](https://nde-devportal-docs.niketech.com/doc/commerce/product/merch-product-field-reference.html#using-merchandised-products)
- [Product Feeds API \(https://nde-devportal-docs.niketech.com/doc/commerce/product/use-product-feeds.html \)](https://nde-devportal-docs.niketech.com/doc/commerce/product/use-product-feeds.html)