

# ADDING ORDER HISTORY TO YOUR EXPERIENCE

## Table of Contents

|                                                        |    |
|--------------------------------------------------------|----|
| Introduction.....                                      | 2  |
| Key Terms .....                                        | 3  |
| Step 1: List a Member’s Orders .....                   | 4  |
| Step 2: List Order Details for a Member or Guest ..... | 7  |
| Understanding Order Status .....                       | 9  |
| API Quick Reference .....                              | 18 |
| Best Practices.....                                    | 18 |
| Troubleshooting .....                                  | 19 |
| Terms of Service .....                                 | 20 |
| Common Questions .....                                 | 22 |
| Contacting the Team .....                              | 29 |
| Document Change Log .....                              | 29 |
| Next Steps .....                                       | 29 |

# Adding Order History to Your Experience

---

Last Updated: 07/21/2021

Retrieve a complete order history for your consumers.

**TIP:** Before using this guide you should have already completed [Adding Checkout to Your Experience \( https://nde-devportal-docs.niketech.com/doc/commerce/checkout/use-checkout.html \)](https://nde-devportal-docs.niketech.com/doc/commerce/checkout/use-checkout.html).

## Introduction

Adding consumer order history to your app can be as simple as this two-step process:

1. Your application makes an **User Order Summary API** ( <https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api> ) request to retrieve all, or a filtered **list of a member's orders**.
2. Using an order ID from the **User Order Summary** ( <https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api> ) response, your application makes a request to the **User Order Details API** to **list order details for a member or guest**.

## What is an Order?

An order consists of all data related to:

- Consumers' purchased items/services
- Consumers' payment method(s) and billing address(es)
- Consumers' shipping method(s) and shipping address(es)
- Pricing
- Taxes
- Promotions
- Status

An order is created in the last step of **Checkout** ( <https://nde-devportal-docs.niketech.com/doc/commerce/checkout/use-checkout.html> ) when the consumer has provided all the necessary checkout information and submits it for fulfillment. After an order is created, it is stamped with a unique order number, the date and time the order was submitted, and a status of CREATED. The order is assigned different statuses as it progresses through the order lifecycle. See [Understanding Order Status](#) for more detail.

## User vs. Core APIs

In the two-step process described earlier, we utilized the User Order Summary and User Order Detail APIs. These APIs provide a subset of order history data to apps that communicate over the public internet, e.g. the Nike app or Nike.com.

If your use case requires the superset of order history data, and your app communicates inside the Nike network, then there may be an additional option for you: the core **Order Summary** ( <https://developer.niketech.com/docs/projects/Order%20Summary%20Service?tab=api> ) and **Order Detail** ( <https://developer.niketech.com/docs/projects/Order%20Detail%20Service?tab=api> ) APIs. The core APIs provide data to apps in Nike Retail stores, and the Consumer Services Portal (CSP), for example.

**NOTE:** Because the core APIs are a superset of what the user APIs offer, much of the content in this document applies equally to both sets of APIs. Where there are important differences between the core and user APIs, they will be specifically mentioned.

## Key Terms

Listed below are key terms for the Order History APIs.

Table 1: Key Terms for Order History APIs

| Term                 | Definition                                                                                                                                                               |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Employee</b>      | An employee that is logged in with a Swoosh account                                                                                                                      |
| <b>Guest</b>         | An anonymous consumer, i.e. not logged-in with a Nike account                                                                                                            |
| <b>Member</b>        | A logged-in consumer with a Nike account                                                                                                                                 |
| <b>Order</b>         | A set of data for a checkout submitted by a consumer, e.g. products/services, payment methods, shipping methods, taxes, and promotions                                   |
| <b>Order Details</b> | Use either the core or user Order Details API to get full details of an order for a member or guest                                                                      |
| <b>Order Line</b>    | A line item with an order, representing a product, payment, etc. Found in the <code>lineItems</code> in the Order Details response                                       |
| <b>Order Number</b>  | The unique <code>id</code> for the order                                                                                                                                 |
| <b>Order Status</b>  | The status of an order, as represented for individual lines and payments, or as a combined <code>status</code> . See <a href="#">Understanding Order Status</a> for more |
| <b>Order Summary</b> | Use either the core or user Order Summary API to get a list of orders for a Nike member                                                                                  |
| <b>DOMS</b>          | Nike's Digital Order Management System                                                                                                                                   |
| <b>BOPIS</b>         | The 'Buy Online, Pickup In Store' scenario. Consumer                                                                                                                     |

| Term               | Definition                                                                                                                          |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|                    | buys products online from a nearby Nike store's inventory, then does pickup at said Nike store (usually within a few hours)         |
| <b>PUP</b>         | 'Pickup Points', where consumer buys online, then Nike ships the order to a pickup location of the consumer's choice                |
| <b>RESERVE</b>     | Consumer reserves products online from a nearby Nike store's inventory, then optionally purchases reserved products from said store |
| <b>ShipToStore</b> | Consumer buys products online, then Nike ships the order to a Nike store of the consumer's choice for pickup                        |

## Step 1: List a Member's Orders

Use the **User Order Summary API** ( <https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api> ) to get all, or a filtered list of orders for a Nike member. By making their past orders available to members as a self-service in your app, they can view their product and payment history without having to contact Consumer Services.

### TIPS

- User Order Summary returns limited information about each order. For order pricing, tax, shipping, and detailed product information, or if you want to list the details of a guest's order, see [List Order Details for a Member or Guest](#).
- For the required request headers, see [Required Request Headers](#).

## Customizing Your Results

You control what is returned in your result set, and how it is sorted, through URL parameters.

### Filtering

The table below lists the fields by which you can filter your User Order Summary results. If no filter is applied, all of a member's orders are returned. While some filters only allow one value, you can send multiple filters in the same request. For instance, even though only one `orderSubmitDateAfter` filter value is allowed, you can request a User Order Summary filtered by `orderSubmitDateAfter` and `status`. Note that filter parameter names and values are case-sensitive.

Table 2: Available Filters for User Order Summary

| Order Field Name                                | Description                                                                                                                                                                                                                                 | Sample Value                     |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| <code>orderType</code>                          | List orders of this type. You can only filter by one <code>orderType</code> at a time.                                                                                                                                                      | SALES_ORDER                      |
| <code>storeId</code>                            | List orders placed in this store. You can only filter by one <code>storeId</code> at a time.                                                                                                                                                | 28382                            |
| <code>status</code>                             | List orders with this status.                                                                                                                                                                                                               | Cancelled                        |
| <code>orderSubmitDateAfter</code>               | List orders placed after this date. You can only filter by one date at a time.                                                                                                                                                              | Format is yyyy-MM-dd'T'HH:mm:ssZ |
| <code>orderLines.parentSalesOrderNumber</code>  | Allows search of return orders based on sales order number                                                                                                                                                                                  | O7280930876                      |
| <code>orderLines.parentSalesOrderLineKey</code> | Allows search of return orders based on sales order line key                                                                                                                                                                                | 2017082205384575313686545        |
| <code>email</code>                              | Filter by customer email address. Only works in combination with <code>orderLines.parentSalesOrderNumber</code> or <code>orderLines.parentSalesOrderLineKey</code> and it must match email in parent order                                  | sample@gmail.com                 |
| <code>phoneNumber</code>                        | Filter by customer phone number. Only number 0-9 are valid. Only works in combination with <code>orderLines.parentSalesOrderNumber</code> or <code>orderLines.parentSalesOrderLineKey</code> and it must match phone number in parent order | 7134567890                       |

## Sorting

You can sort a member's orders in several ways using the `sort` query parameter. You can sort by one or more order fields, separated by a comma. If the field name you want to sort by is nested, refer to it with dot notation. For sort parameter syntax, see the [Query Parameters \( https://nde-devportal-docs.niketech.com/doc/getting-](https://nde-devportal-docs.niketech.com/doc/getting-)

[started/using-nike-apis.html#query-parameters](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#query-parameters) ) section of [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html).

**TIP:** It is recommended that your app pass the `sort` query parameter in the request to ensure that the results are sorted appropriately for your experience.

## Other Query Parameters

The User Order Summary API also supports the `fields`, `count` and `anchor` query parameters to restrict the results to certain fields, restrict the number of results, and control pagination. For more information on syntax, see the [Query Parameters \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#query-parameters \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#query-parameters) section of [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html).

## User Order Summary Scenarios

Table 3: Scenarios for User Order Summary

| I want to list for a member                                                        | Sample Query                                                                                                                                                             |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Order types of RESERVE_ORDER, submitted after 2021-01-24, purchased at store 12345 | <code>https://api.nike.com/order_mgmt/user_order_summary/v2?filter=storeId(12345)&amp;filter=orderSubmitDateAfter(2021-01-24)&amp;filter=orderType(RESERVE_ORDER)</code> |
| Orders with a status of Shipped Or Delivered                                       | <code>https://api.nike.com/order_mgmt/user_order_summary/v2?filter=status(Shipped,Delivered)</code>                                                                      |
| All orders sorted in ascending modificationDate                                    | <code>https://api.nike.com/order_mgmt/user_order_summary/v2?sort=modificationDateAsc</code>                                                                              |
| Just order ID, status and submitted date fields of all orders                      | <code>https://api.nike.com/order_mgmt/user_order_summary/v2?fields=id,status,orderSubmitDate</code>                                                                      |
| Two most-recently-submitted orders                                                 | <code>https://api.nike.com/order_mgmt/user_order_summary/v2?count=2</code>                                                                                               |

## Executing the Request

Sample CURL for User Order Summary for a Member/Employee:

```
curl -X GET \
https://api.nike.com/order_mgmt/user_order_summary/v2 \
```

```
-H 'Authorization: Bearer <your token here>'
```

## Parsing the Response

The User Order Summary JSON response contains several fields relating to status. See [Understanding Order Status](#) for more detail about how status is determined, and the suggested order statuses to display in your experience. See the [User Order Summary API \( https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api \)](https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api) for a full list of fields returned in the response.

## Step 2: List Order Details for a Member or Guest

Use the [User Order Details API \( https://developer.niketech.com/docs/projects/User%20order%20details?tab=api \)](https://developer.niketech.com/docs/projects/User%20order%20details?tab=api) to get order details for a member or guest. This API returns a complete picture of an order including product detail, tax information and line item details. If you are looking for higher level order information, or you want information on more than one order for either a member or employee, see [List a Member's Orders](#).

**TIP:** The User Order Details API does not return image URLs, but you can call the [Merchandised Product API \( https://nde-devportal-docs.niketech.com/doc/commerce/product/use-merch-product.html#product-image-set-by-style-color \)](https://nde-devportal-docs.niketech.com/doc/commerce/product/use-merch-product.html#product-image-set-by-style-color) using the style-color returned from the User Order Details API to get a list of images for a styleColor and country.

The User Order Details API requires that you pass certain headers in the request depending upon whether the consumer is a member, guest, or employee. For more information, see [Required Request Headers](#).

## Required Request Parameters

For members and employees, the `orderNumber` path parameter is required. For validation purposes for guest consumers, the `orderNumber` path parameter and email address filter parameter are required.

### TIPS:

- To avoid a 404 response, the authentication header for a member request must match the member who created the order.
- For guests, the email address must match the shipTo email address on the order.

## Customizing Your Results

You control what is returned in your result set through URL parameters. The User Order Details API supports the `fields` query parameter to restrict the fields returned in the response. Since the User Order Details API only returns one consumer order, the `anchor`, `sort`, and `count` query parameters are not supported. For more information on the `fields` query parameter syntax, see the [Query Parameters \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#query-parameters \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#query-parameters) section of [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html).

### Filtering

The table below lists the fields by which you can filter your User Order Details results.

Table 4: Available Filters for User Order Summary

| Order Field Name | Description                                                  | Sample Value     |
|------------------|--------------------------------------------------------------|------------------|
| email            | Filter by customer email address                             | sample@gmail.com |
| phoneNumber      | Filter by customer phone number.<br>Only numbers 0-9 allowed | 7134567890       |

Let's take a look at some [User Order Details \( https://developer.niketech.com/docs/projects/User%20order%20details?tab=api \)](https://developer.niketech.com/docs/projects/User%20order%20details?tab=api) scenarios.

Table 5: Scenarios for User Order Details

| I want to                                                                               | Sample Query                                                                                                                                                      |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| List the details for order ID C00011554850 for a member                                 | <code>https://api.nike.com/order_mgmt/user_order_detail/v2/C00011554850</code>                                                                                    |
| List the ID, status and shipping method fields for orderNumber C00011554850 for a guest | <code>https://api.nike.com/order_mgmt/user_order_details/v2/C00011554850?filter=email(my.email@address.com)&amp;fields=id,status,orderLines.shippingMethod</code> |

## Executing the Request

Sample CURL for User Order Details C00011554850 for a member/employee:

```
curl -X GET \
  https://api.nike.com/order_mgmt/user_order_detail/v2/C00011554850 \
  -H 'Authorization: Bearer <your token here>'
```

Sample CURL for User Order Details C00011554850 for a guest:

```
curl -X GET \
  'https://api.nike.com/order_mgmt/user_order_details/v2/C00011554850?filter=email%28my.email@address.com%29' \
  -H 'X-Nike-Visitorid: 2c83877b-10fa-44da-a92d-2451efef8671' \
  -H 'appid: com.nike.sport.running.ios' \
  -H 'x-nike-visitid: 2'
```

## Parsing the Response

The [User Order Details \( https://developer.niketech.com/docs/projects/User%20order%20details?tab=api \)](https://developer.niketech.com/docs/projects/User%20order%20details?tab=api)

JSON response contains several fields relating to status. See [Understanding Order Status](#) for more detail about how status is determined, and the suggested order statuses to display in your experience. See the [User Order Details API \( <https://developer.nike.com/docs/projects/User%20order%20details?tab=api> \)](#) for a full list of fields returned in the response.

## Understanding Order Status

An order contains three types of statuses:

- Order
- Order line
- Payment

An order line is a Nike service or product associated with a quantity, e.g. Nike Air VaporMax, quantity 1. Orders have at least one order line and may have several. Each order line has one or more statuses that map(s) to a numeric status code. Behind the scenes, the status of the order is calculated by evaluating which order line has a `rolledUpStatus` with the highest status code.

The table below describes each status associated with an order.

Table 6: Fields Relating to Order Status for User Order Details/Summary

| Status Field Name                          | Description                                                                                                                                                                        | API                                      |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| <code>status</code>                        | Status of the order. Matches the <code>orderLines.rolledUpStatus</code> with the highest status code on the order.                                                                 | User Order Summary<br>User Order Details |
| <code>orderLines.rolledUpStatus</code>     | Status of an order line. Computed by “Partially” + <code>orderLines.maxOrderLineStatus</code> . e.g. “Partially Shipped”.                                                          | User Order Summary<br>User Order Details |
| <code>orderLines.maxOrderLineStatus</code> | Status of the highest status code on this order line e.g “Shipped”. Matches <code>orderLines.rolledUpStatus</code> . This status is included in <code>orderLines.statuses</code> . | User Order Details                       |
| <code>orderLines.minOrderLineStatus</code> | Status of the lowest status code on this order line e.g. “Factory Delayed”. This status is included in <code>orderLines.statuses</code> .                                          | User Order Details                       |
| <code>orderLines.statuses</code>           | An array of statuses for each status code on this order line. The                                                                                                                  | User Order Details                       |

| Status Field Name | Description                                                                                                                                                                 | API                |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|                   | description with the highest status code matches<br>orderLines.maxOrderLineStatus.<br>The description with the lowest status code matches<br>orderLines.minOrderLineStatus. |                    |
| paymentStatus     | Status of payment.                                                                                                                                                          | User Order Summary |

In the scenario illustrated by the User Order Details response below, a consumer has purchased two order lines. One order line has shipped and has a `rolledUpStatus` of “Shipped”, and the other has been delayed at the factory and has a `rolledUpStatus` of “Factory Delayed”. Because the “Shipped” status has a higher status code than the “Factory Delayed” status code, the order status is “Partially Shipped”, calculated by “Partially” + the order line with the highest `rolledUpStatus` on the order.

```
{
  "status": "Partially Shipped",
  ...
  "orderLines": [
    {
      ...

      "statuses": [
        {
          "description": "Shipped",
          "quantity": 1,
          "date": "2021-01-30T12:16:51Z"
        }
      ],
      "rolledUpStatus": "Shipped",
      ...
      "maxOrderLineStatus": "Shipped",
      ...
      "minOrderLineStatus": "Shipped",
      ...
    },
    {
      ...

      "statuses": [
        {
```

```

        "description": "Factory Delayed",
        "quantity": 1,
        "date": "2021-01-30T12:16:51Z"
      }
    ],
    "rolledUpStatus": "Factory Delayed",
    ...
    "maxOrderLineStatus": "Factory Delayed",
    ...
    "minOrderLineStatus": "Factory Delayed",
    ...
  }
]
}

```

Let's look at a slightly more complex example. As shown in the User Order Details response below, a consumer purchased three identical shorts. One short was delivered and has a status of "Delivered", another short was delivered and returned and has a status of "Return Processed", and one short was shipped and has a status of "Shipped". Because the "Delivered" status has the highest status code of the order line, the `rolledUpStatus` of the order line is "Delivered". The highest `rolledUpStatus` of the order is "Delivered", so the order status is "Partially Delivered".

```

{
  "status": "Partially Delivered",
  ...
  "orderLines": [
    {
      ...

      "statuses": [
        {
          "description": "Delivered",
          "quantity": 1,
          "date": "2021-01-30T12:16:51Z"
        },
        {
          "description": "Shipped",
          "quantity": 1,
          "date": "2021-01-30T12:16:51Z"
        }
      ]
    },
    {
      "description": "Return Processed",

```

```

        "quantity": 1,
        "date": "2021-01-30T12:16:51Z"
    }
},
"rolledUpStatus": "Partially Delivered",
...
"maxOrderLineStatus": "Partially Delivered",
...
"minOrderLineStatus": "Shipped",
...
}
]
}

```

Listed below are the order line statuses, status codes, and simple status:

- **STATUS:** The order line status is returned by both the User Order Summary and User Order Details APIs.
- **STATUS CODE:** Behind the scenes, status code is used by both APIs to calculate status ranking. However, the status code is not returned by either the User Order Summary or User Order Details API.
- **SIMPLE STATUS:** The simple status is not returned by either the User Order Summary or User Order Details API but is provided as a sample, consumer-friendly status. Your experience could perform a similar status-to-simple-status mapping to display status to the consumer.

Table 7: Matrix of Order Line Statuses, Status Codes, and Simple Statuses

| STATUS                                   | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|------------------------------------------|---------------------------------------------|-----------------------------------------------|
| Draft Order Created                      | 1000                                        | CREATED                                       |
| Draft Order Reserved Awaiting Acceptance | 1040                                        | CREATED                                       |
| Draft Order Reserved                     | 1050                                        | CREATED                                       |
| Created or CREATED                       | 1100                                        | CREATED                                       |
| Authorized                               | 1100.01                                     | CREATED                                       |
| Not Authorized                           | 1100.02                                     | CREATED                                       |
| Pending Completion                       | 1100.03                                     | CREATED                                       |
| Origin Scan                              | 1100.050                                    | CREATED                                       |
| In Transit                               | 1100.100                                    | CREATED                                       |

| STATUS                                          | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|-------------------------------------------------|---------------------------------------------|-----------------------------------------------|
| Acknowledged                                    | 1100.110                                    | IN PROCESS                                    |
| Work Order Cancelled                            | 1100.1600                                   | IN PROCESS                                    |
| Factory Processing                              | 1100.600                                    | IN PROCESS                                    |
| Factory Completed                               | 1100.700                                    | IN PROCESS                                    |
| Factory Delayed                                 | 1100.800                                    | IN PROCESS                                    |
| Reserved Awaiting Acceptance                    | 1140                                        | IN PROCESS                                    |
| Reserved                                        | 1200                                        | IN PROCESS                                    |
| Being Negotiated                                | 1230                                        | IN PROCESS                                    |
| Accepted                                        | 1260                                        | IN PROCESS                                    |
| Rescheduling                                    | 1300                                        | IN PROCESS                                    |
| BOReview                                        | 1300                                        | IN PROCESS                                    |
| Unscheduled                                     | 1310                                        | IN PROCESS                                    |
| Scheduled                                       | 1500                                        | IN PROCESS                                    |
| Awaiting Chained Order Creation                 | 1600                                        | IN PROCESS                                    |
| Awaiting Procurement Purchase<br>Order Creation | 2030                                        | IN PROCESS                                    |
| Awaiting Procurement Transfer<br>Order Creation | 2060                                        | IN PROCESS                                    |
| Chained Order Created                           | 2100                                        | IN PROCESS                                    |
| PO Released                                     | 2100.100                                    | IN PROCESS                                    |
| Released For SO Create                          | 2100.1000                                   | IN PROCESS                                    |
| DSV Acknowledged                                | 2100.1100                                   | IN PROCESS                                    |
| Released To Third Party                         | 2100.1200                                   | IN PROCESS                                    |
| Received By Partner                             | 2100.1210                                   | IN PROCESS                                    |
| Confirmed By Partner                            | 2100.1220                                   | IN PROCESS                                    |
| Order Processing                                | 2100.1230                                   | IN PROCESS                                    |

| STATUS                             | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|------------------------------------|---------------------------------------------|-----------------------------------------------|
| Order Delayed                      | 2100.1250                                   | IN PROCESS                                    |
| PO Acknowledged                    | 2100.200                                    | IN PROCESS                                    |
| Released To FC                     | 2100.30                                     | IN PROCESS                                    |
| PO Sent To Warehouse               | 2100.300                                    | IN PROCESS                                    |
| PO Warehouse Acknowledged          | 2100.350                                    | IN PROCESS                                    |
| PO Scheduled For Pick              | 2100.40                                     | IN PROCESS                                    |
| Order Received                     | 2100.400                                    | IN PROCESS                                    |
| PO Awaiting Shipment               | 2100.50                                     | IN PROCESS                                    |
| Order Processed                    | 2100.500                                    | IN PROCESS                                    |
| DSV Acknowledged                   | 2100.550                                    | IN PROCESS                                    |
| Factory Processing                 | 2100.600                                    | IN PROCESS                                    |
| Sent For SO Create                 | 2100.620                                    | IN PROCESS                                    |
| DSV Acknowledged                   | 2100.650                                    | IN PROCESS                                    |
| Factory Completed                  | 2100.700                                    | IN PROCESS                                    |
| Factory Delayed                    | 2100.800                                    | IN PROCESS                                    |
| Procurement Purchase Order Created | 2130                                        | IN PROCESS                                    |
| Procurement Purchase Order Shipped | 2130.01                                     | IN PROCESS                                    |
| Work Order Created                 | 2140                                        | IN PROCESS                                    |
| Work Order Completed               | 2141                                        | IN PROCESS                                    |
| Procurement Transfer Order Created | 2160                                        | IN PROCESS                                    |
| Procurement Transfer Order Shipped | 2160.01                                     | IN PROCESS                                    |
| Released                           | 3200                                        | IN PROCESS                                    |
| Awaiting Shipment Consolidation    | 3200.01                                     | IN PROCESS                                    |

| STATUS                  | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|-------------------------|---------------------------------------------|-----------------------------------------------|
| Awaiting WMS Interface  | 3200.02                                     | IN PROCESS                                    |
| Published To WMS        | 3200.03                                     | IN PROCESS                                    |
| Acknowledged            | 3200.100                                    | IN PROCESS                                    |
| Sent To Warehouse       | 3200.1000                                   | IN PROCESS                                    |
| Released To Third Party | 3200.1200                                   | IN PROCESS                                    |
| Received By Partner     | 3200.1210                                   | IN PROCESS                                    |
| Confirmed By Partner    | 3200.1220                                   | IN PROCESS                                    |
| Order Processing        | 3200.1230                                   | IN PROCESS                                    |
| Pending Release To SAP  | 3200.150                                    | IN PROCESS                                    |
| Scheduled For Pick      | 3200.200                                    | IN PROCESS                                    |
| Awaiting Shipment       | 3200.300                                    | IN PROCESS                                    |
| Order Received          | 3200.400                                    | IN PROCESS                                    |
| Order Processed         | 3200.500                                    | IN PROCESS                                    |
| Factory Processing      | 3200.600                                    | IN PROCESS                                    |
| Factory Completed       | 3200.700                                    | IN PROCESS                                    |
| DSV Acknowledged        | 3200.900                                    | IN PROCESS                                    |
| Sent To Node            | 3300                                        | IN PROCESS                                    |
| Included In Shipment    | 3350                                        | IN PROCESS                                    |
| Awaiting Invoice        | 3700.0101                                   | IN PROCESS                                    |
| Invoiced                | 3700.999                                    | IN PROCESS                                    |
| Held                    | 8000                                        | IN PROCESS                                    |
| Carried                 | 1100.7777                                   | COMPLETE                                      |
| Order Completed         | 2100.1240                                   | COMPLETED                                     |
| Order Completed         | 3200.1240                                   | COMPLETED                                     |
| Completed               | 3700.12                                     | COMPLETED                                     |
| Order Completed         | 3700.777710                                 | COMPLETED                                     |

| STATUS                | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|-----------------------|---------------------------------------------|-----------------------------------------------|
| Order Completed       | 3700.7777.10                                | COMPLETED                                     |
| Backordered From Node | 1400                                        | BACKORDER                                     |
| Order Delayed         | 3200.1250                                   | DELAYED                                       |
| Factory Delayed       | 3200.800                                    | DELAYED                                       |
| Shipped               | 3700                                        | SHIPPED                                       |
| Origin Scan           | 3700.10                                     | SHIPPED                                       |
| Customs Cleared       | 3700.100                                    | SHIPPED                                       |
| Manifest Scan         | 3700.200                                    | SHIPPED                                       |
| In Transit            | 3700.30                                     | SHIPPED                                       |
| Delivered To Store    | 3700.105                                    | DELIVERED                                     |
| Notionally Delivered  | 3700.69                                     | DELIVERED                                     |
| Delivered             | 3700.70                                     | DELIVERED                                     |
| Order Delivered       | 3700.7777                                   | DELIVERED                                     |
| Ready For Pickup      | 3700.110                                    | READY FOR PICKUP                              |
| Consumer Picked Up    | 3700.120                                    | PICKED UP                                     |
| Picked Up             | 3700.20                                     | PICKED UP                                     |
| Shipment Delayed      | 3700.130                                    | SHIPMENT DELAYED                              |
| Shipment Delayed      | 8500                                        | SHIPMENT DELAYED                              |
| Abandoned             | 3700.210                                    | ABANDONED                                     |
| Delivery Attempt 1    | 3700.40                                     | DELIVERY ATTEMPT 1                            |
| Delivery Attempt 2    | 3700.50                                     | DELIVERY ATTEMPT 2                            |
| Delivery Attempt 3    | 3700.60                                     | DELIVERY ATTEMPT 3                            |
| Unable To Deliver     | 3700.80                                     | UNABLE TO DELIVER                             |
| Refused Shipment      | 3700.90                                     | REFUSED SHIPMENT                              |
| Pending Cancel        | 1300.9000                                   | CANCEL IN PROCESS                             |
| Pending Cancel        | 3200.9000                                   | CANCEL IN PROCESS                             |

| STATUS                     | STATUS CODE<br>* not returned by either API | SIMPLE STATUS<br>* not returned by either API |
|----------------------------|---------------------------------------------|-----------------------------------------------|
| Cancelled                  | 9000                                        | CANCELLED                                     |
| Void                       | 9000.100                                    | CANCELLED                                     |
| Post Voided                | 9000.200                                    | POST VOIDED                                   |
| Delivered to Return Center | 1100.200                                    | RETURN CREATED                                |
| Early Refund               | 1100.300                                    | RETURN CREATED                                |
| Return Created             | 3700.01                                     | RETURN CREATED                                |
| Return Request Created     | 3700.011                                    | RETURN CREATED                                |
| Return Received            | 3700.02                                     | RETURN CREATED                                |
| Returned At Store          | 1100.400                                    | RETURN COMPLETED                              |
| Returned At Store          | 3700.04                                     | RETURN COMPLETED                              |
| Returned to DC             | 3700.85                                     | RETURN COMPLETED                              |
| Returned To Carrier        | 3700.95                                     | RETURN COMPLETED                              |
| Delivered to Return Center | 1100.200100                                 | RETURN IN PROCESS                             |
| Inspection Escalate        | 1100.500                                    | RETURN IN PROCESS                             |
| Return In Progress         | 3700.03                                     | RETURN IN PROCESS                             |
| Return Processed           | 3700.05                                     | RETURN IN PROCESS                             |
| Return Invoiced            | 3950.01                                     | RETURN IN PROCESS                             |
| Received at Return Center  | 3950.100                                    | RETURN IN PROCESS                             |
| Inspection Passed          | 3950.200                                    | RETURN IN PROCESS                             |
| Inspection Escalate        | 3950.300                                    | RETURN IN PROCESS                             |
| Inspection Denied          | 3950.400                                    | RETURN IN PROCESS                             |
| Inspected And Invoiced     | 3950.01.100                                 | RETURN IN PROCESS                             |
| Return Denied              | 3700.06                                     | RETURN DENIED                                 |
| CSR Refund                 | 3950.700                                    | CSR REFUND                                    |
| Inspected And Invoiced     | 3950.01100                                  | RETURN PROCESSED                              |
| Exchange Order Created     | 3950.02.01                                  | EXCHANGE CREATED                              |

| STATUS                           | STATUS CODE                  | SIMPLE STATUS                       |
|----------------------------------|------------------------------|-------------------------------------|
|                                  | * not returned by either API | * not returned by either API        |
| Awaiting Exchange Order Creation | 3950.02                      | EXCHANGE IN PROCESS                 |
| CREATED                          |                              | Created (Only for Reserve Orders)   |
| UNRESERVED                       |                              | UnReserved(Only for Reserve Orders) |

## API Quick Reference

Table 8: Order History Endpoints

| Endpoint Name                                                                                                                                                                                           | Path                                               | HTTP Method |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------|
| <b>User Order Summary (</b><br><a href="https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api">https://developer.niketech.com/docs/projects/User%20order%20summary?tab=api</a> )  | /order_mgmt/<br>user_order_summary/v2              | GET         |
| <b>User Order Details (</b><br><a href="https://developer.niketech.com/docs/projects/User%20order%20details?tab=api">https://developer.niketech.com/docs/projects/User%20order%20details?tab=api</a> )  | /order_mgmt/user_order_detail/<br>v2/{orderNumber} | GET         |
| <b>Order Summary (</b><br><a href="https://developer.niketech.com/docs/projects/Order%20Summary%20Service?tab=api">https://developer.niketech.com/docs/projects/Order%20Summary%20Service?tab=api</a> ) | /order_mgmt/order_summary/v2                       | GET         |
| <b>Order Detail (</b><br><a href="https://developer.niketech.com/docs/projects/Order%20Detail%20Service?tab=api">https://developer.niketech.com/docs/projects/Order%20Detail%20Service?tab=api</a> )    | /order_mgmt/order_detail/v2                        | GET         |

## Best Practices

Listed below are some best practices for working with User Order Summary and User Order Details.

## Conditions for Retries

For all Nike Cloud APIs, the general rule is that HTTP 4XX error codes (except for 429) should not be retried, but HTTP 5XX errors can be retried. For general information on Nike error retry practices, see [API Error Patterns \( https://confluence.nike.com/display/NEA/API+Standards#APIStandards-Errors \)](https://confluence.nike.com/display/NEA/API+Standards#APIStandards-Errors) on Confluence.

## Testing

It is recommended to test all Order endpoints in the production environment as opposed to the test environment. Using the test environment can have unpredictable results, due to the many downstream dependencies required to provide 'production-like' responses.

### Q: What are the boundaries for testing in production?

Performance tests at high volumes should **never** be done in production. All performance tests should be done in test.

### Q: Is this service available in the test environment?

All services are available in the test environment, however, the data and services are not always available for end-to-end testing.

### Q: Why are our integration tests (that use the test environment) failing?

When integrating for the first time, we can help ensure basic connectivity in the test environment before you deploy to production. However, we do not recommend relying on connections to the test environment on an ongoing basis, and provide no guarantees on the availability or retention of the data.

Teams should not introduce breaking changes in their contracts, so **mocking downstream dependencies** is often recommended to decouple development & testing between teams.

**TIP:** Tools like [WireMock \( http://wiremock.org \)](http://wiremock.org) allow you to mock out services for integration testing. Also, techniques like dark deployments & traffic shadowing can be used in Prod to validate new functionality.

### Q: Why is an order not showing up in the test environment?

There are not as many system resources dedicated to the test environment, causing delays in asynchronous processing.

## Caching Data

None of the endpoints described in this document support caching.

## Troubleshooting

Here are some troubleshooting tips:

- Use the general troubleshooting tips in the [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#troubleshooting) guide.
- Use a Splunk query (requires access) to check for issues with your request.

- Contact the Orders team on the [#mp-athena](https://nikedigital.slack.com/messages/C1H7ZM7J4) ( <https://nikedigital.slack.com/messages/C1H7ZM7J4> ) Slack channel for assistance.

## Terms of Service

Following are the terms of service for the Order History APIs.

### Authorization

#### Access Tokens

Calls to the User Order Summary and User Order Detail APIs require an access token be sent in the request header. This allows Nike to verify that your app is authorized to perform the action on behalf of the user.

Access tokens are obtained by calling Nike Unite services prior to calling the API which you ultimately want to reach.

To find out more on how to call Unite services to obtain access tokens, see the Authorization section of the [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#authorization \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#authorization) guide.

### User Types

The Order APIs support 3 distinct user types:

- Member: user has logged in with their Nike account credentials
- Guest: user has not logged in (anonymous user)
- Employee: user is an employee of Nike or a subsidiary and has logged in with swoosh.com credentials (also known as Swoosh user type)

### Required Request Headers

Listed below are the required request headers, which vary based on user type. Since most User Order Summary and User Order Details requests come through the Nike Edge router, these header values will be set automatically, provided your app calls the Unite services first to get an access token and passes that token in the request.

Table 9: Required Order History Request Headers by User Type

| Header Name   | Description                                                                      | Member | Guest<br>(User Order Details<br>only) | Employee |
|---------------|----------------------------------------------------------------------------------|--------|---------------------------------------|----------|
| <b>Accept</b> | Content type you will accept in response, application/json is only value allowed | X      | X                                     | X        |

| Header Name             | Description                                                                                                                              | Member | Guest<br>(User Order Details only) | Employee |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------|----------|
| <b>Content-Type</b>     | Content type of the request, application/json is only value allowed                                                                      | X      | X                                  | X        |
| <b>Authorization</b>    | Your access token in the format of Bearer {token} indicating the consumer is logged in                                                   | X      | X                                  | X        |
| <b>x-nike-visitorid</b> | Unique identifier for the guest, validated by the Edge router and passed through to the service. Applies only to User Order Details API. |        | X                                  |          |
| <b>x-nike-visitid</b>   | Integer identifying the guest's session. Applies only to User Order Details API.                                                         |        | X                                  |          |
| <b>appld</b>            | Application making the API request<br>e.g. com.nike.sport.running.ios                                                                    | X      | X                                  | X        |

**TIP:** For the Authorization header, use the token for the consumer's login session that you obtained from Nike Unite/Identity, prefixed by `Bearer` (note the single space after `Bearer`). This is necessary for Nike to verify that your app is authorized to perform the requested operation on behalf of the consumer.

See the User Types section of the [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#user-types \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#user-types) guide for more information.

## JSON Web Token

The core Order Summary and Order Details endpoints require the additional authorization of a JSON Web Token (JWT). For more, see the JWT section of [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#jwt-json-web-token \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html#jwt-json-web-token).

The User Order Summary and User Order Details endpoints do not require JWT authorization.

## Sample Requests

Sample requests included throughout this guide contain unique IDs and access tokens that are spent/expired in the Production environment, so you will not be able to use them as-is for testing purposes. Reuse what you can and replace with valid IDs/access tokens when necessary.

## Common Questions

Below are some commonly-asked questions for the Order APIs, grouped by topic.


### Identifying Types of Orders

**Q: How do we identify order lines that have Nike By You (i.e. customized) products?**

To identify Nike By You products, check that `orderLine` contains a `customizedProductReference` with a value in it.

**Q: How do we identify omnichannel orders (BOPIS, PUPs, RESERVE, ShipToStore)?**

The following graphic describes how to select for various types of omnichannel orders:



**TIP:** For v1 payloads, the store address will be present in `orderLines.shipTo.address`. For v2 payloads, call the **Store Views API** ( <https://developer.niketech.com/docs/projects/Store%20Views%20V2?tab=api> ) with the value from `orderLines.shipTo.location.id` to get the address.

#### Q: How do we identify different types of cancelled or voided orders?

Each `orderLine` can contain a `cancellationReason`, `lineNotes`, and a `storeOrderLineDetail` object. The `cancellationReason` expresses why the `orderLine` was cancelled. A `lineNotes` object will contain a `reasonCode` field. The `storeOrderLineDetail` will contain a `transactionType` with the value of `VOID`.

#### Q: How do we distinguish between pure B&M, mixed cart, and pure digital orders?

Two key identifiers to understand the classification of an order are `orderClassification` and `orderLineType`.

`orderClassification` values describe the kind of order. Here are some examples:

Table 10: Example `orderClassification` Values

| Value      | Description                                                                     |
|------------|---------------------------------------------------------------------------------|
| STANDARD   | Digitally fulfilled orders from APPS, Web, Partners                             |
| STORE      | Order created in a retail store - Point of Sale as well as Mobile point of sale |
| CONV_STORE | An order paid by Konbini or Convenience store mode of payment                   |
| CSRORDER   | Order created by consumer services from Internal L3 menu                        |
| COD        | Cash on Delivery order                                                          |

Please see [List of Values included in the Order Classification Field \( https://confluence.nike.com/display/MOM/List+of+Values+included+in+the+Order+Classification+Field \)](https://confluence.nike.com/display/MOM/List+of+Values+included+in+the+Order+Classification+Field) for other order classifications:

The values in `orderLines.orderLineType` describe the type of order line, e.g. "GC" for gift card. See below for an incomplete list of `orderLineType`.

Examples:

- INLINE - Order placed online.
- STORE - Order placed in store.

Please leverage the combination of `orderClassification` and `orderLineType`.

### Q: What fields do I use to identify store transactions?

Store information is at the order level for both v1 and v2:

- `store.registerNumber`
- `store.storeNumber`
- `store.storeId`
- `store.transactionBeginDate`
- `store.transactionEndDate`
- `store.transactionNumber`
- `store.customerZipCode`
- `store.firstSalesPostingRequired`

**TIP:** `storeId` can also be used to call the [Store Views API \( https://developer.niketech.com/docs/projects/Store%20Views%20V2?tab=api \)](https://developer.niketech.com/docs/projects/Store%20Views%20V2?tab=api).

**Q: How do we identify where the order was captured from (i.e. the origin of the order?)**

- If the order payload matches the v1 schema:
  - Use `originApplication` field (e.g. `com.nike.commerce.checkout.web`, `com.nike.commerce.snkrs.web`, `com.nike.sport.running.ios`)
- If the order payload matches the v2 schema:
  - Use `channel` field (e.g. `nike.digital.web`, `nike.omega.web`)

**Q: How do we identify employee purchases?**

To identify orders placed by employees, the order must be created using their respective Swoosh profile.

- If the order payload matches the v1 schema:
  - The `division` field will have a value of 55
- If the order payload matches the v2 schema:
  - The `division` field will have a value of 55
  - `userInfo.userType` field will have the value of `nike:swoosh`.

**Q: How do we identify a cancelled quantity on an order?**

Cancelled orders will have “Cancelled” in the `orderLines.statuses.description` field, and a non-zero integer in the `orderLines.statuses.quantity` field, for example:

```
"statuses": [
  {
    "description": "Cancelled",
    "quantity": 1,
    "date": "2021-11-11T05:38:46.000Z"
  }
]
```

**Q: How do I distinguish between exchange and return orders?**

For returns orders, the `orderType` would be equal to `RETURN_ORDER`. For exchange orders the `orderType` will be `SALES_ORDER`, and the `parentReturnOrder` will be populated.

**Q: Is there a way to search for orders using the consumer's gift card number?**

No, this is not supported.

**Q: How do I obtain Estimated Delivery Date (EDD) info?**

- If the order payload matches the v1 schema:
  - The EDD information can be obtained from `orderLines.estimateDeliveryDate` field.
- If the order payload matches the v2 schema:
  - The EDD information can be obtained from `orderLines.estimatedDelivery` object.

**Q: What fields do I use to identify an order with a pickup location?**

- If the order payload matches the v1 schema:
  - `orderLines.shipTo.address.pickUpLocationIdentifier`
  - `orderLines.shipTo.address.pickUpLocationType`
  - `orderLines.shipTo.address.pickUpLocation`
- If the order payload matches the v2 schema:
  - `orderLines.shipTo.address.pickUpLocationIdentifier`
  - `orderLines.shipTo.address.pickUpLocationType`

### Q: How do I retrieve Converse orders?

To retrieve Converse orders, call User Order Details with value “converseus” in the optional `appId` request header. This also works for User Order Summary.

## General Setup & Configuration

### Q: Can I call the two User Order APIs if my app is hosted in an Amazon Web Services VPC?

Yes. The User Order APIs are exposed publicly, so it does not matter where you are calling from. If you are calling repeatedly from a small set of IP addresses, it might be possible that Nike’s bot-mitigation tools could interfere with your ability to make calls. If you are having issues, reach out to Slack channel [#mp-athena](https://nikedigital.slack.com/messages/C1H7ZM7J4) ( <https://nikedigital.slack.com/messages/C1H7ZM7J4> ) for help.

### Q: How do I get my `appId` on the allowed list?

Reach out to [@athena-integration-support](#) in our [#mp-athena-integration-support](#) Slack channel to get help with adding your `appId` to the allowed list.

### Q: What is the vip address for User Order Details?

The vip address for User Order Details is `order_mgmt-order_detail-v2`.

### Q: Does User Order Details purge any data?

User Order Details does not purge data. This service has data from February 2012 onward.

### Q: How do we correlate Nike sales order numbers to partner order numbers?

`marketplaceDetail` is an object at the order level which contains information regarding the integrator/partner order number.

## General Schema Questions

### Q: What are the major differences between the User Order Details v1 and v2 schemas?

User Order Details v2 responds with orders that match either the v1 or v2 (Source Aware) schema. To see the differences between the two payloads, please see [Analysis - Source Aware - Order Repo changes](https://confluence.nike.com/pages/viewpage.action?spaceKey=CE&title=Analysis++Source+Aware++Order+Repo+changes) ( <https://confluence.nike.com/pages/viewpage.action?spaceKey=CE&title=Analysis++Source+Aware++Order+Repo+changes> )

**Q: Where do I find the total price of an order?**

Both User Order Details and User Order Summary include the total price of an order in the `totalAmount` field:

```
"totalAmount": 100,
```

User Order Details also sends the total in `orderTotalDetails.orderTotal`:

```
"orderTotalDetails": [
  {
    "orderTotal": 100
  }
],
```

**Q: Is the time in UTC or local time?**

All times in Order History will be in UTC Zulu with no offset, e.g. 2021-03-20T01:06:53Z.

**Q: What events trigger the status of an order to be updated?**

Order Management has series of life cycle events, and there are also modifications triggered by customers, CSP, and Track and Trace. See [Order Status Mapping for Consumers \( https://confluence.nike.com/display/MOM/Order+Status+Mapping+for+Consumers \)](https://confluence.nike.com/display/MOM/Order+Status+Mapping+for+Consumers) for more information regarding status.

**Q: What are XPO orders?**

XPO orders allow Nike to ship product(s) between its stores.

## Questions About Returns

**Q: Under what conditions will `parentSalesOrderNumber` be populated?**

`parentSalesOrderNumber` will be populated for the following scenarios:

- Return orders
- Global store orders and store orders
  - Store orders can also have return lines

**Q: Can I used `parentReturnOrder` to link the original sales order to return order?**

No, `parentReturnOrder` is only used for exchange orders. If you wish to link the original sales order number to the return order number, you will have to leverage an User Order Summary collection call.

**Q: How do we link sales orders to return orders?**

Each return order has a `parentSalesOrderNumber` that is a one-way link from the return order to sales order. If you want to acquire all return orders associated with a sales order, call User Order Summary with a `parentSalesOrderNumber` as a filter.

## Questions About Discounts, Taxes, and Promotions

### Q: How do we identify discounts at both the header and line level?

The discounts at header level or line level can be identified using the corresponding `chargeCategory` at header/line level. Charge Category Discount details page provides all the possible ENUM values for the different charge categories, and whether each charge category is discounted or not.

### Q: Where are promotions located, and are they removable after having been applied to the order line?

Promotions, if any, will be present in `orderLines.promotions`, and cannot be removed from an order line.

### Q: What if there is a cancellation on an order line? Would the `orderLines.promotions` section be updated?

No, the promotion will still be applied, regardless of order status.

### Q: What do the VAT and NON-VAT field values mean?

#### VAT (Inclusive tax)

- `object.headerTax` and `object.orderLines.lineTaxes`.
  - `effectiveTaxPercentage`
  - `effectiveTaxAmount`

#### Non-VAT (Exclusive tax)

- `object.headerTax` and `object.orderLines.lineTaxes`.
  - `taxPercentage`
  - `taxAmount`

### Q: How do I get invoice information?

Order Details has invoice identifiers in

`chargeTransactionDetails.invoiceCollectionDetails.invoiceNumber`. With this value, a call can be made to the [Order Invoice API \( https://developer.niketech.com/docs/projects/Order%20Invoice%20API?tab=api \)](https://developer.niketech.com/docs/projects/Order%20Invoice%20API?tab=api).

### Q: How do I identify EMEA fiscal fields?

Check the User Order Details v2 response for `additionalAddress.addressType == FISCAL`, and check if the nested `fiscalInformation` object is present.

`fiscalInformation` can contain the following EMEA fiscal fields:

- `customer`
  - `customerType`
  - `vatNumber`
  - `profession`
  - `customerNumber`
  - `lotteryNumber`
- `invoice`

- invoiceType
- invoiceNumber
- sequenceNumber

## Contacting the Team

Need to contact the Orders team?

|                  |                                                                                                                                                                                                                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Slack            | <a href="#">#mp-athena</a>                                                                                                                                                                                                                                                                             |
| Confluence Space | <a href="https://confluence.nike.com/display/CE/Order+Management#OrderManagement-CSP">Order Management ( https://confluence.nike.com/display/CE/Order+Management#OrderManagement-CSP )</a>                                                                                                             |
| Team Contacts    | <b>Intake, new requirements, onboarding, troubleshooting</b><br>Team Athena <a href="mailto:Lst-CE.Athena@nike.com">Lst-CE.Athena@nike.com</a>                                                                                                                                                         |
| Intake           | Please fill out an <a href="https://confluence.nike.com/display/MDPM/Intake+Form+for+Inventory+Management%2C+Order+Management+and+Digital+Fulfillment">intake form ( https://confluence.nike.com/display/MDPM/Intake+Form+for+Inventory+Management%2C+Order+Management+and+Digital+Fulfillment )</a> . |

## Document Change Log

| Summary                                              | Date       |
|------------------------------------------------------|------------|
| Initial publish                                      | 10/25/2021 |
| Updated for v2 of both endpoints, updated doc format | 02/17/2021 |
| Added Common Questions section & content             | 07/21/2021 |

## Next Steps

You've learned how to add Order History to your experience. Here are some next steps.

- [Using Nike APIs \( https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html \)](https://nde-devportal-docs.niketech.com/doc/getting-started/using-nike-apis.html)
- [Glossary \( https://nde-devportal-docs.niketech.com/doc/commerce/reference/glossary.html \)](https://nde-devportal-docs.niketech.com/doc/commerce/reference/glossary.html)