



{API NAME} API DEVELOPER'S GUIDE (DRAFT)

Last Updated: MM/DD/YYYY

Submit Feedback: API Doc Slack channel [#nde-doc](#)

If you've read [Using NDe APIs](#), this guide provides the details necessary to integrate with the {API Name} API.

In this guide:

[API at a Glance](#)

[Terms of Service](#)

[Authorization](#)

[Use Cases](#)

[API Endpoint Quick Reference](#)

[High-Level Concept 1](#)

[High-Level Concept 2](#)

[Making Your First API Request](#)

[Using Service1](#)

[Upgrading to the Latest Version](#)

[Best Practices](#)

[Troubleshooting](#)

[Use Troubleshooting Tools](#)

[Common Questions](#)

[Glossary](#)

[Release Notes](#)

[Document Change Log](#)

[Related Links](#)

API at a Glance

Topic	Details
Use these APIs to	useful functionality useful functionality
Who calls this API?	SNKRs App, Nike App etc.
Versions	service name, version number and geography
SLA	service name, version number and time in ms.
Domain	Analytics, Brand, Commerce, Identity, Social, Sport
Prerequisites	API Registration JWT
Contact Info	Slack channel, Confluence space URI, Product Owner

Terms of Service

It is recommended that you send a caller ID header in every request to this API to help troubleshoot unexpected responses. See the Registration section of [Using NDe APIs](#) on how to create and register your caller ID.

Authorization

Use Cases

I want to...	API(s) to use
do something	API Name
do something else	API Name

API Endpoint Quick Reference

HTTP Verb	Endpoint Name	Endpoint Description	URI Format
GET	Endpoint Name	Description	endpoint URI
POST	Endpoint Name	Description	endpoint URI
PUT	Endpoint Name	Description	endpoint URI
DELETE	Endpoint Name	Description	endpoint URI

High-Level Concept 1

High-Level Concept 2

Making your first API request

State clearly what this first request will accomplish.

1. Gather data needed for the request

HTTP Method	Endpoint URI
GET	endpoint URI

Filter Parameter Name	Filter Value
filter name	filter value
filter name	filter value

1. Execute the request

Describe the parts of the URI and show a full sample URI request with body (for POST requests)

1. Parse the response

See the output of the successful JSON 200 response below.

```
{}
```

TIP: For detailed information on this service, see the [Endpoint1](#)

section.

Using Service1

- [Service1 Overview](#)
- [Endpoint1](#)

Service1 Overview

Describe what the service does.

Endpoint1 Name

Endpoint Details

HTTP Method	URI Path	JWT Restricted?
PUT	endpoint1 url	Yes

Path & Query Parameters

Parameter	Type	Description	Data Type	Required?
parameter	Path	description	String	Required
parameter	Query	description	String	Optional

Let's take a look at some *endpoint1* scenarios.

I Want to List	Sample Query
scenario	endpoint URI
another scenario	endpoint URI

Request Headers

Header Name	Description	Required?
headername	description	Required
headername	description	Optional

Request Body

Element Name	Type	Description	Required?
fieldname	data type	description	Required
fieldname	data type	description	Optional
fieldname.fieldname	data type	description	Optional
fieldname.fieldname.fieldname	data type	description	Optional

Sample *Endpoint1* request URI:

Sample *Endpoint1* request body:

Response Body

Element Name	Type	Description	Required?
fieldname	data type	description	Required
fieldname	data type	description	Optional
fieldname. fieldname	data type	description	Optional
fieldname.fieldname. fieldname	data type	description	Optional

Sample *endpoint1* 200 response

Sample *endpoint1* 400 response

Upgrading to the latest version

Best Practices

Troubleshooting

Listed below are ways to troubleshoot unexpected responses using this API.

Use Troubleshooting Tools

Common Questions

Glossary

See the [Glossary](#)

Release Notes

Document Change Log

Summary	Date	Description
Initial draft	MM/DD/YYYY	Initial Draft

Related Links

[NDe Documentation Home](#)

[Getting Started](#)

[Business Guides](#)

[Developer's Guides](#)