

Repositories Assessments

Individual Assessments

GitHub

1. Create a remote repository:

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner *

 Nisanth-Saravanan

Repository name *

L1-Assessment

✓ L1-Assessment is available.

Great repository names are short and memorable. Need inspiration? How about **supreme-broccoli** ?

Description (optional)

☐  Public

Anyone on the internet can see this repository. You choose who can commit.

☒  Private

You choose who can see and commit to this repository.

  Nisanth-Saravanan / L1-Assessment

 Code

 Issues

 Pull requests

 Actions

 Projects

 Security

 Insights

 Settings

 L1-Assessment Private

 Unwatch 1

 Fork 0

 Star 0



Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace



Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

 Set up in Desktop

 or

HTTPS

SSH

https://github.com/Nisanth-Saravanan/L1-Assessment.git



Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

2. Clone the Repository:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT>git clone https://github.com/Nisanth-Saravanan/L1-Assessment.git
Cloning into 'L1-Assessment'...
warning: You appear to have cloned an empty repository.
```

3. Simple directory and file creation:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT>cd L1-Assessment
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>mkdir Main
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>cd Main
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>echo > main.txt
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>type main.txt
Initial Main.
```

4. Staging and Local Commit:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>cd..
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git add Main
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git status
On branch main


No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   Main/main.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git commit -m "Initial commit to main branch."
[main (root-commit) 19207ef] Initial commit to main branch.
 1 file changed, 1 insertion(+)
 create mode 100644 Main/main.txt
```



5. Pushing changes to remote:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Writing objects: 100% (4/4), 287 bytes | 95.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
 * [new branch]      main -> main
```



The screenshot shows the GitHub web interface for the repository 'Nisanth-Saravanan / L1-Assessment'. The 'main' branch is selected, and the file 'main.txt' is displayed. The commit message is 'Initial commit to main branch.' and the commit hash is '19207ef'. The file content is 'Initial Main.'

6. Pulling Changes:



```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git pull origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 975 bytes | 18.00 KiB/s, done.
From https://github.com/Nisanth-Saravanan/L1-Assessment
 * branch            main      -> FETCH_HEAD
    19207ef..a86209a  main      -> origin/main
Updating 19207ef..a86209a
Fast-forward
 Main/main.txt | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>cd Main

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>type main.txt
Changes done in remote to Main.
```

Note: type <filename> is used to display the contents of the file, and the contents of the main.txt file has been modified successfully in the local repository.

7. Creating and switching to new branch:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>git branch
* main

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>git branch sub-branch-1

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>git checkout sub-branch-1
Switched to branch 'sub-branch-1'
```

6. Creating files and pushing files to branch:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Main>cd..

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git rm Main
fatal: not removing 'Main' recursively without -r

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git rm -r Main
rm 'Main/main.txt'

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>mkdir Sub1

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>cd Sub1
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Sub1>echo > sub1.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Sub1>type sub1.txt
Initial Sub-Branch-1
```


```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment\Sub1>cd..

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git add .

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git status
On branch sub-branch-1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    Main/main.txt
        new file:   Sub1/sub1.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git commit -m "Initial commit sub-branch-1"
[sub-branch-1 a39a545] Initial commit sub-branch-1
 2 files changed, 1 insertion(+), 1 deletion(-)
 delete mode 100644 Main/main.txt
 create mode 100644 Sub1/sub1.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin sub-branch-1
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (4/4), 323 bytes | 80.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'sub-branch-1' on GitHub by visiting:
remote:   https://github.com/Nisanth-Saravanan/L1-Assessment/pull/new/sub-branch-1
remote:
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
 * [new branch]      sub-branch-1 -> sub-branch-1
```



Nisanth-Saravanan / L1-Assessment

Q Type to search

+

<> Code

Issues

Pull requests

Actions

Projects

Security

Insights

Settings

Files

sub-branch-1

Go to file

Sub1

sub1.txt

L1-Assessment / Sub1 / sub1.txt



Nisanth-Saravanan Initial commit sub-branch-1 a39a545 · 1 minute ago History

Code Blame 1 lines (1 loc) · 21 Bytes Raw Copy Download Edit View


1 Initial Sub-Branch-1

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git branch
main
* sub-branch-1
```

5. Conflict Resolution: Changing Remote:




Changing Local:




Pulling and merging the conflicted files:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git pull origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 970 bytes | 22.00 KiB/s, done.
From https://github.com/Nisanth-Saravanan/L1-Assessment
* branch      main      -> FETCH_HEAD
   a86209a..ff75215  main    -> origin/main
Auto-merging Main/main.txt
CONFLICT (content): Merge conflict in Main/main.txt
Automatic merge failed; fix conflicts and then commit the result.
```



```
main - Notepad
File Edit Format View Help
<<<<<< HEAD
Main ready for conflict in local.
=====
Main Ready for conflict in remote.
>>>>>> ff75215e9709f2bb802a2ffe53ebc141786c7175
```

Accepting changes from remote and committing:



```
main - Notepad
File Edit Format View Help
Main Ready for conflict in remote.
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git status
On branch main
Your branch and 'origin/main' have diverged,
and have 1 and 1 different commits each, respectively.
(use "git pull" if you want to integrate the remote branch with yours)

All conflicts fixed but you are still merging.
(use "git commit" to conclude merge)

Changes to be committed:
  modified:   Main/main.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git commit -m "Post Conflict Commit"
[main 30fd158] Post Conflict Commit

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 541 bytes | 180.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
   ff75215..30fd158  main -> main
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git log
commit 30fd158b1fedac5d582433af0e8a5e702323eb59 (HEAD -> main, origin/main)
Merge: 76bb2d0 ff75215
Author: Nisanth-Saravanan <nisanth.saravanan@relevantz.com>
Date:   Fri Mar 14 14:19:47 2025 +0530

    Post Conflict Commit

commit 76bb2d0129d73243e59a005b3cfff1a21ad2acb08
Author: Nisanth-Saravanan <nisanth.saravanan@relevantz.com>
Date:   Fri Mar 14 14:16:37 2025 +0530

    Ready for conflict from local



commit ff75215e9709f2bb802a2ffe53ebc141786c7175
Author: Bonsai <nisanth.saravanan@relevantz.com>
Date:   Fri Mar 14 14:15:01 2025 +0530

    Remote conflict commit in remote




commit a86209a421b2322560e3bcdace0830b6260d717d
Author: Bonsai <nisanth.saravanan@relevantz.com>
```

6. Pull requests:

Initial state of the remote repository:



Creating a pull request:



Add a title

Merging Sub-branch-1 to Main

Add a description

WritePreview

HBI≡<>🔗|≡≡≡🔗@🔄📄

The sub-branch-1 and its contents will be merged with the existing contents of the main branch.

📄 Markdown is supported📄 Paste, drop, or click to add files

Reviewers

No reviews

Assignees

Nisanth-Saravanan

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Helpful resources

Create pull request

Conversation 0

Commits 1

Checks 0

Files changed 2



Nisanth-Saravanan commented now

The sub-branch-1 and its contents will be merged with the existing contents of the main branch.





Initial commit sub-branch-1

a39a545



Nisanth-Saravanan self-assigned this now





This branch has conflicts that must be resolved

Use the command line to resolve conflicts before continuing.

 Main/main.txt

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Resolve conflicts

As the merging can not be done automatically, it is advised to make use of the command-line interface for merging:

Merging in cmd – with main as base and sub-branch as compare:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git merge sub-branch-1
CONFLICT (modify/delete): Main/main.txt deleted in sub-branch-1 and modified in HEAD. Version HEAD of Main/main.txt left in tree.
Automatic merge failed; fix conflicts and then commit the result.
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git status
On branch main
Your branch is up to date with 'origin/main'.

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Changes to be committed:
  new file:   Sub1/sub1.txt

Unmerged paths:
  (use "git add/rm <file>..." as appropriate to mark resolution)
  deleted by them: Main/main.txt


C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git add .

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git commit -m "Post conflict commit and merging successful"
[main a6e7c5e] Post conflict commit and merging successful
```

Pushing changes after merging the branch:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 315 bytes | 52.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
   30fd158..a6e7c5e  main -> main
```

Final view of local repository:




The screenshot shows a Windows File Explorer window titled "L1-Assessment" with the address bar set to "Desktop > L1 Assessment > GIT > L1-Assessment". The left sidebar shows the "Array - List" folder selected. The main pane displays a table of files and folders:

Name	Date modified	Type
.git	14/03/2025 02:33 PM	File folder
Main	14/03/2025 02:17 PM	File folder
Sub1	14/03/2025 02:30 PM	File folder

Below the File Explorer, a terminal window shows the output of the `git branch` command:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git branch
* main
  sub-branch-1
```


Final view of the remote repository:



Filters Labels 9 Milestones 0 [New pull request](#)

Clear current search query, filters, and sorts

☐	☐ 0 Open ☒ 2 Closed	Author	Label	Projects	Milestones	Reviews	Assignee	Sort
☐	Initial commit sub-branch-1							
	#2 by Nisanth-Saravanan was merged 2 minutes ago							
☐	Merging Sub-branch-1 to Main							
	#1 by Nisanth-Saravanan was closed 8 minutes ago							



Initial commit sub-branch-1 #2

Merged Nisanth-Saravanan merged 1 commit into `main` from `sub-branch-1` 2 minutes ago

Conversation 0 Commits 1 Checks 0 Files changed 2 +1 -1

Nisanth-Saravanan commented 8 minutes ago


The sub-branch-1 and its contents will be merged with the existing contents of the main branch.

Initial commit sub-branch-1 a39a545

Nisanth-Saravanan merged commit a6e7c5e into main 2 minutes ago [Revert](#)

Pull request successfully merged and closed
You're all set — the `sub-branch-1` branch can be safely deleted. [Delete branch](#)

Add a comment



L1-Assessment Private

Unwatch 1 Fork 0 Star 0

main 2 Branches 0 Tags [Code](#)

Nisanth-Saravanan Post conflict commit and merging successful a6e7c5e · 4 minutes ago 7 Commits

Main	Remote conflict commit in remote	23 minutes ago
Sub1	Initial commit sub-branch-1	28 minutes ago

[README](#)

[Add a README](#)

About
No description, website, or topics provided.

Activity
0 stars
1 watching
0 forks

Releases
No releases published
[Create a new release](#)



Packages

7. Tags:

Creation, listing and pushing under a specific tag:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git tag v1.0
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git tag
v1.0
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin v1.0 main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
 * [new tag]         v1.0 -> v1.0
```

Reflection in remote:




8. Deleting a branch after pull request: locally and globally:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git branch --delete sub-branch-1
Deleted branch sub-branch-1 (was a39a545).


C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\L1-Assessment>git push origin --delete sub-branch-1
To https://github.com/Nisanth-Saravanan/L1-Assessment.git
- [deleted]                sub-branch-1
```

Reflection:



BitBucket

1. Creating a new repository:




The screenshot shows the BitBucket web interface. At the top, there's a navigation bar with 'Your work', 'Pull requests', 'Repositories', 'Projects', and 'More'. A 'Create' button is visible. Below this, a dropdown menu is open, showing 'Repository', 'Project', and 'Snnnet'. The 'Repository' option is selected. The main content area shows a modal titled 'Create a new repository'. Inside the modal, the 'Workspace' is 'skyabovesky'. The 'Project' is 'Training'. The 'Repository name' is 'L1-Assessment'. The 'Access level' is 'Private repository'. There are options to 'Include a README?' (set to 'No') and 'Include .gitignore?' (set to 'No'). The 'Default branch name' is 'main'. At the bottom of the modal, there are 'Create repository' and 'Cancel' buttons.

2. Clone repository:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT>mkdir BitBucket
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT>cd BitBucket
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket>git clone https://nisanthsaravanan@bitbucket.org/skyabove/sky/l1-assessment.git
Cloning into 'l1-assessment'...
warning: You appear to have cloned an empty repository.
```

3. Local staging and commits:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket>cd l1-assessment
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>mkdir Main
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>cd Main
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment\Main>echo > main.txt
```



```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment\Main>cd..
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Initial commit to main."
[main (root-commit) 2ea9f36] Initial commit to main.
1 file changed, 1 insertion(+)
create mode 100644 Main/main.txt
```

4. Pushing changes to remote:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Writing objects: 100% (4/4), 284 bytes | 142.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/skyabovesky/l1-assessment.git
* [new branch]      main -> main
```

Reflection in remote:

The screenshot shows the Bitbucket web interface for a repository named 'L1-Assessment' under the user 'skyabovesky'. The left sidebar contains navigation links: Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, and Repository settings. The main content area displays the 'main.txt' file in the 'main' branch. The file content is as follows:

```
1 Initial main.
2
```

Buttons for 'Pull requests', 'Invite', 'Check out', and a three-dot menu are visible at the top right of the file view.

5. Pulling changes:

This screenshot shows the Bitbucket interface for editing the 'main.txt' file. The file content is:

```
1 Edited main.
2
```

The interface includes tabs for 'Source', 'Diff', and 'History', and a 'Pull requests' link. The left sidebar is identical to the previous screenshot.

This screenshot shows the Bitbucket interface with a 'Commit changes' dialog box open. The dialog contains the following fields and options:

- Commit message:** A text box containing 'main.txt edited online with Bitbucket'.
- ☐ Create a pull request for this change
- Buttons:** 'Commit' and 'Cancel'.

Below the dialog, the editor's status bar shows 'Syntax mode: Plain Text', 'Indent mode: Tabs', and 'Line wrap: Off'. At the bottom right, there are 'View diff', 'Commit', and 'Cancel' buttons.

L1-Assessment
Assessment

[Source](#)
[Commits](#)
[Branches](#)
[Pull requests](#)
[Pipelines](#)
[Deployments](#)
[Jira issues](#)
[Security](#)
[Downloads](#)
[Repository settings](#)

adb2eec

Nisanth Saravanan committed **adb2eec** 15 seconds ago

[View source](#) [Unapprove](#) [Settings](#)

main.txt edited online with Bitbucket

0 comments

NS

1 file

FILTER BY COMMENTS **NS** SORT BY File tree

Main / main.txt

1	- Initial main.
1	+ Edited main.

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git pull origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 305 bytes | 7.00 KiB/s, done.
From https://bitbucket.org/skyabovesky/l1-assessment
* branch      main      -> FETCH_HEAD
   2ea9f36..adb2eec main  -> origin/main
Updating 2ea9f36..adb2eec
Fast-forward
 Main/main.txt | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)
```

main - Notepad

File Edit Format View Help

Edited main.

6. Branching:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git branch sub
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git branch
* main
  sub
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git checkout sub
Switched to branch 'sub'
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git branch
main
* sub
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>mkdir Sub
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>cd Sub
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment\Sub>echo > branch.txt
```

branch - Notepad

File Edit Format View Help

Initial Branch.

Committing and pushing to a branch:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add Sub

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Initial Branch"
[sub c40c688] Initial Branch
1 file changed, 1 insertion(+)
create mode 100644 Sub/branch.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin sub
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (4/4), 311 bytes | 103.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create pull request for sub:
remote: https://bitbucket.org/skyabovesky/l1-assessment/pull-requests/new?source=sub&t=1
remote:
To https://bitbucket.org/skyabovesky/l1-assessment.git
7943db1..c40c688 sub -> sub
```


Reflection in remote:

The screenshot shows the Bitbucket web interface for the repository 'L1-Assessment' under the user 'skyabovesky'. The left sidebar contains navigation links: Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, and Repository settings. The main content area displays the file 'branch.txt' with the text 'Initial Branch.' The interface includes a search bar, a 'Create' button, and a 'Pull requests' button. The file path is shown as 'l1-assessment / Sub / branch.txt'.

7. Conflict Resolution:

Changes in remote:

The screenshot shows the Bitbucket web interface for the repository 'L1-Assessment' under the user 'skyabovesky'. The left sidebar contains navigation links: Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, and Repository settings. The main content area displays a conflict resolution screen for the file 'Main/main.txt' on the 'main' branch. The screen shows the text 'Ready for conflict.' and a 'View diff' button. The interface includes a search bar, a 'Create' button, and a 'Pull requests' button. The file path is shown as 'Main/main.txt'.



Changes in local:



```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Main/main.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Conflict merge from local."
[main 47f55f8] Conflict merge from local.
 1 file changed, 1 insertion(+), 1 deletion(-)
```

Pulling and resolution:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git pull origin main
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 310 bytes | 7.00 KiB/s, done.
From https://bitbucket.org/skyabovesky/l1-assessment
 * branch      main      -> FETCH_HEAD
   adb2eec..9b9c643  main  -> origin/main
Auto-merging Main/main.txt
CONFLICT (content): Merge conflict in Main/main.txt
Automatic merge failed; fix conflicts and then commit the result.
```



Accepting the local change, committing and pushing:

```
main - Notepad
File Edit Format View Help
Not ready for conflict.

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git status
On branch main
Your branch and 'origin/main' have diverged,
and have 1 and 1 different commits each, respectively.
(use "git pull" if you want to integrate the remote branch with yours)

All conflicts fixed but you are still merging.
(use "git commit" to conclude merge)

Changes to be committed:
  modified:   Main/main.txt

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Post resolution commit"
[main c9fea24] Post resolution commit

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (8/8), 649 bytes | 92.00 KiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/skyabovesky/l1-assessment.git
9b9c643..c9fea24  main -> main
```

Reflection in remote:

The screenshot shows the Bitbucket web interface for a repository named 'L1-Assessment' under the 'skyabovesky / Training' namespace. The 'main.txt' file is selected, and the interface displays its content: 'Not ready for conflict.' The interface includes a sidebar with navigation links (Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, Repository settings) and a top navigation bar with links to 'Your work', 'Pull requests', 'Repositories', 'Projects', and a 'Create' button. The file content is shown in a text editor with line numbers 1, 2, and 3.

8. Pull Requests:

☰

Your work

Pull requests

Repositories

Projects

More

Create

🔍

Search

🔔

?

⚙️

NS

L1-Assessment

Source

Commits

Branches

Pull requests

Pipelines

Deployments

Jira issues

Security

Downloads

Repository settings

skyabovesky / Training / L1-Assessment / Pull Requests

Create a Pull Request

Source Branch
sub

Destination Branch
main

Title
Merging Sub to Main

Description

- Cleaning
- Initial Branch

Files 2

Lines updated +1 -1

Main
main.txt

Sub
branch.txt +1

☰

Your work

Pull requests

Repositories

Projects

More

Create

🔍

Search

🔔

?

⚙️

NS

L1-Assessment

Source

Commits

Branches

Pull requests

Pipelines

Deployments

Jira issues

Security

Downloads

Repository settings

Add reviewers

Delete branch
☐ Delete sub after the pull request is merged

Create pull request

2 commits

Author	Commit	Message	Date
NS Nisanth Saravanan	c40c688	Initial Branch	10 minutes ago
NS Nisanth Saravanan	7943db1	Cleaning	13 minutes ago

2 files

Main / main.txt CONFLICTED

Sub / branch.txt

@@ -0,0 +1 @@

1 + Initial Branch.

Files 2

Lines updated +1 -1

Main
main.txt

Sub
branch.txt +1

☰

Your work

Pull requests

Repositories

Projects

More

Create

🔍

Search

🔔

?

⚙️

NS

L1-Assessment

Source

Commits

Branches

Pull requests

Pipelines

Deployments

Jira issues

Security

Downloads

Repository settings

skyabovesky / Training / L1-Assessment / Pull requests

Merging Sub to Main

sub → main OPEN

#1 • Created 3 seconds ago • Last updated 2 seconds ago

Approve Merge

Overview Files changed 2 Commits 2

This pull request can't be merged

You will need to resolve conflicts to be able to merge.

Learn more

Description

- Cleaning
- Initial Branch

0 builds



It looks like you haven't configured a build tool yet. You can use Bitbucket Pipelines to build, test and deploy your code.

As the merging can not be done automatically, it is advised to make use of the command-line interface for merging:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git merge sub
CONFLICT (modify/delete): Main/main.txt deleted in sub and modified in HEAD. Version HEAD of Main/main.txt left in tree
.
Automatic merge failed; fix conflicts and then commit the result.

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git status
On branch main
Your branch is up to date with 'origin/main'.

All conflicts fixed but you are still merging.
(use "git commit" to conclude merge)

Changes to be committed:
  new file:   Sub/branch.txt
```

The conflict was simply a missing directory and a simple command line merge can overcome this false error and all necessary files will be reflected:

<< GIT > BitBucket > l1-assessment > Main				Search ...
st	Name	Date modified	Type	
ng	main	14/03/2025 03:13 PM	Text Document	
st				

<< GIT > BitBucket > l1-assessment > Sub				Search S...
st	Name	Date modified	Type	
ng	branch	14/03/2025 03:17 PM	Text Document	
st				

Pushing changes:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Post resolution merge commit"
[main 33df095] Post resolution merge commit
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 304 bytes | 152.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/skyabovesky/l1-assessment.git
c9fea24..33df095  main -> main
```

Reflection and final state of main in remote:

The image shows two screenshots of the Bitbucket web interface. The top screenshot displays a 'Merging Sub to Main' pull request. The pull request is titled 'Merging Sub to Main' and is in a 'MERGED' state. It shows a commit hash of 33df095, authored by Nisanth Saravanan, and closed by Nisanth Saravanan 33 seconds ago. The description of the pull request includes 'Cleaning' and 'Initial Branch'. The bottom screenshot shows the repository state for 'L1-Assessment'. The 'main' branch is selected, and the file list shows two files: 'Main' (8 minutes ago) and 'Sub' (16 minutes ago). The 'Main' file has a message 'Post resolution commit' and the 'Sub' file has a message 'Initial Branch'.

Top Screenshot: Merging Sub to Main

Navigation: Your work | Pull requests | Repositories | Projects | More | Create

Search: Search

Repository: skyabovesky / Training / L1-Assessment / Pull requests

Merging Sub to Main

sub → main **MERGED**

#1 • Created 4 minutes ago • Last updated 13 seconds ago

Overview | Files changed 2 | Commits 2

Merged pull request

Post resolution merge commit

33df095 · Author: Nisanth Saravanan · Closed by: Nisanth Saravanan · 33 seconds ago

Description

- Cleaning
- Initial Branch

0 attachments

0 builds

It looks like you haven't configured a build tool yet. You can use [Bitbucket Pipelines](#) to build, test and deploy your code.

Your existing plan already

Bottom Screenshot: L1-Assessment

Navigation: Your work | Pull requests | Repositories | Projects | More | Create

Search: Search

Repository: skyabovesky / Training

L1-Assessment

Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, add a [description to your repository](#).

main | Files | Filter files

Name	Size	Last commit	Message
Main		8 minutes ago	Post resolution commit
Sub		16 minutes ago	Initial Branch

Final Reflection:

Your work

Pull requests

Repositories

Projects

More

Create

Search

L1-Assessment

Assessment

Source

Commits

Branches

Pull requests

Pipelines

Deployments

Jira issues

Security

Downloads

Repository settings

skyabovesky / Training / L1-Assessment

main.txt

Pull requests

Invite

Check out

Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, [add a description to your repository.](#)

Source main 33df095 Full commit

I1-assessment / Main / main.txt

Edit

1 Not ready for conflict.

2

3

Your work

Pull requests

Repositories

Projects

More

Create

Search

L1-Assessment

Assessment

Source

Commits

Branches

Pull requests

Pipelines

Deployments

Jira issues

Security

Downloads

Repository settings

skyabovesky / Training / L1-Assessment

branch.txt

Pull requests

Invite

Check out

Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, [add a description to your repository.](#)

Source main 33df095 Full commit

I1-assessment / Sub / branch.txt

Edit

1 Initial Branch.

9. Deleting Branch: locally and globally:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git branch --delete sub
Deleted branch sub (was c40c688).

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git add .

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git commit -m "Final Commit"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin main
Everything up-to-date
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\l1-assessment>git push origin --delete sub
To https://bitbucket.org/skyabovesky/l1-assessment.git
- [deleted]
    sub
```

Reflection:

The screenshot shows the Bitbucket web interface for a repository named 'L1-Assessment'. The left sidebar contains navigation links: Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, and Repository settings. The 'Source' tab is selected. The main content area shows the repository name 'L1-Assessment' and a message: 'Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, [add a description to your repository](#).' Below this, there is a dropdown menu for the 'main' branch, which is open, showing a search bar and the 'main' branch listed. The right sidebar contains icons for repository actions: 'Invite', 'Clone', and 'More'.