

Repository Assessment – Collaboration Scenario

Team Number	Name and Employee ID	GitHub URI	BitBucket URI
3	Nisanth Saravanan 12576 (Team Lead)	-	<u>skyabovesky / collab-scenario — Bitbucket</u>
3	Terrance Antony Alex 12574 (Collaborator)	-	<u>skyabovesky / collab-scenario — Bitbucket</u>
3	Tarun Balaji 12569 (Team Lead)	<u>tarunb-0127/ team-assesment-repo</u>	-
3	Arul Begonia 12577 (Collaborator)	<u>tarunb-0127/ team-assesment-repo at feature/method2</u>	-
3	Madhvan Ramalingam 12592 (Collaborator)	<u>tarunb-0127/ team-assesment-repo at Feature/Method1</u>	-

BitBucket

Team Lead – Nisanth Saravanan

Creating repository:

Create a new repository

[Import repository](#)

Workspace  skyabovesky

Project*  Assessment ▼

Repository name* Collab Scenario

Access level ☐ Private repository
Uncheck to make this repository public. Public repositories typically contain open-source code and can be viewed by anyone.

Include a README? No ▼

Default branch name main

Include .gitignore? No ▼

[> Advanced settings](#)


[Create repository](#) [Cancel](#)

Clone repo:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket>git clone https://nisanthsaravanan@bitbucket.org/skyabove/sky/collab-scenario.git
Cloning into 'collab-scenario'...
warning: You appear to have cloned an empty repository.
```

Add file:

Skeletal file:



Staging and local committing:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\collab-scenario>git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .vscode/
    Calculator.sln
    Calculator/

nothing added to commit but untracked files present (use "git add" to track)
```

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\collab-scenario>git add .
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\collab-scenario>git commit -m "Initial Skeletal Code"
[main (root-commit) 992aae0] Initial Skeletal Code
15 files changed, 271 insertions(+)
create mode 100644 .vscode/settings.json
create mode 100644 Calculator.sln
create mode 100644 Calculator/Calculator.csproj
create mode 100644 Calculator/Program.cs
create mode 100644 Calculator/obj/Calculator.csproj.nuget.dgspec.json
create mode 100644 Calculator/obj/Calculator.csproj.nuget.g.props
create mode 100644 Calculator/obj/Calculator.csproj.nuget.g.targets
create mode 100644 Calculator/obj/Debug/net8.0/.NETCoreApp,Version=v8.0.AssemblyAttributes.cs
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.AssemblyInfo.cs
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.AssemblyInfoInputs.cache
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.GeneratedMSBuildEditorConfig.editorconfig
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.GlobalUsings.g.cs
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.assets.cache
create mode 100644 Calculator/obj/project.assets.json
create mode 100644 Calculator/obj/project.nuget.cache
```

Pushing changes to main:

```
C:\Users\nisanth.saravanan\Desktop\L1 Assessment\GIT\BitBucket\collab-scenario>git push origin main
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 12 threads
Compressing objects: 100% (20/20), done.
Writing objects: 100% (22/22), 4.55 KiB | 423.00 KiB/s, done.
Total 22 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
To https://bitbucket.org/skyabovesky/collab-scenario.git
 * [new branch]      main -> main
```

Inviting collaborators:

Invite people to theonlyspace

Invite teammates to collaborate and use products in your organisation. We'll ask new users to enter their personal details when they sign up.

Email addresses

terrance.antony@relevantz.com ✕

Separate emails using a comma. Note, we can't send invitations to distribution lists.

Product	Product roles	Unselect all
 Bitbucket skyabovesky	Product admin ▼	

Group membership

Inviting to Project:

skyabovesky / Projects / Assessment / Project settings

Project permissions

Add users or groups

Add users or groups and provide them the permissions they need to collaborate on code across the entire project. In order to access the workspace, users must have [product access](#).

Search		Permissions	Access level	
☐	Name	Permission	Access level	Actions
☐	 Nisanth Saravanan Nisanth Saravanan	Admin ▼	Project	Remove
☐	 Terrance Antony Alex Terrance Antony Alex	Write ▼	Project	Remove
☐	 bitbucket-admins-skyabovesky 2 members	Admin	Workspace	

Inviting to Repository:

skyabovesky / Assessment / Collab Scenario / Repository settings

Repository permissions

Add users or groups

Repository permissions allow you to extend access beyond that already granted via [project permissions](#). In order to access the workspace, users must have [product access](#).

☐	Name	Permission	Access level	Actions
☐	NS Nisanth Saravanan Nisanth Saravanan	Admin	Project	
☐	TA Terrance Antony Alex Terrance Antony Alex	Write	Repository	Remove
☐	TA Terrance Antony Alex Terrance Antony Alex	Write	Project	
☐	bitbucket-admins-skyabovesky 2 members	Admin	Workspace	

Collaborator – Terrance Antony Alex

Cloning repository:

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.19045.5608]
(c) Microsoft Corporation. All rights reserved.

C:\Users\terrance.antony\Documents\Assessment>git clone https://terranceantony@bitbucket.org/skyabovesky/collab-scenario
.git
Cloning into 'collab-scenario'...
remote: Enumerating objects: 22, done.
remote: Counting objects: 100% (22/22), done.
remote: Compressing objects: 100% (20/20), done.
remote: Total 22 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (22/22), 4.55 KiB | 274.00 KiB/s, done.
Resolving deltas: 100% (1/1), done.
Updating files: 100% (15/15), done.
```


Creating a branch:

```
C:\Users\terrance.antony\Documents\Assessment\collab-scenario>
C:\Users\terrance.antony\Documents\Assessment\collab-scenario>git branch developing

C:\Users\terrance.antony\Documents\Assessment\collab-scenario>git branch
developing
* main

C:\Users\terrance.antony\Documents\Assessment\collab-scenario>
```

Modifying the skeletal file:



Code output:

```
PS C:\Users\terrance.antony\Documents\Assessment> & 'c:\Users\terrance.antony\.vscode\extensions\ms-dotnettools.csharp-2.63.32-win32-x64\debugger\x86_64\vsdbg.exe' '--interpreter=vscode' '--connection=392c0b3f8167405fa14133d41381a84d'
Enter two numbers :
20
10
Sum of two numbers: 30
Difference of two numbers: 10
Remainder of two numbers: 2
Product of two numbers: 200
```

Staging and local commit:

```
C:\Users\Terrance.antony\Documents\Assessment\collab-scenario>git add .

C:\Users\Terrance.antony\Documents\Assessment\collab-scenario>git commit -m "Definitions are added"
[developing 2f2153e] Definitions are added
Committer: TerranceAntony\alex <TerranceAntony@relevantz.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

23 files changed, 90 insertions(+), 29 deletions(-)
create mode 100644 Calculator/bin/Debug/net8.0/Calculator.deps.json
create mode 100644 Calculator/bin/Debug/net8.0/Calculator.dll
create mode 100644 Calculator/bin/Debug/net8.0/Calculator.exe
create mode 100644 Calculator/bin/Debug/net8.0/Calculator.pdb
create mode 100644 Calculator/bin/Debug/net8.0/Calculator.runtimeconfig.json
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.csproj.CoreCompileInputs.cache
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.csproj.FileListAbsolute.txt
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.dll
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.genruntimeconfig.cache
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.pdb
create mode 100644 Calculator/obj/Debug/net8.0/Calculator.sourcelink.json
create mode 100644 Calculator/obj/Debug/net8.0/apphost.exe
create mode 100644 Calculator/obj/Debug/net8.0/ref/Calculator.dll
create mode 100644 Calculator/obj/Debug/net8.0/refint/Calculator.dll
```

Pushing changes to branch:

```
C:\Users\terrance.antony\Documents\Assessment\collab-scenario>git push origin developing
Enumerating objects: 43, done.
Counting objects: 100% (43/43), done.
Delta compression using up to 8 threads
Compressing objects: 100% (25/25), done.
Writing objects: 100% (29/29), 74.89 KiB | 1.34 MiB/s, done.
Total 29 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create pull request for developing:
remote:   https://bitbucket.org/skyabovesky/collab-scenario/pull-requests/new?source=developing&t=1
remote:
to https://bitbucket.org/skyabovesky/collab-scenario.git
* [new branch]      developing -> developing

C:\Users\terrance.antony\Documents\Assessment\collab-scenario>
```

Reflections:

The screenshot shows the Bitbucket web interface for a repository named 'Collab Scenario' under the user 'skyabovesky'. The interface includes a top navigation bar with links for 'Your work', 'Pull requests', 'Repositories', 'Projects', and 'More', along with a 'Create' button and a search bar. The left sidebar contains a list of repository features: 'Source' (selected), 'Commits', 'Branches', 'Pull requests', 'Pipelines', 'Deployments', 'Jira issues', 'Security', 'Downloads', and 'Repository settings'. The main content area displays the 'Collab Scenario' repository page, which includes a description, a 'developing' branch selector, a file filter, and a table of files. The table lists three files: '.vscode', 'Calculator', and 'Calculator.sln', each with its size, last commit time, and commit message.

Name	Size	Last commit	Message
.vscode		39 minutes ago	Initial Skeletal Code
Calculator		1 minute ago	Definitions are added
Calculator.sln	984 B	39 minutes ago	Initial Skeletal Code

Creating a pull request:

```
9 10 {
10 - //Please Add the definitions here.
11 + return a - b;
11 12 }
12 13
13 - void Division(int a, int b)
14 + public static int Division(int a, int b)
14 15 {
15 - //Please add the definitions here.
16 + return a/b;
16 17 }
17 18
18 - int Multiplication(int a, int b)
19 + public static int Multiplication(int a, int b)
19 20 {
20 - //Please add the definitions here.
21 + return a * b;
21 22 }
22 23 static void Main(string[] args)
23 24 {
24 - //Please add driver code here.
25 + Console.WriteLine("Enter two numbers :");
26 + int a = int.Parse(Console.ReadLine());
27 + int b = int.Parse(Console.ReadLine());
28 +
29 + Console.WriteLine($"Sum of two numbers: {Addition(a,b)}");
30 + Console.WriteLine($"Difference of two numbers: {Subtraction(a, b)}");
31 + Console.WriteLine($"Remainder of two numbers: {Division(a,b)}");
32 + Console.WriteLine($"Product of two numbers: {Multiplication(a,b)}");
32 }
```

Files 23

Lines updated

+90 -29

Calculator

bin/Debug/net8.0

+ Calculator.deps.json +23

+ Calculator.dll

+ Calculator.exe

+ Calculator.pdb

+ Calculator.runtimeco... +12

obj

Calculator.csproj.n... +7 -7

Calculator.csproj.n... +2 -2

Debug/net8.0

+ apphost.exe

Calculator.Assem... +1 -1

Calculator.Assem... +1 -1

Calculator.assets.cache

+ Calculator.csproj.C... +1

+ Calculator.csproj.F... +15

+ Calculator.dll

Calculator.Gener... +1 -1

Bitbucket Your work Pull requests Repositories Projects More Create

Collab Scenario

skyabovesky / Assessment / Collab Scenario / Pull requests

Definitions are added

developing → main **OPEN**

#1 • Created 3 seconds ago • Last updated 2 seconds ago

Approve Merge ...

Overview Files changed 23 Commits 1

Description

Files are ready to be deployed.

0 attachments

There aren't any attachments. [Browse to upload](#)

Activity

All activity

What do you want to say?

0 builds

It looks like you haven't configured a build tool yet. You can use Bitbucket Pipelines to build, test and deploy your code. Your existing plan already

Team Lead – Nisanth Saravanan

Reviewing and approving request:

Collab Scenario

Source

Commits

Branches

Pull requests

Pipelines

Deployments

skyabovesky / Assessment / Collab Scenario

Pull requests

Create pull request

Search pull requests

Open

Author

Target branch

I'm reviewing

Sort by: Recently updated

Summary	Created	Activity	Reviewers	Builds
TA Definitions are added → main Terrance Antony Alex - #1, updated 3 minutes ago	3 minutes ago	No activity	No reviewers	

Definitions are added

TA

developing → main

OPEN

#1 • Created 3 minutes ago • Last updated 3 minutes ago

Approve Shift + a

Request changes

Approve

...

Request approved:

Definitions are added

TA

developing → main

OPEN

#1 • Created 4 minutes ago • Last updated 4 minutes ago

Request changes

Unapprove

...

Overview Files changed 23 Commits 1

Collaborator – Terrance Antony Alex

After TL approval:

The screenshot shows the Bitbucket interface for a repository named 'Collab Scenario'. The 'Pull requests' tab is selected in the left sidebar. The main content area displays a list of pull requests. A single pull request is visible, titled 'Definitions are added', originating from the 'developing' branch and targeting the 'main' branch. It was created 4 minutes ago by 'Terrance Antony Alex' and has no activity yet. The interface includes a search bar, filters for 'Open', 'Author', and 'Target branch', and a 'Sort by: Recently updated' dropdown. A 'Create pull request' button is located in the top right corner.

Proceeding with merge:

The screenshot shows the 'Merge pull request' dialog box in Bitbucket. The dialog is titled 'Merge pull request' and contains the following information: Source branch is 'developing', Destination branch is 'main', and the Merge strategy is set to 'Merge commit'. The Commit message field contains the text: 'Merged in developing (pull request #1)', 'Definitions are added', and 'Approved-by: Nisanth Saravanan'. There is a checkbox for 'Close source branch' which is currently unchecked. The dialog has 'Merge' and 'Cancel' buttons at the bottom right. In the background, the pull request details are visible, showing the 'Approve' and 'Merge' buttons.

Definitions are added

The screenshot shows the header of a pull request. It includes a circular icon with the letters 'TA' in a red circle. To the right of the icon, it says 'developing' followed by an arrow pointing to 'main' and a blue 'OPEN' button. Below this, it says '#1 • Created 6 minutes ago • Last updated 2 minutes ago'.

Overview Files changed 23 Commits 1



Merge in progress

This pull request is being merged in the background. You can safely navigate away. The status of the pull request will be updated once it is merged.

Definitions are added



developing →

main

MERGED

#1 • Created 6 minutes ago • Last updated 12 seconds ago

[Overview](#)

Files changed 23

Commits 2



Merged pull request

Merged in developing (pull request #1)

016ba5f • Author: Terrance Antony Alex • Closed by: Terrance Antony Alex • 14 seconds ago

Final reflection in main:

Program.cs

Here's where you'll find this repository's source files. To give your users an idea of what they'll find here, [add a description to your repository](#).

Source main 016ba5f Full commit

```
collab-scenario / Calculator / Program.cs Edit ...
{
  {
22   }
23   static void Main(string[] args)
24   {
25       Console.WriteLine("Enter two numbers :");
26       int a = int.Parse(Console.ReadLine());
27       int b = int.Parse(Console.ReadLine());
28
29       Console.WriteLine($"Sum of two numbers: {Addition(a,b)}");
30       Console.WriteLine($"Difference of two numbers: {Subtraction(a, b)}");
31       Console.WriteLine($"Remainder of two numbers: {Division(a,b)}");
32       Console.WriteLine($"Product of two numbers: {Multiplication(a,b)}" );
33   }
}
```

All changes from the branch have been successfully added to the main branch.