

Test Case ID	
GetAll_ReturnsAllShipments001	

GetAll_ReturnsAllShipments002

GetAll_ReturnsAllShipments003

GetAll_ReturnsAllShipments004

Get_ExistingId_ReturnsShipment001

Get_ExistingId_ReturnsShipment002

Get_ExistingId_ReturnsShipment003

Get_ExistingId_ReturnsShipment004

Get_NonExistingId_ReturnsNotFound001

Create_AdminRole_AddsShipment001

Create_AdminRole_AddsShipment002

Create_AdminRole_AddsShipment003

Create_AdminRole_AddsShipment004

Create_AdminRole_AddsShipment005

Create_NonAdminRole_ReturnsUnauthorized001

Create_NonAdminRole_ReturnsUnauthorized002

Create_NonAdminRole_ReturnsUnauthorized003

Update_AdminRole_ExistingId_UpdatesShipment00

Update_AdminRole_ExistingId_UpdatesShipment00

date_AdminRole_NonExistingId_ReturnsNotFound0

Update_NonAdminRole_ReturnsUnauthorized001

Update_NonAdminRole_ReturnsUnauthorized002

Update_NonAdminRole_ReturnsUnauthorized003

Delete_AdminRole_ExistingId_DeletesShipment001

Delete_AdminRole_ExistingId_DeletesShipment002

Delete_AdminRole_ExistingId_DeletesShipment003

Delete_AdminRole_NonExistingId_ReturnsNotFound0

Delete_AdminRole_NonExistingId_ReturnsNotFound0

Delete_NonAdminRole_ReturnsUnauthorized001

Delete_NonAdminRole_ReturnsUnauthorized002

Delete_NonAdminRole_ReturnsUnauthorized003

Project name :	
Module Name :	
Reference Document :	
Created by :	
Date of creation :	
Date of review :	
Test Scenarios	Test Case Title / Test Case Name
Getting all shipments	GetAll() Success

Getting all shipments

GetAll() Success

Getting all shipments

GetAll() Success

Getting all shipments	GetAll() Success
Getting one shipment	Get(id) Success
Getting one shipment	Get(id) Success

Getting one shipment	Get(id) Success
Getting one shipment	Get(id) Success

Getting a non-existing shipment from the DB.	Get(id) with invalid ID
Inserting a shipment as Admin.	Create() Success
Inserting a shipment as Admin.	Create() Success

Inserting a shipment as Admin.	Create() Success
Inserting a shipment as Admin.	Create() Success

Inserting a shipment as Admin.	Create() Success
Inserting a shipment as User.	Create() Failure
Inserting a shipment as User.	Create() Failure

Inserting a shipment as User.

Create() Failure

Updating Shipment as Admin

Update() Success

Updating Shipment as Admin

Update() Success

Updating Shipment as Admin

Update() Failure

Updating Shipment as User	Update() Failure
Updating Shipment as User	Update() Failure
Updating Shipment as User	Update() Failure

Deleting a shipment as Admin.	Delete() Success
Deleting a shipment as Admin.	Delete() Success

Deleting a shipment as Admin.

Delete() Success

Deleting a shipment as Admin.

Delete() Failure

Deleting a shipment as Admin.

Delete() Failure

Deleting a shipment as User.	Delete() Failure
Deleting a shipment as User.	Delete() Failure

Deleting a shipment as User.

Delete() Failure

Test Steps
Insert a sample data into db.
Call on to GetAll() method

Insert a sample data into db.
Call on to GetAll() method
Insert a sample data into db.
Call on to GetAll() method
Insert a sample data into db.
Call on to GetAll() method

Insert a sample data into db.
Call on to Get(id) method
Insert a sample data into db.
Call on to Get(id) method

Insert a sample data into db.
Call on to Get(id) method
Insert a sample data into db.
Call on to Get(id) method
Call on to Get(id) method

Create a new shipment data.
Call the Create() method
Create a new shipment data.
Call the Create() method

Create a new shipment data.
Call the Create() method
Create a new shipment data.
Call the Create() method
Create a new shipment data.

Call the Create() method
Create a new shipment data.
Call the Create() method
Create a new shipment data.
Call the Create() method

Create a new shipment data.
Call the Create() method
Create a new shipment data.
Insert and save changes.
Create an updated data.
Call Update() method.

Create a new shipment data.
Insert and save changes.
Create an updated data.
Call Update() method.
Create a new shipment data.
Insert and save changes.
Create an updated data.
Call Update() method.
Create a new shipment data.
Insert and save changes.
Create an updated data.

Call Update() method.
Create a new shipment data.
Insert and save changes.
Create an updated data.
Call Update() method.
Create a new shipment data.
Insert and save changes.
Create an updated data.
Call Update() method.

Call Delete() Method.
Call Delete() Method.
Call Delete() Method.

Call Delete() Method.
Call Delete() Method.

Call Delete() Method.
Call Delete() Method.
Call Delete() Method.

[illegible]

[illegible]

Precondition/Test Data
Test Database
One Sample Shipment

Test Database
One Sample Shipment
Test Database
One Sample Shipment
Test Database
One Sample Shipment

Test Database
One Sample Shipment
Test Database
One Sample Shipment

Test Database
One Sample Shipment
Test Database
One Sample Shipment
Test Database
Invalid ID

Test Database
Valid Shipment Data
Logged in as Admin
Test Database
Valid Shipment Data
Logged in as Admin

Test Database
Valid Shipment Data
Logged in as Admin
Test Database
Valid Shipment Data
Logged in as Admin
Test Database

Valid Shipment Data
Logged in as Admin
Test Database
Valid Shipment Data
Logged in as User.
Test Database
Valid Shipment Data
Logged in as User.

Test Database
Valid Shipment Data
Logged in as User.
Test Database
Valid Shipment Data
Logged in as Admin.
Valid ID.

Test Database
Valid Shipment Data
Logged in as Admin.
Valid ID.
Test Database
Valid Shipment Data
Logged in as Admin.
Invalid ID.
Test Database
Valid Shipment Data
Logged in as User.

Valid ID.
Test Database
Valid Shipment Data
Logged in as User.
Valid ID.
Test Database
Valid Shipment Data
Logged in as User.
Valid ID.

Test Database
Valid Existing Shipment Data
Valid ID.
Logged in as Admin.
Test Database
Valid Existing Shipment Data
Valid ID.
Logged in as Admin.
Test Database
Valid Existing Shipment Data

Valid ID.
Logged in as Admin.
Test Database
Valid Existing Shipment Data
Invalid ID.
Logged in as Admin.
Test Database
Valid Existing Shipment Data
Invalid ID.
Logged in as Admin.

Test Database
Valid Existing Shipment Data
Valid ID.
Logged in as User.
Test Database
Valid Existing Shipment Data
Valid ID.
Logged in as User.
Test Database

Valid Existing Shipment Data
Valid ID.
Logged in as User.

[illegible]

Shipper

Shipment Controller

Nisanth Saravanan

11-08-2025

Expected Result	Acutal Result
Returned value is not null.	Returned value is not null.

Returned result is an instance of OKObjectResult.	Returned result is an instance of OKObjectResult.
Returned value is an instance of List<Shipment>.	Returned value is an instance of List<Shipment>.
Number of returned result is equal to one.	Number of returned result is equal to one.

Returned value is not null.	Returned value is not null.
Returned result is an instance of OKObjectResult.	Returned result is an instance of OKObjectResult.

Returned value is an instance of <Shipment>.	Returned value is an instance of <Shipment>.
Returned value is equal to the inserted value.	Returned value is equal to the inserted value.
Result is an Instance of NotFoundResult.	Result is an Instance of NotFoundResult.

Returned value is not null.	Returned value is not null.
Returned result is an instance of OKObjectResult.	Returned result is an instance of OKObjectResult.

Returned value is an instance of <Shipment>.	Returned value is an instance of <Shipment>.
Returned value is equal to the inserted value.	Returned value is equal to the inserted value.
Number of returned result is equal to one.	Number of returned result is equal to one.

Returned value is not null.	Returned value is not null.
Returned object is UnauthorizedObjectResult.	Returned object is UnauthorizedObjectResult.

Returned value is equal to the error message.	Returned value is equal to the error message.
Returned value is not null.	Returned value is not null.

Returned value is equal to updated value.	Returned value is equal to updated value.
Result is an Instance of NotFoundResult.	Result is an Instance of NotFoundResult.
Returned value is not null.	Returned value is not null.

Returned object is UnauthorizedObjectResult.	Returned object is UnauthorizedObjectResult.
Returned value is equal to the error message.	Returned value is equal to the error message.

Returned value is not null.	Returned value is not null.
Returned result is an instance of OKObjectResult.	Returned result is an instance of OKObjectResult.
Returned value is equal to the message.	Returned value is equal to the message.

Returned value is not null.	Returned value is not null.
Result is an Instance of NotFoundResult.	Result is an Instance of NotFoundResult.

Returned value is not null.	Returned value is not null.
Returned object is UnauthorizedObjectResult.	Returned object is UnauthorizedObjectResult.
Returned value is equal to the error message.	Returned value is equal to the error message.

[illegible]

Status	Comments
Pass	

Pass	
Pass	
Pass	

Pass	
Pass	

Pass	
Pass	
Pass	

Pass	
Pass	

Pass	
Pass	
Pass	

Pass	
Pass	

Pass	
Pass	

Pass	
Pass	
Pass	

Pass	
Pass	

Pass	
Pass	
Pass	

Pass	
Pass	

Pass	
Pass	
Pass	

[illegible]
