0.0.0 OAS 3.0

/api/schema/

Authorize

api

GET /api/matches/

Parameters Try it out

Name	Description
away_team__name string *(query)*	away_team__name
date_from string($date) *(query)*	date_from
date_to string($date) *(query)*	date_to
ft_result string *(query)*	• H - Home Win • A - Away Win • D - Draw *Available values* : A, D, H --
home_team__name string *(query)*	home_team__name
league__code string *(query)*	league__code

Name	Description
match_date string($date) *(query)*	match_date
ordering string *(query)*	Which field to use when ordering the results. ordering
page integer *(query)*	A page number within the paginated result set. page
search string *(query)*	A search term. search

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
      "id": 0,
      "league": "string",
      "home_team": "string",
      "away_team": "string",
      "match_date": "2026-03-16",
      "match_time": "22:04:19.601Z",
      "ft_home_goals": 2147483647,
      "ft_away_goals": 2147483647,
      "ft_result": "H",
      "ht_home_goals": 2147483647,
      "ht_away_goals": 2147483647,
      "ht_result": "H",
      "home_shots": 2147483647,
      "away_shots": 2147483647,
      "home_shots_on_target": 2147483647,
      "away_shots_on_target": 2147483647,
      "home_fouls": 2147483647,
      "away_fouls": 2147483647,
      "home_corners": 2147483647,
      "away_corners": 2147483647,
      "home_yellow_cards": 2147483647,
      "away_yellow_cards": 2147483647,
```

Code	Description	Links

POST /api/matches/

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema


```
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
  "away_form_5": 2147483647,
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
  "over_2_5_odds": 0,
  "under_2_5_odds": 0
}
```


Responses

Code	Description	Links
201	Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*

Code	Description	Links


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.608Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
```


GET /api/matches/{id}/

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this match. id

Responses

Code	Description	Links
200	Media type **application/json** Controls Accept header. **Example Value** Schema	*No links*


```
{
  "id": 0,
```

Code	Description	Links


```
"league": "string",
"home_team": "string",
"away_team": "string",
"match_date": "2026-03-16",
"match_time": "22:04:19.613Z",
"ft_home_goals": 2147483647,
"ft_away_goals": 2147483647,
"ft_result": "H",
"ht_home_goals": 2147483647,
"ht_away_goals": 2147483647,
"ht_result": "H",
"home_shots": 2147483647,
"away_shots": 2147483647,
"home_shots_on_target": 2147483647,
"away_shots_on_target": 2147483647,
"home_fouls": 2147483647,
"away_fouls": 2147483647,
"home_corners": 2147483647,
"away_corners": 2147483647,
"home_yellow_cards": 2147483647,
"away_yellow_cards": 2147483647,
"home_red_cards": 2147483647,
"away_red_cards": 2147483647,
"home_elo_pre": 0,
"away_elo_pre": 0,
"home_form_5": 2147483647
```


PUT /api/matches/{id}/

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this match. id

Request body required

application/json

Example Value Schema


```
{
  "match_date": "2026-03-16",
  "match_time": "22:04:19.496Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
```

```
"away_yellow_cards": 2147483647,
"home_red_cards": 2147483647,
"away_red_cards": 2147483647,
"home_elo_pre": 0,
"away_elo_pre": 0,
"home_form_5": 2147483647,
"away_form_5": 2147483647,
"home_win_odds": 0,
"draw_odds": 0,
"away_win_odds": 0
```


Responses

Code	Description	Links
200	Media type application/json Controls `Accept` header. **Example Value** Schema	*No link*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.622Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
```


PATCH /api/matches/{id}/

Parameters

Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this match. id

Request body **application/json**

Example Value Schema


```
{
  "match_date": "2026-03-16",
  "match_time": "22:04:19.504Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
  "away_form_5": 2147483647,
  "home_win_odds": 0,
  "draw_odds": 0,
  "away_win_odds": 0,
```


Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
```

Code	Description	Links


```
"match_date": "2026-03-16",
"match_time": "22:04:19.629Z",
"ft_home_goals": 2147483647,
"ft_away_goals": 2147483647,
"ft_result": "H",
"ht_home_goals": 2147483647,
"ht_away_goals": 2147483647,
"ht_result": "H",
"home_shots": 2147483647,
"away_shots": 2147483647,
"home_shots_on_target": 2147483647,
"away_shots_on_target": 2147483647,
"home_fouls": 2147483647,
"away_fouls": 2147483647,
"home_corners": 2147483647,
"away_corners": 2147483647,
"home_yellow_cards": 2147483647,
"away_yellow_cards": 2147483647,
"home_red_cards": 2147483647,
"away_red_cards": 2147483647,
"home_elo_pre": 0,
"away_elo_pre": 0,
"home_form_5": 2147483647
```


DELETE /api/matches/{id}/

Parameters Try it out

Name	Description
id * required integer *(path)*	A unique integer value identifying this match. id

Responses

Code	Description	Links
204	No response body	*No links*

GET /api/matches/biggest_upsets/

Parameters Try it out

Name	Description
limit	Number of matches to return

Name	Description
integer *(query)*	limit

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.637Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
```


GET /api/matches/league_stats/

Parameters

Try it out

Name	Description
league * required string *(query)*	Filter by league code e.g E0, E1, E2, E3) league
season string *(query)*	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.642Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
```


GET `/api/matches/league_table/`

Parameters

Try it out

Name	Description
league * required string *(query)*	Filter by league code e.g E0, E1, E2, E3) league
season string *(query)*	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.648Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
  "away_elo_pre": 0,
  "home_form_5": 2147483647,
```


GET `/api/matches/upsets/`

Parameters

Try it out

Name	Description
elo_diff number($float) *(query)*	Minimum ELO difference to consider a match an upset elo_diff
league string *(query)*	Filter by league code e.g E0, E1, E2, E3) league
limit integer *(query)*	Number of matches to return limit
season string *(query)*	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header.	*No links*

Example Value Schema


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.656Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
  "home_shots": 2147483647,
  "away_shots": 2147483647,
  "home_shots_on_target": 2147483647,
  "away_shots_on_target": 2147483647,
  "home_fouls": 2147483647,
  "away_fouls": 2147483647,
  "home_corners": 2147483647,
  "away_corners": 2147483647,
  "home_yellow_cards": 2147483647,
  "away_yellow_cards": 2147483647,
  "home_red_cards": 2147483647,
  "away_red_cards": 2147483647,
  "home_elo_pre": 0,
```

Code	Description	Links


```
"away_elo_pre": 0,
"home_form_5": 2147483647
```


GET /api/matches/upsets_by_odds/

Parameters

Try it out

Name	Description
league string *(query)*	Filter by league code e.g E0, E1, E2, E3) league
limit integer *(query)*	Number of matches to return limit
min_odds number($float) *(query)*	Minimum odds to consider a match an upset min_odds
season string *(query)*	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "home_team": "string",
  "away_team": "string",
  "match_date": "2026-03-16",
  "match_time": "22:04:19.663Z",
  "ft_home_goals": 2147483647,
  "ft_away_goals": 2147483647,
  "ft_result": "H",
  "ht_home_goals": 2147483647,
  "ht_away_goals": 2147483647,
  "ht_result": "H",
```

Code	Description	Links


```
"home_shots": 2147483647,
"away_shots": 2147483647,
"home_shots_on_target": 2147483647,
"away_shots_on_target": 2147483647,
"home_fouls": 2147483647,
"away_fouls": 2147483647,
"home_corners": 2147483647,
"away_corners": 2147483647,
"home_yellow_cards": 2147483647,
"away_yellow_cards": 2147483647,
"home_red_cards": 2147483647,
"away_red_cards": 2147483647,
"home_elo_pre": 0,
"away_elo_pre": 0,
"home_form_5": 2147483647,
```


GET /api/schema/

OpenApi3 schema for this API. Format can be selected via content negotiation.

- YAML: application/vnd.oai.openapi
- JSON: application/vnd.oai.openapi+json

Parameters Try it out

Name	Description
format string *(query)*	*Available values* : json, yaml --
lang string *(query)*	*Available values* : af, ar, ar-dz, ast, az, be, bg, bn, br, bs, ca, ckb, cs, cy, da, de, dsb, el, en, en-au, en-gb, eo, es, es-ar, es-co, es-mx, es-ni, es-ve, et, eu, fa, fi, fr, fy, ga, gd, gl, he, hi, hr, hsb, ht, hu, hy, ia, id, ig, io, is, it, ja, ka, kab, kk, km, kn, ko, ky, lb, lt, lv, mk, ml, mn, mr, ms, my, nb, ne, nl, nn, os, pa, pl, pt, pt-br, ro, ru, sk, sl, sq, sr, sr-latn, sv, sw, ta, te, tg, th, tk, tr, tt, udm, ug, uk, ur, uz, vi, zh-hans, zh-hant --

Responses

Code	Description	Links
200	Media type application/vnd.oai.openapi Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

GET /api/teams/

Parameters Try it out

Name	Description
league__code string *(query)*	league__code
ordering string *(query)*	Which field to use when ordering the results. ordering
page integer *(query)*	A page number within the paginated result set. page
search string *(query)*	A search term. search

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header.	*No links*

Example Value Schema

```
{
  "count": 123,
  "next": "http://api.example.org/accounts/?page=4",
  "previous": "http://api.example.org/accounts/?page=2",
  "results": [
    {
```

Code	Description	Links


```
        "id": 0,
        "league": "string",
        "name": "string",
        "club": 0
      }
    ]
  }
```


POST /api/teams/

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema


```
{
  "name": "string",
  "club": 0
}
```


Responses

Code	Description	Links
201	Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "id": 0,
  "league": "string",
  "name": "string",
  "club": 0
}
```


GET /api/teams/{id}/

Parameters Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this team. id

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "id": 0, "league": "string", "name": "string", "club": 0 }`	*No links*

`PUT` `/api/teams/{id}/`

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this team. id

Request body required

application/json

Example Value Schema

```
{
  "name": "string",
  "club": 0
}
```

Responses

Code	Description	Links
200	Media type application/json Controls `Accept` header. **Example Value** Schema `{ "id": 0, "league": "string", "name": "string", "club": 0 }`	*No links*

PATCH /api/teams/{id}/

Parameters

Try it out

Name	Description
id * required *integer* *(path)*	A unique integer value identifying this team. id

Request body application/json

Example Value Schema

```
{
  "name": "string",
  "club": 0
}
```

Responses

Code	Description	Links
200	Media type	*No links*

Code	Description	Links
	application/json Controls `Accept` header. **Example Value** Schema `{ "id": 0, "league": "string", "name": "string", "club": 0 }`	

DELETE /api/teams/{id}/

Parameters Try it out

Name	Description
id * required `integer` *(path)*	A unique integer value identifying this team. id

Responses

Code	Description	Links
204	No response body	*No links*

GET /api/teams/{id}/dna/

Parameters Try it out

Name	Description
date_from `string` *(query)*	Start date for DNA calculation in YYYY-MM-DD format (overrides season if both provided) date_from

Name	Description
date_to string (query)	End date for DNA calculation in YYYY-MM-DD format (overrides season if both provided) date_to
last_n integer (query)	Calculate DNA based on last N matches instead of date range or season last_n
league string (query)	Filter by league code e.g E0, E1, E2, E3) league
season string (query)	Season format e.g. 20/21, 2023-2024 etc. season
id * required integer (path)	A unique integer value identifying this team. id

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "id": 0, "league": "string", "name": "string", "club": 0 }`	*No links*

GET /api/teams/{id}/stats/

Parameters Try it out

Name	Description
date_from string *(query)*	Start date for stats in YYYY-MM-DD format date_from
date_to string *(query)*	End date for stats in YYYY-MM-DD format date_to
league string *(query)*	Filter by league code e.g E0, E1, E2, E3) league
id * required integer *(path)*	A unique integer value identifying this team. id

Responses

Code	Description	Links
200	Media type **application/json** Controls `Accept` header. **Example Value** Schema `{ "id": 0, "league": "string", "name": "string", "club": 0 }`	*No links*

GET /api/teams/best_attack/

Parameters Try it out

Name	Description
league string *(query)*	Filter by league code e.g E0, E1, E2, E3) league

Name	Description
limit integer (query)	Number of teams to return limit
min_games integer (query)	Minimum number of games played to be included in the ranking min_games
season string (query)	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "league": "string",
  "name": "string",
  "club": 0
}
```

GET /api/teams/best_defence/

Parameters Try it out

Name	Description
league string (query)	Filter by league code e.g E0, E1, E2, E3) league
limit integer (query)	Number of teams to return limit
min_games	Minimum number of games played to be included in the ranking

Name	Description
integer (query)	min_games
season string (query)	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema { "id": 0, "league": "string", "name": "string", "club": 0 }	No links

GET /api/teams/head_to_head/

Parameters

Try it out

Name	Description
date_from string (query)	Start date for head-to-head in YYYY-MM-DD format date_from
date_to string (query)	End date for head-to-head in YYYY-MM-DD format date_to
league string (query)	Filter by league code e.g E0, E1, E2, E3) league

Name	Description
team1 string (query)	Name of the first team (alternative to team1_id) team1
team1_id integer (query)	ID of the first team team1_id
team2 string (query)	Name of the second team (alternative to team2_id) team2
team2_id integer (query)	ID of the second team team2_id

Responses

Code	Description	Links

200	Media type
	application/json
	Controls Accept header.
	Example Value Schema
	{
	"id": 0,
	"league": "string",
	"name": "string",
	"club": 0
	}
		No links

GET /api/teams/over_under_performing/

Parameters Try it out

Name	Description
league string (query)	Filter by league code e.g E0, E1, E2, E3) league
limit	Number of teams to return

Name	Description
integer (query)	limit
season string (query)	Season format e.g. 20/21, 2023-2024 etc. season

Responses

Code	Description	Links

200	Media type
	application/json
	Controls Accept header.
	Example Value Schema
	{
	"id": 0,
	"league": "string",
	"name": "string",
	"club": 0
	}
		No links

POST /api/token/

Takes a set of user credentials and returns an access and refresh JSON web token pair to prove the authentication of those credentials.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls `Accept` header. **Example Value** Schema `{ "access": "string", "refresh": "string" }`	*No links*

POST /api/token/refresh/

Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "refresh": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json	*No links*

Code	Description	Links
	Controls `Accept` header. **Example Value** Schema `{ "access": "string" }`	

schema

Schemas

BlankEnum

FtResultEnum

HtResultEnum

Match

NullEnum

PaginatedMatchList

PaginatedTeamList

PatchedMatch

PatchedTeam

Team

TokenObtainPair

TokenRefresh