

# INTRO TO DATA SCIENCE HW 2

Ben Green

## Contents

<b>Question 1</b>	<b>1</b>
1a. . . . .	1
1b. . . . .	1
<b>Question 2</b>	<b>1</b>
<b>Question 5</b>	<b>1</b>
<b>Question 7</b>	<b>1</b>

March 10, 2015

## Question 1

1a.


$$n - m(1 - (\frac{m-1}{m})^n) \quad (1)$$

1b.

$$1 - (\text{answerto1a.}) \quad (2)$$

## Question 2

## Question 5



## Question 7

Assuming that you've picked door number 1, there are three (equally likely) possible scenarios:

1. You pick the door with the prize, and the other two doors are empty.
2. Both your door and door number 2 are empty.
3. Both your door and door number 3 are empty.

Overall, there are two groups of possibilities - that you've picked a winning door ( $1/3$ ) or you've picked an empty door ( $2/3$ ).

If an empty door is revealed, it must either be door 2 or 3, because you picked door number 1. Now you are presented with the same two groups - but the second group's doors now have probabilities 0 and  $2/3$  of containing the prize, when originally they were  $1/3$  each.

Since your door (door number 1) has a probability of  $1/3$  and the other closed door has a probability of  $2/3$ , you should switch doors.