
Start: Oct 27, 9:43:55.070 pm End: Oct 27, 9:44:24.662 pm **Duration**: 29.592 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 66 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Recherche	1	0	1	0	29.592 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par user role	9	6	1	2	29.574 s

DETAILED SECTION -- 4 --

(F)- Recherche

FAILED	DURATION - 29.592 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 9:43:55.070 pm	// 9:44:24.662 pm /	Pass - 0	1	Pass - 6	9 📘 9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- recherche par user role



#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	15.799 s
2	When je saisis le username "Admin"	PASSED	2.261 s
3	And je saisis le password "Admin123++*/"	PASSED	0.128 s
4	And je clique sur le bouton login	PASSED	0.139 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	5.112 s
6	When je click sur le bouton admin	PASSED	3.363 s
7	And je saisis le l'employe name souaite "benhmidar benhmidar"	FAILED	0.020 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.RechercheByEmployeNameStepDef at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
10	Caused by: java.lang.reflect.InvocationTargetException		
'	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.		
Li	ava:141)		
ľ	35 more Caused by: org.openga.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this		
(error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info:		
l	nost: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: driver.version:		
ι	ınknown		
	at org.openqa.selenium.By\$ByClassName. <init>(By.java:310)</init>		
	at org.openqa.selenium.By.className(By.java:100)		
	at org.openqa.selenium.support.How\$1.buildBy(How.java:26)		
	at org.openqa.selenium.support.AbstractFindByBuilder.buildByFromLongFindBy(AbstractFindByBuilder.java:79)		
	at org.openqa.selenium.support.FindBy\$FindByBuilder.buildIt(FindBy.java:87)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.Annotations.buildBy(Annotations.java:79) at org.openqa.selenium.support.pagefactory.DefaultElementLocator. <init>(DefaultElementLocator.java:58) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46) at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:33) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:57) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:90) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:78) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:65) at stepDefinitions.RechercheByEmployeNameStepDef.<init>(RechercheByEmployeNameStepDef.java:23) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</init></init></init>		
8	And je click sur le bouton recherche	SKIPPED	0.002 s
9	Then je verifie le employe name affiche sur le tableau "benhmidar benhmidar"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) recherche par user role	PASSED	0.403 s