Cucumber Report

| Start : Oct 29, 9:19:12.723 pm	End : Oct 29, 9:20:42.697 pm	Duration : 1 m 29.974 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 7 FAILED - 2 SKIPPED - 9

1

2

18

Pass % — 0 %

Pass % — 0 %

Pass % — 38 %

#	Feature Name	T	P	F	S	Duration
1	Recherche	2	0	2	0	1 m 29.974 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par employe name	9	6	1	2	1 m 17.060 s
2	Recherche	recherche par employe name	9	1	1	7	12.889 s

(F)- Recherche

FAILED	DURATION - 1 m 29.974 s	Scenarios		Steps	
	/ 9:19:12.723 pm // 9:20:42.697 pm /	Total - 2		Total - 18	
		Pass - 0	(2)	Pass - 7	(18)
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 9	

(S)- recherche par employe name

FAILED	DURATION - 1 m 17.060 s		Steps	
	/ 9:19:12.732 pm // 9:20:29.792 pm /		Total - 9	
	Recherche		Pass - 6	(9)
			Fail - 1	
	@recherche @rechercheByEmployeName		Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	21.422 s
2	When je saisis le username "Admin"	PASSED	2.663 s
3	And je saisis le password "Admin123++*/"	PASSED	0.072 s
4	And je clique sur le bouton login	PASSED	0.079 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	19.714 s
6	When je click sur le bouton admin	PASSED	5.098 s
7	And je saisis le l'employe name souaite "benhmidar benhmidar"	FAILED	26.411 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [855deac2c80a7e7213d174e7089c835f, findElement {using=xpath, value=//*[@id="app"]/div[2]/div[2]/div[2]/div/div[1]/div[2]/form/div[1]/div/div[3]/div/div[2]/div/div[2]/div}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50131}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50131/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 855deac2c80a7e7213d174e7089c835f
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:174)
	   at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	   at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57)
	   at stepDefinitions.RechercheByEmployeNameStepDef.jeSaisisLeLEmployeNameSouaite(RechercheByEmployeNameStepDef.java:38)
	   at ?.je saisis le l'employe name souaite "benhmidar benhmidar"(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/rechercheByEmployeeName.feature:16)
	* Not displayable characters are replaced by '?'.		

8	And je click sur le bouton recherche	SKIPPED	0.001 s
9	Then je verifie le employe name affiche sur le tableau "benhmidar benhmidar"	SKIPPED	0.001 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.085 s

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [855deac2c80a7e7213d174e7089c835f, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50131}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50131/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 855deac2c80a7e7213d174e7089c835f
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		
	at utils.Setup.embedScreenshot(Setup.java:36)		

(S)- recherche par employe name

FAILED	DURATION - 12.889 s
/ 9:20:29.808 pm // 9:20:42.697 pm /	
Recherche	
@recherche @rechercheByEmployeName	

Steps
Total - 9
Pass - 1
Fail - 1
Skip - 7

9

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	4.875 s
2	When je saisis le username "Admin"	FAILED	7.250 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a86e2d06ac2ab34e68a86fe4b6ea18e9, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59185}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59185/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a86e2d06ac2ab34e68a86fe4b6ea18e9
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "Admin"(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/rechercheByEmployeeName.feature:8) * Not displayable characters are replaced by '?'.		
3	And je saisis le password "Admin123++*/"	SKIPPED	0.000 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.000 s
6	When je click sur le bouton admin	SKIPPED	0.001 s
7	And je saisis le l'employe name souaite "rihab"	SKIPPED	0.001 s
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie le employe name affiche sur le tableau "Invalid"	SKIPPED	0.002 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.098 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a86e2d06ac2ab34e68a86fe4b6ea18e9, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59185}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59185/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a86e2d06ac2ab34e68a86fe4b6ea18e9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at utils.Setup.embedScreenshot(Setup.java:36)		