# Cucumber Report

| Start : Oct 27, 9:54:10.235 pm | End : Oct 27, 9:54:33.281 pm | Duration : 23.046 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 6<br>FAILED - 1<br>SKIPPED - 1 |

Features: 1

Scenarios: 1

Steps: 8

Features — Pass %: 0 %

Scenarios — Pass %: 0 %

Steps — Pass %: 75 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Recherche | 1 | 0 | 1 | 0 | 23.046 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Recherche | recherche par employe name invalide | 8 | 6 | 1 | 1 | 23.041 s |

## (F)- Recherche

| FAILED | DURATION - 23.046 s | Scenarios | | Steps | |
|--------|---------------------|-----------|---|-------|---|
| | / 9:54:10.235 pm // 9:54:33.281 pm / | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 8<br>Pass - 6<br>Fail - 1<br>Skip - 1 | 8 |

## (S)- recherche par employe name invalide

| FAILED | DURATION - 23.041 s | | Steps | |
|--------|---------------------|---|-------|---|
| | / 9:54:10.240 pm // 9:54:33.281 pm / | | Total - 8<br>Pass - 6<br>Fail - 1<br>Skip - 1 | 8 |
| | Recherche | | | |
| | @rechercheByInvalidEmployeeName @recherche | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given je me connecte sur l'application | PASSED | 3.525 s |
| 2 | When je saisis le username "Admin" | PASSED | 1.197 s |
| 3 | And je saisis le password "Admin123++*/" | PASSED | 0.132 s |
| 4 | And je clique sur le bouton login | PASSED | 0.143 s |
| 5 | Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche | PASSED | 2.279 s |
| 6 | When je click sur le bouton admin | PASSED | 1.764 s |
| 7 | And je saisis le l'employe name souaite "rihab" | FAILED | 11.175 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //*[@id="app"]/div[2]/div[2]/div[2]/div/div[1]/div[2]/form/div[1]/div/div[3]/div/div[2]/div/div[2]/div/span (tried for 10 second(s) with 500 milliseconds interval)<br>   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)<br>   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>   at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57)<br>   at stepDefinitions.RechercheByEmployeeNameStepDef.jeSaisisLeLEmployeeNameSouaite(RechercheByEmployeeNameStepDef.java:31)<br>   at ?.je saisis le l'employe name souaite "rihab"(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/rechercheByEmployeeName.feature:27)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="app"]/div[2]/div[2]/div[2]/div/div[1]/div[2]/form/div[1]/div/div[3]/div/div[2]/div/div[2]/div/span"}   (Session info: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | chrome=141.0.7390.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '172.20.10.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d1f8e62e0c542c403edec66ceb97853, findElement {using=xpath, value=//*[@id="app"]/div[2]/div[2]/div[2]/div/div[1]/div[2]/form/div[1]/div/div[3]/div/div[2]/div/div[2]/div/span}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51822}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51822/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d1f8e62e0c542c403edec66ceb97853<br><br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:174)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br>    at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57)<br>    at stepDefinitions.RechercheByEmployeNameStepDef.jeSaisisLeLEmployeNameSouaite(RechercheByEmployeNameStepDef.java:31)<br>    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>    at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>    at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>    at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) | | |
| | at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:309) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) | | |
| | at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) | | |
| | at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:309) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 8 | And je verifie le message d'erreur affiche "Invalid" | SKIPPED | 0.000 s |
| | AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) | PASSED | 0.543 s |
| | recherche par employe name invalide<br> | | |