Cucumber Report

| Start : Nov 02, 10:25:30.085 pm	End : Nov 02, 10:25:42.038 pm	Duration : 11.953 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 10
1	1	17
0 %	0 %	35 %

#	Feature Name	T	P	F	S	Duration
1	ajout d'utilisateur	1	0	1	0	11.953 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ajout d'utilisateur	ajout d'un utilisateur	17	6	1	10	11.945 s

(F)- ajout d'utilisateur

FAILED	DURATION - 11.953 s	Scenarios		Steps	
	/ 10:25:30.085 pm // 10:25:42.038 pm /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 6 Fail - 1 Skip - 10	17

(S)- ajout d'un utilisateur

FAILED	DURATION - 11.945 s		Steps	
	/ 10:25:30.093 pm // 10:25:42.038 pm /		Total - 17 Pass - 6 Fail - 1 Skip - 10	17
	ajout d'utilisateur			
	@add @addUser			

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	4.379 s
2	When je saisis le username "Admin"	PASSED	1.109 s
3	And je saisis le password "Admin123++*/"	PASSED	0.068 s
4	And je clique sur le bouton login	PASSED	0.066 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	2.470 s
6	When je click sur le bouton admin	PASSED	1.302 s
7	And je click sur le bouton add	FAILED	0.007 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.AddUserStepDefinition
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149)
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141)		
	... 35 more Caused by: org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: driver.version: unknown		
	at org.openqa.selenium.By$ByClassName.<init>(By.java:310)		
	at org.openqa.selenium.By.className(By.java:100)		
	at org.openqa.selenium.support.How$1.buildBy(How.java:26)		
	at org.openqa.selenium.support.AbstractFindByBuilder.buildByFromLongFindBy(AbstractFindByBuilder.java:79)		
	at org.openqa.selenium.support.FindBy$FindByBuilder.buildIt(FindBy.java:87)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.Annotations.buildBy(Annotations.java:79) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:58) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46) at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:33) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:57) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:90) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:78) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:65) at stepDefinitions.AddUserStepDefinition.<init>(AddUserStepDefinition.java:18) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
8	And je selectionne un role "ESS"	SKIPPED	0.001 s
9	And je saisis l'employe name existant "benhmidar benhmidar"	SKIPPED	0.000 s
10	And je selectionne un status "Enabled"	SKIPPED	0.000 s
11	And je saisis le nouveau username "rihab"	SKIPPED	0.000 s
12	And je saisis le nouveau password "123Rihab/"	SKIPPED	0.002 s
13	And je confirme le password "123Rihab/"	SKIPPED	0.000 s
14	And je click sur le bouton save	SKIPPED	0.000 s
15	Then je saisis le username souaite "<username>"	SKIPPED	0.000 s
16	And je click sur le bouton recherche	SKIPPED	0.000 s
17	And je verifie les usernames affiches sur le tableau "<username>"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) ajout d'un utilisateur	PASSED	0.258 s