

# Cucumber Report

27 Oct 2025, 19:56:57

Start : Oct 27, 7:56:56.278 pm

End : Oct 27, 7:56:56.816 pm

Duration : 0.538 s

Features


Scenarios


Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	Recherche	2	0	2	0	0.538 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par user role	9	0	0	9	0.410 s
2	Recherche	recherche par user role	9	0	0	9	0.106 s

**(F)- Recherche**

<b>FAILED</b>	<b>DURATION - 0.538 s</b>	Scenarios		Steps	
/ 7:56:56.278 pm // 7:56:56.816 pm /		Total - 2		Total - 18	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 18	

**(S)- recherche par user role**



<div><div>FAILED</div><div>DURATION - 0.410 s</div></div>			Steps	<div><div>Total - 9</div><div>Pass - 0</div><div>Fail - 0</div><div>Skip - 9</div></div>	
/ 7:56:56.287 pm // 7:56:56.697 pm /					
Recherche					
@rechercheByUserRole @recherche					

#	Step / Hook Details	Status	Duration
	<b>BEFORE - utils.Setup.setup()</b> io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1421) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27) at utils.DriverManager.getDriver(DriverManager.java:25) at utils.Setup.setup(Setup.java:21) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.base/java.net.InetAddress\$CachedLookup.get(InetAddress.java:988) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1818) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1688) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)	<b>FAILED</b>	0.379 s

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:157) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:54) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:117) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1442) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1268) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1184) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27) at utils.DriverManager.getDriver(DriverManager.java:25) at utils.Setup.setup(Setup.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given je me connecte sur l'application	SKIPPED	0.001 s
2	When je saisis le username "Admin"	SKIPPED	0.002 s
3	And je saisis le password "Admin123++*/"	SKIPPED	0.001 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'accueil et "Dashboard" s'affiche	SKIPPED	0.000 s
6	When je click sur le bouton admin	SKIPPED	0.001 s
7	And je saisis le role souaite "ESS"	SKIPPED	0.000 s
8	And je click sur le bouton recherche	SKIPPED	0.002 s
9	Then je verifie les role affiches sur le tableau "ESS"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "utils.Setup.driver" is null at utils.Setup.embedScreenshot(Setup.java:36)	FAILED	0.003 s

**(S)- recherche par user role**

<div>FAILED</div> <div>DURATION - 0.106 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
<div>/ 7:56:56.710 pm // 7:56:56.816 pm /</div>			
<div>Recherche</div>			
<div>@rechercheByUserRole @recherche</div>			

#	Step / Hook Details	Status	Duration
	<b>BEFORE - utils.Setup.setup()</b> io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1421) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27) at utils.DriverManager.getDriver(DriverManager.java:25) at utils.Setup.setup(Setup.java:21) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.base/java.net.InetAddress\$CachedLookup.get(InetAddress.java:988) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1818) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1688) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)	<b>FAILED</b>	0.097 s

#	Step / Hook Details	Status	Duration
	at org.apache.http.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.http.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:157) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:54) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:117) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1442) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1268) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1184) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27) at utils.DriverManager.getDriver(DriverManager.java:25) at utils.Setup.setup(Setup.java:21) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		



#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given je me connecte sur l'application	SKIPPED	0.000 s
2	When je saisis le username "Admin"	SKIPPED	0.000 s
3	And je saisis le password "Admin123++*/"	SKIPPED	0.000 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'accueil et "Dashboard" s'affiche	SKIPPED	0.001 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le role souaite "Admin"	SKIPPED	0.001 s
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie les role affiches sur le tableau "Admin"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "utils.Setup.driver" is null at utils.Setup.embedScreenshot(Setup.java:36)	FAILED	0.002 s