

# Cucumber Report

27 Oct 2025, 21:45:04

Start : Oct 27, 9:44:46.201 pm

End : Oct 27, 9:45:03.582 pm

Duration : 17.381 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Recherche	1	0	1	0	17.381 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par user role	9	6	1	2	17.369 s

**(F)- Recherche**

<b>FAILED</b>	<b>DURATION - 17.381 s</b>	Scenarios		Steps	
/ 9:44:46.201 pm // 9:45:03.582 pm /		Total - 1		Total - 9	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

**(S)- recherche par user role**

<div>FAILED</div> <div>DURATION - 17.369 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:44:46.213 pm // 9:45:03.582 pm /</div>				
<div>Recherche</div>				
<div>@recherche @rechercheByEmployeeName</div>				

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	5.963 s
2	When je saisis le username "Admin"	PASSED	1.730 s
3	And je saisis le password "Admin123++*/"	PASSED	0.130 s
4	And je clique sur le bouton login	PASSED	0.131 s
5	Then je me redirige vers la page d'accueil et "Dashboard" s'affiche	PASSED	4.385 s
6	When je click sur le bouton admin	PASSED	2.330 s
7	And je saisis le l'employe name souaite "benhmidar benhmidar"	FAILED	0.014 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.RechercheByEmployeeNameStepDef at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 35 more Caused by: org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: driver.version: unknown at org.openqa.selenium.By\$ByClassName.&lt;init&gt;(By.java:310) at org.openqa.selenium.By.className(By.java:100) at org.openqa.selenium.support.How\$1.buildBy(How.java:26) at org.openqa.selenium.support.AbstractFindByBuilder.buildByFromLongFindBy(AbstractFindByBuilder.java:79) at org.openqa.selenium.support.FindBy\$FindByBuilder.buildIt(FindBy.java:87) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.Annotations.buildBy(Annotations.java:79) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:58) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46) at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:33) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:57) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:90) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:78) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:65) at stepDefinitions.RechercheByEmployeNameStepDef.<init>(RechercheByEmployeNameStepDef.java:23) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie le employe name affiche sur le tableau "benhmidar benhmidar"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	recherche par user role		
	