Cucumber Report

| Start : Oct 26, 5:44:54.505 pm	End : Oct 26, 5:45:06.795 pm	Duration : 12.290 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	Recherche	1	0	1	0	12.290 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par user role	9	5	1	3	12.277 s

(F)- Recherche

FAILED	DURATION - 12.290 s	Scenarios		Steps	
	/ 5:44:54.505 pm // 5:45:06.795 pm /	Total - 1		Total - 9	
		Pass - 0	1	Pass - 5	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- recherche par user role

FAILED	DURATION - 12.277 s		Steps	
	/ 5:44:54.518 pm // 5:45:06.795 pm /		Total - 9	
	Recherche		Pass - 5	9
			Fail - 1	
	@rechercheByUserRole @recherche		Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	3.936 s
2	When je saisis le username "Admin"	PASSED	1.227 s
3	And je saisis le password "Admin123++*/"	PASSED	0.156 s
4	And je clique sur le bouton login	PASSED	0.114 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	2.835 s
6	When je click sur le bouton admin	FAILED	0.006 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.RechercheByUsernameStepDef
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149)
	    at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.runtime.ObjectFactoryServiceLoader$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:141) ... 35 more Caused by: java.lang.Error: Unresolved compilation problems: The method log(String) is undefined for the type Scenario The method log(String) is undefined for the type Scenario Syntax error on token "}", delete this token at stepDefinitions.RechercheByUsernameStepDef.<init>(RechercheByUsernameStepDef.java:56) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
7	And je saisis le role souaite	SKIPPED	0.002 s
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie les role affiches sur le tableau "ESS"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	PASSED	0.860 s

#	Step / Hook Details	Status	Duration
	recherche par user role		