Cucumber Report

19 oct. 2025, 15:17:46

| Start : oct. 19, 3:17:13.238 PM	End : oct. 19, 3:17:45.128 PM	Duration : 31.890 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 18

Pass %

#	Feature Name	T	P	F	S	Duration
1	Authentification	6	0	6	0	31.890 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Authentification	Authentification avec des identifiants non valides	4	0	1	3	14.197 s
2	Authentification	Authentification avec des identifiants non valides	4	0	1	3	7.006 s
3	Authentification	Authentification avec des identifiants non valides	4	0	1	3	3.102 s
4	Authentification	Authentification avec des identifiants non valides	4	0	1	3	2.456 s
5	Authentification	Authentification avec des identifiants non valides	4	0	1	3	2.820 s
6	Authentification	Authentification avec des identifiants non valides	4	0	1	3	2.218 s

(F)- Authentification

FAILED	DURATION - 31.890 s	Scenarios		Steps	
		Total - 6		Total - 24	
/ 3:17:13.238 PM // 3:17:45.128 PM /		Pass - 0	6	Pass - 0	24
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 18	

(S)- Authentification avec des identifiants non valides

FAILED	DURATION - 14.197 s		Steps	
			Total - 4	
/ 3:17:13.251 PM // 3:17:27.448 PM /			Pass - 0	4
Authentification			Fail - 1	
@connexion @connexionInvalide			Skip - 3	

#	Step / Hook Details	Status	Duration
1	When je saisis le username "Rihab"	FAILED	5.495 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@placeholder='Username'] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52114}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52114/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e13665c4c0e56509b54c1f5f0176de55
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33)
	    at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42)
	    at ?.je saisis le username "Rihab"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/ authentification.feature:17)
	* Not displayable characters are replaced by '?'.		

2	And je saisis le password "admin123"	SKIPPED	0.002 s

| #	Step / Hook Details	Status	Duration
3	And je clique sur le bouton login	SKIPPED	0.001 s
4	Then je verifie le message d'erreur affiche "Invalid credentials"	SKIPPED	0.001 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	PASSED	4.958 s
	Authentification avec des identifiants non valides		

(S)- Authentification avec des identifiants non valides

FAILED	DURATION - 7.006 s
/ 3:17:27.470 PM // 3:17:34.476 PM /	
Authentification	
@connexion @connexionInvalide	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	When je saisis le username "Admin"	FAILED	5.387 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@placeholder='Username'] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57688}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57688/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c277b03e3b118a38887a047019e9f963 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "Admin"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/authentification.feature:17) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
2	And je saisis le password "admin12"	SKIPPED	0.000 s
3	And je clique sur le bouton login	SKIPPED	0.003 s
4	Then je verifie le message d'erreur affiche "Invalid credentials"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) Authentification avec des identifiants non valides	PASSED	0.614 s

(S)- Authentification avec des identifiants non valides

FAILED	DURATION - 3.102 s
/ 3:17:34.499 PM // 3:17:37.601 PM /	
Authentification	
@connexion @connexionInvalide	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	When je saisis le username "Admin"	FAILED	1.617 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.76) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e61e69f377e42462ec9c04cee8f86cc4, findElement {using=xpath, value=//input[@placeholder='Username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60320}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60320/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e61e69f377e42462ec9c04cee8f86cc4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "Admin"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/authentification.feature:17) * Not displayable characters are replaced by '?'.		
2	And je saisis le password ""	SKIPPED	0.005 s
3	And je clique sur le bouton login	SKIPPED	0.004 s
4	Then je verifie le message d'erreur affiche "Required"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.140 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e61e69f377e42462ec9c04cee8f86cc4, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60320}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60320/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e61e69f377e42462ec9c04cee8f86cc4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at utils.Setup.embedScreenshot(Setup.java:36)		

## (S)- Authentification avec des identifiants non valides

FAILED	DURATION - 2.456 s		Steps	
			Total - 4	
/ 3:17:37.621 PM // 3:17:40.077 PM /			Pass - 0	4
			Fail - 1	
Authentification				
			Skip - 3	
@connexion @connexionInvalide				

#	Step / Hook Details	Status	Duration
1	When je saisis le username ""	FAILED	1.083 s

	org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=141.0.7390.76) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f84c2105c6f2994b039b4c0ecf755acb, findElement {using=xpath, value=//input[@placeholder='Username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50407}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50407/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f84c2105c6f2994b039b4c0ecf755acb
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username ""(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/authentification.feature:17) * Not displayable characters are replaced by '?'.		
2	And je saisis le password "admin123"	SKIPPED	0.001 s
3	And je clique sur le bouton login	SKIPPED	0.001 s
4	Then je verifie le message d'erreur affiche "Required"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.117 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.76) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f84c2105c6f2994b039b4c0ecf755acb, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50407}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50407/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f84c2105c6f2994b039b4c0ecf755acb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		
	at utils.Setup.embedScreenshot(Setup.java:36)		

(S)- Authentification avec des identifiants non valides

FAILED	DURATION - 2.820 s	Steps
/ 3:17:40.083 PM // 3:17:42.903 PM /		Total - 4
Authentification		Pass - 0
		Fail - 1
@connexion @connexionInvalide		Skip - 3

#	Step / Hook Details	Status	Duration
1	When je saisis le username "admin"	FAILED	1.600 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.76) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e507b65d9134e82b8b8473f7f0d9169, findElement {using=xpath, value=//input[@placeholder='Username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63222}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63222/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e507b65d9134e82b8b8473f7f0d9169
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "admin"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/authentification.feature:17) * Not displayable characters are replaced by '?'.		
2	And je saisis le password "Admin1"	SKIPPED	0.001 s
3	And je clique sur le bouton login	SKIPPED	0.001 s
4	Then je verifie le message d'erreur affiche "Invalid credentials"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.097 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e507b65d9134e82b8b8473f7f0d9169, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63222}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63222/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e507b65d9134e82b8b8473f7f0d9169 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at utils.Setup.embedScreenshot(Setup.java:36)		

(S)- Authentification avec des identifiants non valides

FAILED	DURATION - 2.218 s
/ 3:17:42.910 PM // 3:17:45.128 PM /	
Authentification	
@connexion @connexionInvalide	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	When je saisis le username ""	FAILED	1.099 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.76) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [8f9b6856c3953fcac5a12c6130f232ca, findElement {using=xpath, value=//input[@placeholder='Username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52887}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52887/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8f9b6856c3953fcac5a12c6130f232ca
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:197)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:193)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		

#	Step / Hook Details	Status	Duration
	at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username ""(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/authentification.feature:17) * Not displayable characters are replaced by '?'.		
2	And je saisis le password ""	SKIPPED	0.001 s
3	And je clique sur le bouton login	SKIPPED	0.001 s
4	Then je verifie le message d'erreur affiche "Required"	SKIPPED	0.001 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.074 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f9b6856c3953fcac5a12c6130f232ca, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc..., userDataDir: C:\Users\abhri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52887}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52887/devtoo..., se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8f9b6856c3953fcac5a12c6130f232ca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at utils.Setup.embedScreenshot(Setup.java:36)		