


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Recherche	2	0	2	0	26.567 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par employe name	9	1	1	7	13.313 s
2	Recherche	recherche par employe name	9	1	1	7	13.237 s

DETAILED SECTION -- 4 --

(F)- Recherche

FAILED	DURATION - 26.567 s	Scenarios		Steps	
		Total - 2		Total - 18	
/ 8:46:42.547 pm	// 8:47:09.114 pm /	Pass - 0	2	Pass - 2	18 💆
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 14	

(S)- recherche par employe name




#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	1.461 s
2	When je saisis le username "Admin"	FAILED	10.298 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@name='username'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "Admin"(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/ rechercheByEmployeeName.feature:8) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RiHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [383995dab4817d08aea28ffae0e1b4b7, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1, userDataDir: C:Users\bentiforname, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1, userDataDir: C:Users\bentiforname, browserVersion: 141.0.7390.123, setVindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 383995dab4817d08aea28ffae0e1b4b7		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:197)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:193)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33)		
	at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) * Not displayable characters are replaced by '?'.		
3	And je saisis le password "Admin123++*/"	SKIPPED	0.001 s
4		SKIPPED	0.001 s
\vdash	And je clique sur le bouton login		
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.001 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le l'employe name souaite "benhmidar benhmidar"	SKIPPED	0.000 s
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie le employe name affiche sur le tableau "benhmidar benhmidar"	SKIPPED	0.001 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name:		
	'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[383995dab4817d08aea28ffae0e1b4b7, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1, userDataDir: C:\Users\benhm\AppData\Loca},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57520}, javascriptEnabled: true, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57520/devtoo,		
	se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 383995dab4817d08aea28ffae0e1b4b7		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		
	at utils.Setup.embedScreenshot(Setup.java:36)		

(S)- recherche par employe name



#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	2.336 s
2	When je saisis le username "Admin"	FAILED	10.244 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@name='username'] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33) at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42) at ?.je saisis le username "Admin"(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/rechercheByEmployeeName.feature:8) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d7d45a4803ac8aa90b144eb1be7d36b2, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1, userDataDir: C:\Users\begin{array}{c} Culsers\begin{array}{c} Culsers\begin{array}{c} pageLoadStrategy: normal, platform: WiNDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64600/devtoo, se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: d7d45a4803ac8aa90b144eb1be7d36b2		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:197)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:193)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at utils.WaitMethods.explicitWaitUntilVisibilityOfElementXpath(WaitMethods.java:33)		
	at stepDefinitions.ConnexionStepDefinition.je_saisis_le_username(ConnexionStepDefinition.java:42)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java.200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java.200)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:443)		
	* Not displayable characters are replaced by '?'.		
3	And je saisis le password "Admin123++*/"	SKIPPED	0.001 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.001 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le l'employe name souaite "rihab"	SKIPPED	0.001 s
8	And je click sur le bouton recherche	SKIPPED	0.001 s
9	Then je verifie le employe name affiche sur le tableau "Invalid"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d7d45a4803ac8aa90b144eb1be7d36b2, screenshot {}] Capabilities {acceptlnsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1, userDataDir: C:\Users\benhm\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64600}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64600/devtoo, se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d7d45a4803ac8aa90b144eb1be7d36b2 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at utils.Setup.embedScreenshot(Setup.java:36)		